



by Honeywell

# PRODUCT CATALOGUE



# I LOVE YOUR FEET MORE



## SOLE FEATURES



### Electrical Resistant

Electrical Hazard (EH) Protection reduces the danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11



### Antistatic

Minimises the build up of electrostatic charges and provides protection against the risk of spark ignition for such hazards as flammable materials and gases.



### HYDRo<sup>stop</sup>

Offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.



Heat resistant sole (266° F)



Heat resistant sole (572° F)



Abrasion resistant sole



Sole resistant to organic oils and fats



Sole resistant to mineral oils and acids



Cut resistant sole

## SPECIAL FEATURES



### Metatarsal Protection

Provides increased protection against the risk of impact and crush injuries. Metatarsal guards coupled with safety toe caps offer complete fore foot protection.



### Sole Penetration Protection

Offers the reduced risk of sharp objects penetrating the sole and entering the foot.



### SAFETY<sup>cell</sup>® Protection

Fully integrated TPU (Thermo Plastic Urethane) shell offers enhanced abrasion and cut resistance from harsh working conditions.



Water Resistant leather



Waterproof footwear



Toe Bumper



HEEL<sup>guard</sup>




Hi-Vis Reflective Safety Trim

## COMFORT FEATURES



### COMFORT<sup>cushion</sup>® Impact Absorption

Provides superior cushioning and shock absorption helping to reduce foot, leg and back fatigue.



### NANo<sup>Lite</sup>® Footbed

Massages feet as you walk, offering ultimate comfort and enhancing blood flow to reduce fatigue.



### NATURE<sup>form</sup>® wide profile Type 1 safety toe cap

Offers a wide profile shape for greater comfort and ensuring toes are not in contact with the toe cap.



### Antimicrobial Technology

Revolutionary anti-bacterial solution provides protection against odour, staining and deterioration caused by bacteria, fungus and other micro-organisms.



### SOFT<sup>stride</sup>® Contour Comfort Support

Low density urethane foam contours to the individual foot shape to provide ultimate comfort and support.

## TOE CAP FEATURES



### Steel Safety Toe Cap

Type 1 Steel toe cap offers protection against drop and crush injuries. Developed to withstand a force of 200 joules.



### Composite Safety Toe Cap

Non-Metallic Type 1 toe cap protection against drop and crush injuries. Lightweight and airport friendly. Developed to withstand a force of 200 joules.



## SLIP RESISTANCE



### Slip Resistant Sole

The following abbreviations provide information about slip resistance ratings:






**SRA:** Slip resistance tested on ceramic tile floor with sodium lauryl sulphate (SLS) solution.

**SRB:** Slip resistance tested on steel floor with glycerol.

**SRC:** Slip resistance tested on both ceramic tile floor with SLS solution and steel floor with glycerol.



# CONTENTS

|  |   |           |
|--|---|-----------|
|   | <b>45 Series</b> Dual Density PU / TPU Footwear             | <b>4</b>  |
|  | <b>55 Series</b> Dual Density PU / Rubber Footwear          | <b>6</b>  |
|  | <b>55 Metatarsal Series</b> Dual Density PU/Rubber Footwear | <b>8</b>  |
|  | <b>65 Series</b> Mining/Caustic Resistant Footwear          | <b>9</b>  |
| <hr/>  |   |           |
|   | <b>34 Series</b> Dual Density PU Footwear                   | <b>10</b> |
|  | <b>26 Series</b> Dual Density PU Non Safety Footwear        | <b>16</b> |
|  | <b>22 Series</b> PVC Safety Gumboot                         | <b>18</b> |
| <hr/>  |   |           |
|   | <b>44 Series</b> Dual Density PU / TPU Footwear             | <b>19</b> |
| <hr/>  |   |           |
|   | <b>49 Series</b> Dual Density PU / Rubber Ladies Footwear   | <b>20</b> |
|  | <b>28 Series</b> Dual Density PU Executive Footwear         | <b>22</b> |
| <hr/>  |   |           |
|  | <b>66 Series</b> Smelter Footwear                           | <b>23</b> |
|  | <b>66 Series</b> Fire & Emergency Services Footwear         | <b>24</b> |
| <hr/>  |   |           |
|  | <b>Accessories</b>  | <b>25</b> |
|  | <b>Index</b>  | <b>26</b> |



**LOVE YOUR  
FEET MORE**

 [Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)  
 [@oliverfootwear](https://www.instagram.com/oliverfootwear)



# 45

SERIES

## DUAL DENSITY PU / TPU FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11

**COMFORTcushion®** Impact Absorption System uses a combination of cellular urethane and PORON<sup>1</sup>

Full lining infused with eco friendly Odorban<sup>2</sup> Control Technology to absorb odour for optimum freshness and hygiene

Long wearing TPU outsole designed to self clear rocks and debris from tread. Excellent abrasion resistance

Latex toe cap liner for added comfort  
Protection strip



Water resistant leather

Bevelled heel for excellent slip resistance

Stabilising and support shank


Shock absorbing Polyurethane midsole

Oliver Comfort Footbed enhances natural air flow; infused with Odorban™ Control Technology.

Oliver SOFTstride® open cell low density urethane foam for comfort and contour support

<sup>1</sup> PORON® 2013 Rogers Corporation, All Rights Reserved  
<sup>2</sup> © Devan Chemicals NV 2015

## 45 SERIES COMFORT TECHNOLOGY



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.

### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg, and lower back fatigue.

### Oliver SOFTstride® Comfort System

Oliver SOFTstride® Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver SOFTstride® gives added reassurance to help you get through those long hours on your feet.

### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.





**45-632Z**

**150MM WHEAT ZIP SIDED BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic
- Convenient side zip

Sizes: 5 - 14, 6½ - 10½



**45-645Z**

**150MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic
- Convenient side zip

Sizes: 5 - 14, 6½ - 10½



**45-637**

**150MM BROWN LACE UP BOOT**

- Water resistant pull up leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



**45-632**

**150MM WHEAT LACE UP BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



**45-645**

**150MM BLACK LACE UP BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



**45-627**

**BROWN ELASTIC SIDED BOOT**

- Water resistant pull up leather
- Comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½

**OLIVER 30 DAY COMFORT GUARANTEE†**

† Must produce dated receipt and guarantee tag

Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



**SOLING TECHNOLOGY**



**AT's All Terrain TPU Soling Technology**

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- High density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.
- Heat resistant outsole to temperatures of 130° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to most oils, acids and chemicals.
- Superior resistance to abrasion, splitting and cracking.
- Superior slip resistance, rated SRB.
- Will not mark floors.



# 55

SERIES

## DUAL DENSITY PU / RUBBER FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Oliver **COOLstep**® lining to absorb moisture and odour for optimum freshness and hygiene.

Lace locking fixture

Water resistant leather

**HEELguard** for stability and impact protection

**NANOlite**® footbed for enhanced comfort and reduced odour

Bevelled heel for excellent slip resistance

Kevlar<sup>3</sup> thread on critical wear seams for maximum abrasion and chemical resistance

Deep tread profile with self-cleaning design

Long wearing All Terrain rubber outsole designed for superior grip and durability. Anti Static

Latex toe cap liner for added comfort

Protection strip

**NATUREform**® Type 1 Toe Cap. Wider profile for greater comfort

**TECtuff**® toe guard

**COMFORTcushion**® Impact Absorption System uses a combination of cellular urethane and **PORON**®

Oliver **SOFTstride**® open cell low density urethane foam for comfort and contour support

Stabilising and support shank

Shock absorbing Polyurethane midsole

<sup>3</sup> Kevlar 2013 DuPont

### 55 SERIES COMFORT TECHNOLOGY



**COMFORTcushion** Impact Absorption



**NATUREform** wide profile Type 1 safety toe cap



Water Resistant leather



Steel Safety Toe Cap



Toe Bumper



**NANOlite** footbed



Antimicrobial Technology



**SOFTstride** Contour Comfort Support



**HEELguard**



#### NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite**® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

#### COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORTcushion**® uses a combination of cellular urethane and **PORON**® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

#### Oliver SOFTstride® Comfort System

Oliver **SOFTstride**® Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**® gives added reassurance to help you get through those long hours on your feet.



**LIGHTEST  
55 SERIES EVER**

**AT55 SERIES**



**55-320**  
**BLACK ELASTIC SIDED BOOT**

- Water resistant full grain leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort

Sizes: 4 - 14, 6½ - 12½



**55-322**  
**WHEAT ELASTIC SIDED BOOT**

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort

Sizes: 4 - 14, 6½ - 12½



**55-332**  
**150MM WHEAT LACE UP BOOT**

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort

Sizes: 4 - 14, 6½ - 12½



**55-332Z**  
**150MM WHEAT ZIP SIDED BOOT**

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort
- Convenient quick release zipper

Sizes: 4 - 14, 6½ - 12½



**55-337**  
**150MM BROWN LACE UP BOOT**

- Water resistant pull up leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort

Sizes: 4 - 14, 6½ - 12½



**55-345**  
**150MM BLACK LACE UP BOOT**

- Water resistant full grain leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort

Sizes: 4 - 14, 6½ - 12½



**55-345Z**  
**150MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort
- Convenient quick release zipper

Sizes: 4 - 14, 6½ - 12½



**55-385**  
**200MM HI-LEG WHEAT ZIP SIDED BOOT**

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort
- Convenient quick release zipper

Sizes: 4 - 14, 6½ - 12½

**OLIVER 30 DAY COMFORT GUARANTEE†**

Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

**SOLING TECHNOLOGY**



- 300°C**  
Heat Resistant sole (572° F)
- Abrasion Resistant sole**
- Cut Resistant sole**
- Slip Resistant sole**
- Sole resistant to mineral oils and acids**
- Sole resistant to organic oils and fats**
- Antistatic discharges static build-up**

**AT's All Terrain Dual Density PU/Rubber Soling technology**

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- All Terrain nitrile rubber outsole with new deeper tread profile and self-cleaning design for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 55

SOLE FROM THE 50S

## METATARSAL DUAL DENSITY PU / RUBBER FOOTWEAR



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Oliver **SOFTstride**® Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**® gives added reassurance to help you get through those long hours on your feet.



Oliver **COOLstep**® lining to absorb moisture and odour for optimum freshness and hygiene.

### 55-346 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort
- **PORON**® XRD™ Metatarsal Guard
- **Q-flex**® non-metallic penetration protection insole

Sizes: 4 - 14, 6½ - 12½

### 55-336 150MM WHEAT LACE UP BOOT

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness
- **NANOlite**® footbed for greater comfort
- **PORON**® XRD™ Metatarsal Guard
- **Q-Flex**® non-metallic penetration protection insole

Sizes: 4 - 14, 6½ - 12½

## 55 SERIES METATARSAL COMFORT & SOLING TECHNOLOGY

METATARSAL RANGE EXTRA FEATURES:



Midsole penetration protection



Metatarsal protection



Electrical Resistant



**PORON**® XRD™ REVOLUTIONARY METATARSAL PROTECTION



### PORON® XRD™ Metatarsal Guard - Extreme Impact Protection.

**PORON**® XRD™ is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the **PORON**® XRD™ high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit.

\*as measured according to ASTM-F1614-C  
**PORON**® and **XRD**™ are licensed trademarks of Rogers Corporation



### NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite**® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

### COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORTcushion**® uses a combination of cellular urethane and **PORON**® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



**COMFORT GUARANTEE †**

† Must produce dated receipt and guarantee tag

### AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing nitrile rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

### AT's Rubber soling technology offers:

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 65 SERIES

## MINING/CAUSTIC RESISTANT FOOTWEAR



**COMPLIES WITH** ✓  
 AS/NZS 2210.3:2009  
 EN ISO 20345:2011  
 ASTM F2413-11



### 65-691 350MM BLACK LACE UP MINING BOOT

- Water resistant full grain leather
  - Heavy duty **Nomex**<sup>4</sup> heat and flame resistant stitching
  - Integrated TPU **SAFETYcell**<sup>®</sup>
  - **SYMPATEX**<sup>5</sup> waterproof liner
  - Internal **PORON**<sup>®</sup> XRD metatarsal guard
  - **Q-flex**<sup>®</sup> non metallic penetration protection insole
  - Fully lined with padded comfort collar and tongue
  - Full bellows tongue
- Sizes: 5 - 14, 6½ - 10½

EXTRA FEATURES:



**OPTIONAL  
 LACE IN QUICK  
 RELEASE ZIPPER  
 ATTACHMENT.**



### 65-393 240MM TAN PULL ON RIGGERS BOOT

- Caustic and water resistant full grain leather
  - **PORON**<sup>®</sup> XRD Metatarsal guard
  - Heavy duty Kevlar<sup>2</sup> stitching on critical seams
  - Integrated TPU **SAFETYcell**<sup>®</sup>
  - Fully lined
- Sizes: 5 - 14, 6½ - 10½

EXTRA FEATURES:

### 65-390 150MM TAN LACE UP BOOT

- Caustic and water resistant full grain leather
  - Heavy duty Kevlar<sup>®</sup> stitching on critical seams
  - Integrated TPU **SAFETYcell**<sup>®</sup>
  - Fully lined with padded collar and tongue
  - Lace locking device
- Sizes: 5 - 14, 6½ - 10½

## 65 SERIES COMFORT TECHNOLOGY



† Must produce dated receipt and guarantee tag




### NANOlite<sup>®</sup> Technology

The Oliver Comfort System now has a unique **NANOlite**<sup>®</sup> footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



### NATUREform<sup>®</sup> Type 1 Toe Cap

Oliver **NATUREform**<sup>®</sup> toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



### COMFORTcushion<sup>®</sup> Impact Absorption System

Oliver's unique **COMFORTcushion**<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



### PORON<sup>®</sup> XRD<sup>™</sup> Metatarsal Guard

**PORON**<sup>®</sup> XRD is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the **PORON**<sup>®</sup> XRD high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit.

\*as measured according to ASTM-F1614-C



## SOLING TECHNOLOGY



### AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- Long wearing All Terrain nitrile rubber outsole is designed for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

<sup>4</sup> Nomex Dupont

<sup>5</sup> Sympatex Technologies GmbH




# 34 SERIES | DUAL DENSITY PU FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-2011



## 34 SERIES COMFORT TECHNOLOGY



### COMFORTcushion® Impact Absorption System

**COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes **Odorban™** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.





**34-660**

**BLACK ZIP SIDED ANKLE BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip
- Toe bumper to protect against scuffing

Sizes: 4 - 13, 6½ - 10½

EXTRA FEATURES:



**34-662**

**WHEAT ZIP SIDED ANKLE BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip
- Toe bumper to protect against scuffing

Sizes: 4 - 13, 6½ - 10½

EXTRA FEATURES:

Also available with **STEELflex®** midsole **34-662P**



**34-634**

**BLACK LACE UP ANKLE BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½

Also available with **STEELflex®** midsole **34-634P**



**34-632**

**WHEAT LACE UP ANKLE BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½

Also available with **STEELflex®** midsole **34-632P**



**34-674**

**190MM HIGH LEG BEIGE ZIP SIDED BOOT**

- Water resistant suede leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip
- Toe bumper to protect against scuffing

Sizes: 4 - 13, 6½ - 10½

Also available with **STEELflex®** midsole **34-674P**

EXTRA FEATURES:



**HYDROstop® PROTECTION**

**HYDROstop®** offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



**SOLING TECHNOLOGY**

- HYDROstop** 3 year guarantee against hydrolysis
- 130°C** Heat Resistant sole (266° F)
- Abrasion Resistant sole**
- Cut Resistant sole**
- Slip Resistant sole**
- Sole resistant to mineral oils and acids**
- Sole resistant to organic oils and fats**
- Electrical Hazard Resistant**

**GRIPthane® Dual Density Polyurethane sole**

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- Hard wearing PU outsole is designed for superior grip and durability
- Heat resistant outsole to temperatures of 130° Celsius
- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral and organic oils and acids
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC



# 34 SERIES

## DUAL DENSITY PU FOOTWEAR



### 34-692

#### 250MM BROWN PULL ON RIGGERS BOOT

- Water resistant pull up leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Toe bumper to protect against scuffing

Sizes: 4 - 13, 6½ - 10½

EXTRA FEATURES:



### 34-626

#### CLARET ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-620

#### BLACK ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-624

#### BEIGE ELASTIC SIDED BOOT

- Water resistant suede leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-680

#### BLACK ELASTIC SIDED BOOT

- Barton printed leather
- Comfort footbed infused with **Odorban™** Control Technology
- This style is not water resistant

Sizes: 4 - 13, 6½ - 10½

# 34 SERIES COMFORT TECHNOLOGY



COMFORTushow  
Impact  
Absorption



NATUREform  
wide profile Type  
1 safety toe cap



Steel Safety  
Toe Cap



Water Resistant  
leather



Antimicrobial  
Technology





**HYDROstop® PROTECTION**

HYDROstop® offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



|  |  |
|--|--|
| <b>COMPLIES WITH</b>                                     |  |
| AS/NZS 2210.3:2009<br>EN ISO 20345:2011<br>ASTM F2413-11 |  |

**34-623**

**BLACK LACE UP ANKLE JOGGER**

- Water resistant suede leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½

**34-613**

**BLACK LACE UP JOGGER**

- Water resistant suede leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½



**34-652**

**BLACK LACE UP DERBY SHOE**

- Water resistant smooth full grain leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½



**34-615**

**WHEAT SLIP ON SPORTS SHOE**

- Water resistant nubuck leather with **EXPANDflex®** for easy donning and doffing
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½



**34-610**

**BLACK SLIP ON SPORTS SHOE**

- Water resistant nubuck leather with **EXPANDflex®** for easy donning and doffing
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½

**SOLING TECHNOLOGY**

|   |  |                            |                       |                        |  |   |                                |
|---|--|----------------------------|-----------------------|------------------------|--|---|--------------------------------|
|   |  |                            |                       |                        |  |   |                                |
| HYDROstop<br>3 year guarantee<br>against hydrolysis | 130°C<br>Heat Resistant<br>sole (266° F) | Abrasion<br>Resistant sole | Cut Resistant<br>sole | Slip Resistant<br>sole | Sole resistant to<br>mineral oils<br>and acids | Sole resistant to<br>organic oils<br>and fats | Electrical Hazard<br>Resistant |





by Honeywell

## A PROUD TRADITION - FOUNDED 1887


Oliver Footwear, Australia's leading Safety Footwear Manufacturer owes its origins to gold mining in the Victorian provincial city of Ballarat.

Our founder James Oliver, a boot-maker by trade, came to the goldfields of Ballarat, then amongst the richest alluvial and underground mining fields in the world, in the mid 1800's. His quest for the elusive nuggets was unsuccessful, so he returned to the trade of boot-making which he had learned in the U.K.

Established as the business of Oliver & Stevens, the new venture commenced producing tough and durable boots for miners and farmers in 1887.

The same entrepreneurial streak which marked the establishment of the business in 1887 continues today with Oliver Footwear building on its commitment to footwear manufacturing in Ballarat, Australia, operating a modern manufacturing plant supported by a dedicated team of employees.

Product research and development to address the needs and demands of tough workplace safety environments will always be a central part of our company philosophy.



1938 - Jack Oliver's 60 Bridge Street Store.  
This photograph was taken during Ballarat's centenary celebrations.





# LOVE YOUR FEET MORE



Ongoing investment in manufacturing technology, business systems and people ensures that Oliver continues to adopt world's best practice in all parts of the business.

Oliver is now part of Honeywell Industrial Safety which offers not just the world's most comprehensive lines of Personal Protective Solutions but the most respected brands that make workers embrace safety on their own.





# 26

## SERIES

### NON SAFETY FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.5:2009  
EN ISO 20347:2012  
ASTM F2892-11



## 26 SERIES COMFORT TECHNOLOGY



### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® to protect the heel and ball of the foot by providing superior cushioning and shock absorption, reducing foot, leg, and lower back fatigue.



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.





**26-660**

**140MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip

**Sizes:** 4 - 13, 6½ - 10½



**26-620**

**BLACK ELASTIC SIDED BOOT**

- Water resistant full grain leather
- Comfort foot bed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



**26-626**

**CLARET ELASTIC SIDED BOOT**

- Water resistant full grain leather
- Comfort foot bed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



**26-636**

**CLARET LACE UP BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



**HYDROstop® PROTECTION**

HYDROstop® offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.



**SOLING TECHNOLOGY**

|   |  |                            |                       |                        |  |   |                                |
|---|--|----------------------------|-----------------------|------------------------|--|---|--------------------------------|
|   |  |                            |                       |                        |  |   |                                |
| HYDROstop<br>3 year guarantee<br>against hydrolysis | 130°C<br>Heat Resistant<br>sole (266° F) | Abrasion<br>Resistant sole | Cut Resistant<br>sole | Slip Resistant<br>sole | Sole resistant to<br>mineral oils<br>and acids | Sole resistant to<br>organic oils<br>and fats | Electrical Hazard<br>Resistant |

**GRIPthane® Dual Density Polyurethane sole**

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- Hard wearing PU outsole is designed for superior grip and durability
- Heat resistant outsole to temperatures of 130° Celsius
- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral and organic oils and acids
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC



# 22

22 SERIES  
COMFORT TECHNOLOGY

## PVC SAFETY GUMBOOT



### 22-205 GREY SAFETY GUMBOOT

- Waterproof PVC gumboot
  - **STEELflex**® steel midsole penetration protection
  - **METprotect**® Metatarsal protection
  - Kick off spur
  - Two trim heights
- Sizes: 5- 13

✓ **COMPLIES WITH** AS/NZS 2210.3:2009  
ASTM F2413-11

### SOLING TECHNOLOGY



#### 22 Series PVC / Nitrile Soling Technology

The WB 22 series sole consists of a hard wearing heavy duty PVC / Nitrile sole that offers extra deep tread for greater stability and grip on uneven and loose surfaces.

#### WB's 22 Series PVC / Nitrile soling technology offers:

- Heat resistant to temperatures of 130° Celsius.
- Excellent slip resistance, rated SRC.
- Resistant to solvents, mild acids, alkalis, some chemicals, oils and fats.
- Will not mark floors.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.

## 22 SERIES COMFORT TECHNOLOGY



#### NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite**® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**® toe caps have a wide profile shape to suit your foot and ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

#### METprotect® Metatarsal Protection

Oliver patented **METprotect**® metatarsal protection offers revolutionary inbuilt design technology to protect the impact strike zone. The enhanced design offers comfort and flexibility not afforded by traditional metatarsal protection materials.

#### STEELflex® Protection System.

Steel midsole protection reduces the risk of sharp objects penetrating the sole and entering the foot. A thin protective shield is inserted in the midsole providing safety while retaining comfort and flexibility of the sole. Meets requirements of Australian and New Zealand Standard AS/NZS 2210.3



# 44 SERIES

## DUAL DENSITY PU / TPU FOOTWEAR



**COMPLIES WITH** ✓

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Hard wearing TPU outsole offers superior grip and abrasion resistance

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®

Fully lined

Heel protection guard

Anti Static Sole

NANOlite® footbed for enhanced comfort and reduced odour

Stabilising and support shank

Shock absorbing PU midsole

Latex toe cap liner for added comfort  
Protection strip



EXTRA FEATURES:

### 44-500 BLACK LACE UP SHOE

- Water resistant full grain leather
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½



EXTRA FEATURES:

### 44-535 BLUE/GREY LACE UP BOOT

- Water resistant nubuck leather with fabric inserts
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½



### 44-515 GREY/BLACK LACE UP SHOE

- Water resistant nubuck leather with fabric inserts
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½

## 44 SERIES COMFORT TECHNOLOGY

- COMFORTcushion Impact Absorption
- NANOlite footbed
- NATUREform wide profile Type 1 safety toe cap
- Non-Metallic Composite Toecap

**OLIVER 30 DAY COMFORT GUARANTEE**

† Must produce dated receipt and guarantee tag

## SOLING TECHNOLOGY

- 130°C Heat Resistant sole (266° F)
- Abrasion Resistant sole
- Cut Resistant sole
- Slip Resistant sole
- Sole resistant to mineral oils and acids
- Sole resistant to organic oils and fats
- Antistatic discharges static build-up

### COMFORTcushion® Impact Absorption System

Oliver's unique COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

### ST's TPU Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- High density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.
- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Superior resistance to abrasion, splitting and cracking.
- Excellent slip resistance, rated SRC.
- Will not mark floors.



# 49

SERIES

## LADIES DUAL DENSITY PU / RUBBER FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Water resistant leather

Full lining infused with Odorban™ Control Technology.

Long wearing rubber outsole designed for superior grip and durability. Anti Static.

Oliver Comfort Footbed enhances natural air flow; infused with Odorban™ Control Technology.

Latex toe cap liner for added comfort

Protection strip

NATUREform® Steel Toe Cap

Shock absorbing Polyurethane midsole

Anatomical arch support

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®

# 49 SERIES COMFORT TECHNOLOGY



COMFORTcushion Impact Absorption



NATUREform wide profile Type 1 safety toe cap



Steel Safety Toe Cap



Water Resistant leather



Antimicrobial Technology



### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.

### Odorban™ Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.

### NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.





**49-432**

**WHEAT LACE UP BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

**Metric sizes:** 35 - 42




**49-432Z**

**WHEAT ZIP SIDED BOOT**

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip

**Metric sizes:** 35 - 42



**49-445**

**BLACK LACE UP BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

**Metric sizes:** 35 - 42



**49-430**

**BLACK SLIP ON SHOE**

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

**Metric sizes:** 35 - 42

**LADIES SIZE CONVERSION CHART**

| METRIC        | 35 | 36 | 37 | 38 |    | 39 | 40 | 41 |    | 42 |
|---------------|----|----|----|----|----|----|----|----|----|----|
| UK/AUST WOMEN | 5  | 6  | 6½ | 7  | 7½ | 8  | 8½ | 9  | 9½ | 10 |

\* Chart is to be used as a guide only

\* When ordering ladies styles only quote METRIC sizes



**SOLING TECHNOLOGY**



**PB's Dual Density PU/Rubber Soling Technology**

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- Long wearing PB nitrile rubber outsole is designed for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 28

# SERIES

## DUAL DENSITY PU EXECUTIVE FOOTWEAR



COMPLIES WITH AS/NZS 2210.3:2009

**NEW RANGE  
COMING 2017**



## 28 SERIES COMFORT TECHNOLOGY



NATUREform wide profile Type 1 safety toe cap



Steel Safety Toe Cap



Water Resistant leather

### NATUREform® Type 1 Toe Cap



Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3

### Protect yourself in style

To ensure your comfort, Oliver 28 Series PB's are a broad fitting safety shoe, featuring a wide profile toe cap, comfort liner, cushioned heel pad, arch support and a light weight dual density polyurethane sole that allows for the absorption of energy transmitted into the heel when walking on hard surfaces.



### 28-255 BLACK LACE UP BROGUE SHOE

- Water resistant full grain leather
  - Fully lined
- Sizes: 5 - 12, 6½ - 10½

## SOLING TECHNOLOGY



130°C Heat Resistant sole (266° F)



Abrasion Resistant sole



Cut Resistant sole



Slip Resistant sole



Sole resistant to mineral oils and acids



Sole resistant to organic oils and fats



Antistatic discharges static build-up

### 28 Series PB's Dual Density PU (Polyurethane) sole features:

- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



### 28-275 BLACK LACE UP DERBY SHOE

- Water resistant full grain leather
  - Fully lined
- Sizes: 5 - 12, 6½ - 10½



# 66 SERIES

# STEEL/SMELTER/ CASTING INDUSTRY FOOTWEAR



**COMPLIES WITH** ✓  
AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



## 66-299 BLACK SMELTER BOOT WITH EXTERNAL METGUARD®

- Heat resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- External rigid **METguard®** for added protection
- Fully lined with additional leather lining along the foot area for additional protection

**Sizes:** 5 - 14, 6½ - 10½



## 66-298 BLACK SMELTER BOOT

- Heat resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- Internal **PORON XRD™** metatarsal guard for added protection
- Fully lined with additional leather lining along the foot area for additional protection

**Sizes:** 5 - 14, 6½ - 10½

# 66 SERIES COMFORT TECHNOLOGY



# SOLING TECHNOLOGY



### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

### 66 Series HS Dual Density Soling Technology

The 66 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 66

# SERIES

# FIRE & EMERGENCY SERVICES FOOTWEAR



**COMPLIES WITH**

AS/NZS 4821:2014  
EN 15090:2012  
Type 2 Structural Firefighting Footwear

## 66-396 300MM PULL ON STRUCTURAL FIREFIGHTER BOOT



- Water resistant and flame retardant leather
  - **TECTuff**® toe bumper protection
  - **SYMPATEX**® breathable waterproof liner & membrane
  - Heavy duty **Nomex**® stitching
  - **Qflex**® non-metallic midsole protection
  - **PORON**® XRD flexible metatarsal protection
- Sizes: 3 - 15, 3½ - 14½



**COMPLIES WITH**

AS/NZS 4821:2014  
EN 15090:2012  
Type 2 Structural Firefighting Footwear

EXTRA FEATURES:



## 66-395 230MM LACE UP STRUCTURAL FIREFIGHTERS BOOT

- Water resistant and flame retardant leather
  - **SYMPATEX**® breathable waterproof liner and membrane
  - **PORON**® XRD™ Extreme ankle protection
  - **Qflex**® non-metallic midsole penetration protection
  - **TECTuff**® toe bumper protection
  - Heavy duty red **Nomex**® stitching and flame proof laces
  - Lace in quick release zipper attachment
- Sizes: 3-15, 3½ - 14½



**COMPLIES WITH**

AS/NZS 4821:2014  
Type 1 Wildland Fire Fighting Footwear

## OPTIONAL LACE IN QUICK RELEASE ZIPPER ATTACHMENT

## 66-360 180MM WILDLAND FIREFIGHTERS BOOT

- Water resistant and flame retardant leather
  - **TECTuff**® toe bumper protection
  - Heavy duty red **Nomex**® stitching and flame proof laces
- Sizes: 3-15, 3½ - 14½

# 66 SERIES COMFORT TECHNOLOGY



COMFORTcushion Impact Absorption



NATUREform wide profile Type 1 safety toe cap



Water Resistant leather



Non-Metallic Composite Toecap



Toe Bumper



NANOite footbed



Hi Vis Reflective Safety Trim

# SOLING TECHNOLOGY



300°C Heat Resistant sole (572° F)



Abrasion Resistant sole



Cut Resistant sole



Slip Resistant sole



Sole resistant to mineral oils and acids



Sole resistant to organic oils and fats



Electrical Hazard Resistant

## COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

## NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

## Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

## 66 Series HS Dual Density Soling Technology

The 66 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# ACCESSORIES



## INSOL-N NANOLITE FOOTBED

NANOlite Impact Absorption System insole with PORON.  
**Sizes:** 4 - 14.



**ZIP695**  
 Replacement zip for style 66-395  
**Sizes:** 3 - 15.



**ZIP691**  
 Optional zip for 65-691  
**Sizes:** 5 - 14.



**ZIP360**  
 Optional zip for 66-360  
**Sizes:** 3 - 15.

## REPLACEMENT LACES

| LACE CODE | REPLACEMENT FOR:   | SIZE   | COLOUR            |
|-----------|--|--------|-------------------|
| L- BL105  | 34-652, 44-500   | 105 cm | BLACK             |
| L- BL125  | 26-660, 34-660   | 125 cm | BLACK             |
| L- BU145  | 44-535   | 145 cm | BLUE              |
| L- EX080  | 28-255   | 80 cm  | BLACK - EXEC      |
| L- FP160  | 66-360 & 66-395  | 160 cm | FIREPROOF / BLACK |
| L-GB125   | 26-636, 34-613, 34-634, 44-515, 49-445                           | 125 cm | GREY / BLACK      |
| L-GB155   | 45-637, 45-645, 45-645Z, 55-337, 55-345, 55-345Z, 55-346, 65-390 | 155 cm | GREY / BLACK      |
| L-GB175   | 34-623   | 175 cm | GREY / BLACK      |
| L-GB250   | 65-691   | 250 cm | GREY / BLACK      |
| L-G0085   | 55-385   | 85 cm  | GOLD / BROWN      |
| L-G0125   | 34-632, 34-662, 49-432, 49-432Z                                  | 125 cm | GOLD / BROWN      |
| L-G0155   | 34-674, 45-632, 45-632Z, 55-332, 55-332Z, 55-336                 | 155 cm | GOLD / BROWN      |



\* Chart is to be used as a guide only, it is recommended to always try on shoe for fit before purchasing

\*\* When ordering mens styles always quote UK/AUST MEN sizing

\*\*\* When ordering ladies styles always quote METRIC sizing

## OLIVER FOOTWEAR SIZE CONVERSION CHART\*

| UK/AUST MEN** | UK/AUST LADIES*** | METRIC | USA MEN | USA LADIES |
|---------------|-------------------|--------|---------|------------|
| 3             | 5                 | 35     | 4       | 5, 5½      |
| 4             | 6                 | 36     | 5       | 6, 6½      |
| 4½            | 6½                | 37     | 5½      | 7          |
| 5             | 7                 | 38     | 6       | 7½         |
| 5½            | 7½                | 39     | 6½      | 8          |
| 6             | 8                 | 40     | 7       | 8½         |
| 6½            | 8½                | 41     | 7½      | 9          |
| 7             | 9                 | 42     | 8       | 9½         |
| 7½            | 9½                | 43     | 8½      | 10         |
| 8             | 10                | 44     | 9       | 10½        |
| 8½            |                   | 45     | 9½      | 11         |
| 9             |                   | 46     | 10      |            |
| 9½            |                   | 47     | 10½     |            |
| 10            |                   | 48     | 11      |            |
| 10½           |                   | 49     | 11½     |            |
| 11            |                   | 50     | 12      |            |
| 12            |                   |        | 13      |            |
| 13            |                   |        | 14      |            |
| 14            |                   |        | 15      |            |
| 15            |                   |        | 16      |            |



## MANUFACTURER'S WARRANTY

Oliver stands for quality, comfort and protection. That's why our safety footwear is backed by a 6 month Manufacturers warranty... the Oliver Promise.

Oliver leather safety shoes and boots are warranted for six (6) months from the date of purchase against defective workmanship and/or materials when used under normal conditions for the purpose intended. The warranty is void if in the opinion of Oliver that the product has been misused or subject to excessive wear and tear including exposure to chemicals, cement, lime or heat if the

footwear has not been designed to be used in these environments.

As a requirement of this warranty the purchaser must present the footwear and provide evidence of purchase. Please return the footwear to the place of purchase.

The footwear will then be returned to Oliver for inspection by an authorized Oliver employee. If the footwear is defective they will be repaired and returned where possible, otherwise replacement footwear will be provided by Oliver.

This warranty is in addition to, and does not limit consumer's statutory rights.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.



## ELASTIC SIDED BOOTS



**AT 45-627**  
BROWN ELASTIC SIDED  
BOOT (NON METALLIC)

P5



**AT 55-322**  
WHEAT ELASTIC  
SIDED BOOT

P7



**AT 55-320**  
BLACK ELASTIC SIDED  
BOOT

P7



**WB 26-620**  
BLACK ELASTIC SIDED  
BOOTS (NON SAFETY)

P17



**WB 26-626**  
CLARET ELASTIC SIDED  
BOOT (NON SAFETY)

P17



**WB 34-620**  
BLACK ELASTIC  
SIDED BOOT

P12



**WB 34-624**  
BEIGE ELASTIC  
SIDED BOOT

P12



**WB 34-626**  
CLARET ELASTIC  
SIDED BOOT

P12




**WB 34-680**  
BLACK ELASTIC  
SIDED BOOT

P12



**AT 45-632**  
150MM WHEAT LACE UP  
BOOT (NON METALLIC)

P5



**AT 45-637**  
150MM BROWN LACE UP  
BOOT (NON METALLIC)

P5



**AT 45-645**  
150MM BLACK LACE UP  
BOOT (NON METALLIC)

P5



**AT 55-332**  
150MM WHEAT  
LACE UP BOOT

P7



**AT 55-336**  
150MM WHEAT  
LACE UP BOOT  
(METATARSAL PROTECT)

P8



**AT 55-337**  
150MM BROWN  
LACE UP BOOT

P7



**AT 55-345**  
150MM BLACK  
LACE UP BOOT

P7



**AT 55-346**  
150MM BLACK  
LACE UP BOOT  
(METATARSAL PROTECT)

P8



**AT 65-390**  
150MM TAN  
LACE UP BOOT

P9



**AT 65-691**  
350MM BLACK  
LACE UP MINING BOOT

P9



**PB 49-432**  
WHEAT LACE UP ANKLE  
BOOT (LADIES)

P21



**PB 49-445**  
BLACK LACE UP  
ANKLE BOOT (LADIES)

P21



**WB 26-636**  
CLARET LACE UP ANKLE  
BOOT (NON SAFETY)

P17



**WB 34-632**  
WHEAT LACE UP  
ANKLE BOOT

P11



**WB 34-632P**  
WHEAT LACE UP  
ANKLE BOOT  
(PENETRATION PROTECT)

P11



**WB 34-634**  
BLACK LACE UP  
ANKLE BOOT

P11



**WB 34-634P**  
BLACK LACE UP  
ANKLE BOOT  
(PENETRATION PROTECT)

P11

## LACE UP BOOTS

### THE OLIVER PROMISE

#### ✓ COMFORT

Oliver guarantee total comfort. From our energy absorbing soling technology to removable **COMFORTcushion**® PORON/PU footbeds and leather uppers, Oliver delivers superior comfort with every step you take.

#### ✓ PERFORMANCE

Oliver provides total-foot support and superior stability which not only keeps you safe at work but comfortable all day long.

#### ✓ DURABILITY

Oliver boots and shoes are built to last with tough, quality materials and a construction that protects your feet from hazards all year round.



**L/UP JOGGERS**

**ST 44-515**  
GREY / BLACK LACE UP SPORTS SHOE (NON METALLIC)  
**P19**

**ST 44-535**  
BLUE / GREY LACE UP SPORTS BOOT (NON METALLIC)  
**P19**

**WB 34-613**  
BLACK LACE UP SPORTS SHOE  
**P13**

**WB 34-623**  
BLACK LACE UP SPORTS BOOT  
**P13**

**LACE UP SHOES**

**PB 28-255**  
BLACK LACE UP EXECUTIVE BROGUE SHOE  
**P22**

**PB 49-430**  
BLACK SLIP ON SHOE (LADIES)  
**P21**

**WB 34-610**  
BLACK SLIP ON SPORTS SHOE  
**P13**

**WB 34-615**  
WHEAT SLIP ON SPORTS SHOE  
**P13**

**SLIP ON SHOES**

**PB 28-275**  
BLACK LACE UP EXECUTIVE DERBY SHOE  
**P22**

**ST 44-500**  
BLACK LACE UP SHOE (NON METALLIC)  
**P19**

**WB 34-652**  
BLACK LACE UP DERBY SHOE  
**P13**

**HS 66-298**  
BLACK SMELTER BOOT (INTERNAL METGUARD)  
**P23**

**SPECIALIST BOOTS**

**HS 66-299**  
BLACK SMELTER BOOT (EXTERNAL METGUARD)  
**P23**

**HS 66-360**  
180MM WILDLAND FIREFIGHTERS BOOT  
**P24**

**HS 66-395**  
230MM LACE UP STRUCTURAL FIREFIGHTER BOOT  
**P24**

**HS 66-396**  
300MM PULL ON STRUCTURAL FIREFIGHTERS BOOT  
**P24**

**AT 45-632Z**  
150MM WHEAT ZIP SIDED BOOT (NON METALLIC)  
**P5**

**AT 45-645Z**  
150MM BLACK ZIP SIDED BOOT (NON METALLIC)  
**P5**

**AT 55-332Z**  
150MM WHEAT ZIP SIDED BOOT  
**P7**

**AT 55-345Z**  
150MM BLACK ZIP SIDED BOOT  
**P7**

**ZIP SIDED BOOTS**

**AT 55-385**  
200MM WHEAT ZIP SIDED BOOT  
**P7**

**PB 49-432Z**  
WHEAT ZIP SIDED ANKLE BOOT (LADIES)  
**P21**

**WB 26-660**  
140MM BLACK ZIP SIDED BOOT (NON SAFETY)  
**P17**

**WB 34-660**  
BLACK ZIP SIDED ANKLE BOOT  
**P11**

**WB 34-662**  
WHEAT ZIP SIDED ANKLE BOOT  
**P11**

**WB 34-662P**  
WHEAT ZIP SIDED ANKLE BOOT (PENETRATION PROTECT)  
**P11**

**WB 34-674**  
190MM BEIGE ZIP SIDED BOOT  
**P11**

**WB 34-674P**  
190MM BEIGE ZIP SIDED BOOT (PENETRATION PROTECT)  
**P11**

**GUMBOOTS**

**WB 22-205**  
GREY SAFETY GUMBOOT (METATARSAL PROTECT)  
**P18**

**AT 65-393**  
TAN PULL ON RIGGERS BOOT  
**P9**

**WB 34-692**  
BROWN PULL ON RIGGERS BOOT  
**P12**

**PULL ON BOOTS**





by Honeywell

# LOVE YOUR FEET MORE

## OLIVER FOOTWEAR

Prest Street Ballarat  
Victoria 3350 Australia

Tel: 1300 1 BOOTS (26687)

Fax: (03) 53 200 299

Email: [info@oliver.com.au](mailto:info@oliver.com.au)

[WWW.OLIVER.COM.AU](http://WWW.OLIVER.COM.AU)



[Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)



[@oliverfootwear](https://www.instagram.com/oliverfootwear)



VERSION 10-16

**Honeywell**