



BOXCHIP

S700B

NEW MULTI-MODE INTELLIGENT TERMINAL

BOXCHIP S700B is an advanced professional handheld 4G LTE radio. All-round means of communication, real-time control for the industry customers to bring a strong business ability, stable and reliable real time communication response, and more excellent integration experience is the best communications partners for industry customers!



ANDUOIDRADIO.CN

FOR MORE INFORMATION

ShenZhen BOXCHIP CO.,LTD

Office : +86-755-88848942

<http://www.walkietalkiephone.cn/>



M6 PORT

External PTT microphone, PTT earphone, 1080P camera

Camera Instant Key

SOS

Customize function



BUTTONS

MULTI-FUNCTION KNOB

Power & group swift

ANDROID 6.0+OS

SMART BUTTONS

Customize function key

TEXTURED PTT BUTTON

Big buttons, easy to identify
Instant voice calls

VOLUME BUTTONS

RUGGED AND DURABLE

Ip67 waterproof, dustproof,
Shock-resistant, explosion-proof
Suitable for complex and
harsh environment

MULTIPLE CONNECTIVITY · CONNECTING

Wired connection : Type C pin port
Wireless connections : WLAN\NFC\ Bluetooth
Sensor : Distance sensor, ambient light sensor, 6 axis electronic
compass, gyroscope, acceleration sensor
Location system : GPS · Beidou · Glonass



HD CAMERA

5MP Front-facing Camera
8MP Rear Camera

WORKING TEMPERATURE

-15°~60°

4.0 CAPACITIVE TOUCH SCREEN

Gorilla glass III
Unique native anti-loss technology
Stronger resistance to scratches,
impact and indentation
Smart awareness and smart touch
Wet touch and glove touch LCD
Readable in bright sunshine low light

DESIGN

Intuitive, intelligent and concise
user experience

DESIGN

Embedded Battery
No-slip Grip Texture

BATTERY

Standard 4200mAh
Single hand operation button,
switch battery



CE | FC | RoHS | Ex | IOT

COMPARISON TABLE

MODEL	CPU	MEMORY	CAMERA	DMR	FM
S700a+	8	3/32GB	5M/8M	√	√
S700a	8	2/16GB	5M/8M	√	√
S700b	8	2/16GB	5M/8M	×	×
S700c	4	1/8GB	5M/8M	×	√

S700B PoC MAIN PARAMETERS

Processor	Octa core 1.5GHz
LCD touch	Web touch · glove touch
Android	Android6.0+
LCD Size	4.0inches
Camera	8MP+ 5MP Camera
Flash light	Highlight flash LED
Dual-SIM	Supported
GSM/GPRS/EDGE	850/900/1800/1900MHz
GSM	B2 B3 B5 B8
WCDMA	B1 B2 B5 B8
TD-SCDMA	B34 B39
FDD-LTE	B1 B2 B3 B4 B5 B7 B8 B17/B28 B20
TDD-LTE	B38 B39 B40 B41
VOLTE	Support
Bluetooth	Bluetooth 4.1
NFC	Support or Optional
Battery capacity	4200mAh
Wi-Fi (WLAN)	IEEE 802.11b/g/n
GPS navigation	GPS/AGPS/GLONASS
Output	2W
SPL	115dB

OPTIONAL ACCESSORIES

Dock charger	Shoulder microphone	External 1080P camera	Back clip
Docking station	External PTT earphone	Battery 4200mAH	

OPTIONAL HARDWARE CUSTOMIZATION

Hardware	Special industry custom noise reduction microphone	Hardware	NFC customization (Wireless pay)
Hardware	Memory 3GB+32GB	Camera	Built-in camera (Front 5M Rear 13M)



LEADING THE ERA "INTELLIGENT COMMUNICATION"

I, INTELLIGENT MULTIMEDIA

Android 6.0 OS · Supporting Admin · browsing, · situational awareness, image and video, DMR voice, data, local camera and SD card for imaging support, GPS and accelerometer for enhanced location services, voice, data, images and other integrated business applications.

Adaptation APP platform : According to the needs of different industry customers, adapt to a variety of android APP platform.



II, NOISE SUPPRESSION

Using advanced audio technology, powerful dual- microphone noise suppression · Eliminate noise, Echo and wind noise, in a noisy environment can still maintain a clear and smooth contact.

Customized special industry noise reduction microphone : According to the needs of special industry customers, custom audio patented noise reduction microphone



III, HARSH ENVIRONMENT

Facing complex and harsh environments · mobile sensor to meet changing scenes and strict application requirements · Smart awareness · real-time forensics. First responders in a flexible and efficient way without compromising the security and robustness.

Emergency quick charging, to meet the emergency needs of quick charge, 30 minutes charge 80%, one hour 100% full power
Strong battery life, To meet the daily routine use of industry customers .

Standard memory : 2GB+16GB , Max support : 128GB

Customization memory : According to the needs of industry customers · increases to 3GB+32GB

