



## 50:1 FIRE BALL 300 GREASE PUMP RANGE

Item code: GRACO-300-50:1

To dispense medium pressure, low to medium volume grease, up to NLGI #2.

Typically used by Automotive dealerships, Heavy-duty dealerships, Fast lube and service centers, Fleet service facilities, Lube trucks, Mining and In-plant.

### FEATURES:

- Non-corrosive air motor design for long life.
- Double-acting pump ensures smooth fluid flow.
- Robust grease inlet cage withstands the most abusive handling.

### SPECIFICATIONS:

Continuous-Duty Flow Rate:	1.19 lb/min. (.54 kg/min.)
Maximum Fluid Pressure:	8400 psi (580 bar)
Air Motor Effective Diameter:	3 in (76.2 cm)
Operating Range:	30-140 psi (3.0-9.7 bar)
Approximate Air Use:	22.8 cfm @100 psi (7 bar)
Wetted Materials:	CS, Delrin®, Buna-N, Polyurethane
Air Inlet Port Size:	3/8 in npt(f)
Material Inlet:	Slotted
Material Outlet:	1/4 in npt(f)
Line Length:	Up to 250 ft (76.2 m)
Dispense Points:	1 to 2
Annual Usage:	Up to 10,000 lb (4,535 kg)

# PETRO INDUSTRIAL



petroind.com



## PRODUCT RANGE:

Code	Description
<b>Pump Range</b>	
239877	35 lb or 70 lb (16 kg or 32 kg) Grease Pump - 50:1
239887	120 lb (55 kg) Grease Pump - 50:1
239888	400 lb (180 kg) Grease Pump - 50:1
<b>16kg Grease Pump Packages</b>	
222069	16kg Portable Pail Dispensing Package
225827	16kg Stationary Pail Dispenser
225773	16kg Cart-Mounted Pail Dispenser
226012	16kg Cart-Mounted Pail Topper
<b>55kg Grease Pump Packages</b>	
225014	55kg Stationary Supply
222073	55kg Stationary Supply Topper-Inductor
225006	55kg Portable with Caster Base
225026	55kg Portable with Two-Wheel Cart
222245	55kg Portable with Heavy-Duty Cart
<b>180kg Grease Pump Packages</b>	
225016	180kg Stationary
226013	180kg Topper-Inductor

Portable Dispense Package with Caster Base



Portable Dispense Package with 2-Wheel Cart



Portable Dispense Package with Heavy-Duty Cart



Stationary Supply



Stationary Supply Topper-Inductor





## 50:1 35-70 lb (16kg) GREASE PUMPS & PACKAGES:

	Portable Pail Dispenser	Stationary Pail Dispenser	Cart-Mounted Pail Dispenser	Cart-Mounted Pail Topper
Container Size	35 lb (16kg)	35 lb (16kg) or 70 lb (32kg)	35 lb (16kg) or 70 lb (32kg)	35 lb (16kg)
Package No.	222069*	225872*	225773*	226012*
Metered Package**	245694	-	245695	-
Pump No.	239877			
Dispense Kit	222070			
Fluid Hose	12 ft (3.7m) x 1/4 in (6.4mm)			
Follower Plate	220653	†	†	-
Cover	222059	204574		-
Holster	-	203976		
Container	-	204134	204134	-
Cart	-	-	203650	
Elevator	-	-	-	203664
Inductor Plate	-	-	-	204351
Instuction Manual	307878			

\* Use 3/8 in (9.5mm) air regulator (109075) ordered separately \*\* Metered grease package includes (233807) Accu-Shot instead of (242056) Pro-Shot.

† Order follower plate (220653) for 35 lb (16kg) containers, and follower plate (220654) for 70 lb (32kg) containers separately.

## 50:1 PACKAGES FOR 120 lb (55kg) CONTAINERS:

	Portable with Caster Base	Portable with Two-Wheel Cart	Portable with Heavy-Duty Cart	Stationary Supply	Stationary Supply Topper-Inductor
Container Size	??	??	??	??	??
Package No.	225006*	225026*	222245*	225014*	222073*
Metered Package**	-	245696**	-	-	-
Pump Only	239887	239887	239887	239887	239887
Dispense Kit	222070	222070	222383	222072	-
Fluid Hose	12 ft (3.7m) x 1/4 in (6.4mm)		25 ft (7.6m) x 1/4 in (6.4mm)	6 ft (1.8m) x 1/4 in (6.4mm)	
Air Hose	-	-	-	6 ft (1.8m) x 3/8 in (9.5mm)	
Follower Plate	220654	220654	220654	220654	-
Cover	204574	204574	222060	204574	-
Holster	203976	203976	-	-	-
Caster Base	203622	-	-	-	-
Cart	-	203650	222243	-	-
Elevator	-	-	-	-	204121
Pump Support	-	-	-	-	222074†
Hold Down Kit	-	-	222061	-	-
Instruction Manual	307878	307878	307878	307880	306523

\* Use 3/8 in (9.5mm) air regulator (109075) ordered separately \*\* Metered grease package includes (233807) Accu-Shot instead of (242056) Pro-Shot.

† Pump support assembly includes dust cover, base, inductor plate and 6 ft (1.8m) fluid and air hose.