



12.7 & 19mm id x 15m

OIL HOSE REEL SPRING REWIND

Item code: HA60151200B-CATA (12.7) & HA60153400A-CATA (19)

Automatic hose reels specially designed to work to high oil pressures and flow rate. High quality materials structure to assure reliable performances.

FEATURES:

- The 4 rolls hose guide on the arms facilitate the unrolling of the hose, avoiding friction that would cause a gradual deterioration.
- The hose can be locked at the desired length.
- Ratchet prevents lockup when hose is completely extended.
- Hose stop.
- Spring-driven retractable hose.
- Corrosion resistant: the hot galvanized steel structure is moulded and coated with electrostatic polyester powder UV rays resistant.
- Easy and versatile installation through the rotating support plate and the adjustable arm positions.
- Safety: lateral protective covers (optional).

RANGE OPTIONS:

Code	Description / Hose	Max Operating Pressure	Inlet with Swivel BSP	Outlet Hosetail BSP	Hose Max Length Bound*	Hose	Pressure Drop bar
Without Hose							
HN60151200A	Open Hose Reel 1/2" – 15m Small	60 bar	1/2" Male	1/2" Male	15m	–	–
HN60153800A	Open Hose Reel 3/8" – 15m Small	60 bar	3/8" Female	3/8" Female	15m	–	–
HN60201200A	Open Hose Reel 1/2" – 20m Big	60 bar	1/2" Male	1/2" Male	20m	–	–
With Hose							
HA6010120B	Open Hose Reel 1/2" + 10m Hose Small	60 bar	1/2" Male	1/2" Male	–	10m	10 @ 30 l/min*
HA6015120B	Open Hose Reel 1/2" + 15m Hose Small	60 bar	1/2" Male	1/2" Male	–	15m	16 @ 30 l/min*
HA60201200A	Open Hose Reel 1/2" + 20m Hose Big	60 bar	1/2" Male	1/2" Male	–	20m	25 @ 30 l/min*
HA60153400A	Open Hose Reel 3/4" + 15m Hose Big	60 bar	1" Male	3/4" Male	–	15m	4,5 @ 30 l/min*
HA60101000A	Open Hose Reel 1" + 10m Hose Big	60 bar	1" Male	1" Male	–	10m	2 @ 30 l/min*

(*) Pressure drop for Oil 200 cSt

PETRO INDUSTRIAL



petroind.com



ON REQUEST:



FIX SUPPORT PLATE

Weight 1,5 Kg
Pack: 300x410x100
Code Big: F1629800A
Code Small: F1731600A



ROTATING SUPPORT PLATE


Weight 3,5 Kg
Pack: 300x300x180
Code Big: F1627900A
Code Small: F1731700A




HOSE CONNECTION




SAFETY COVERS



Roof Installation



Wall Installation



Ground Installation

SHIPPING:

Code	Description / Hose	Dimensions (mm)	Weight		Packaging
			kg	lbs	mm
Without Hose					
HN60151200A	Open Hose Reel 1/2" – 15m Small	460 L x 196 W x 475 H	14	30,8	550 x 200 x 540
HN60153800A	Open Hose Reel 3/8" – 15m Small	460 L x 196 W x 475 H	14	30,8	550 x 200 x 540
HN60201200A	Open Hose Reel 1/2" – 20m Big	460 L x 246 W x 495 H	14	30,8	550 x 260 x 540
With Hose					
HA6010120B	Open Hose Reel 1/2" + 10m Hose Small	460 L x 196 W x 475 H	16	35,2	550 x 200 x 540
HA6015120B	Open Hose Reel 1/2" + 15m Hose Small	460 L x 196 W x 475 H	19	41,9	550 x 200 x 540
HA60201200A	Open Hose Reel 1/2" + 20m Hose Big	460 L x 246 W x 495 H	25	55	550 x 260 x 540
HA60153400A	Open Hose Reel 3/4" + 15m Hose Big	460 L x 246 W x 495 H	27	60	550 x 260 x 540
HA60101000A	Open Hose Reel 1" + 10m Hose Big	460 L x 246 W x 495 H	25	55	550 x 260 x 540

PETRO Contact Information

AFRICA

South Africa

Factory 14 Bentonite Street
Alrode, Alberton, Johannesburg
South Africa
P: +27 (0)11 864 7758
F: +27 (0) 11 864 1649
E: sales@petroindustrial.co.za

UAE

Dubai

Office LB17330, Lobby Building 17
Jebel Ali Free Zone
PO Box 18602
Dubai, United Arab Emirates
P: +971 488 76688
F: +971 488 76932
E: salesuae@petroind.com

AUSTRALIA

Eastern Australia

Factory 2, 106 Potassium Street
PO Box 407
Narangba QLD 4504
P: 07 3204 9558
F: 07 3293 4852
E: sales@petroindustrial.com.au

Western Australia

173 Mulgul Road, Malaga WA 6090 AU
P: +61 (8) 6305 0855
E: saleswa@petroperth.com.au

PETRO INDUSTRIAL



petroind.com