



KOLOR KUT WATER FINDING PASTE SDS SHEET

1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY UNDERTAKING

Part Number/Trade:	Name KOLOR KUT WATER FINDING PASTE
Product:	Brown Semi Solid Paste for detection of water in petroleum products.
MSDS Number:	PS010210
Manufacturer Name:	KOLOR KUT PRODUCTS CO, P.O. Box 5415
Street:	7915 E ELM STREET
City:	HOUSTON
State:	TX
Country:	US
Zip Code:	77012
Importer:	PETRO Industrial Pty Ltd, PO Box 407
Street:	2/106 Potassium Street
City:	NARANGBA
State:	QLD
Country:	AUST
Post Code:	4504
Emergency Phone AUST:	13 11 26 - 24 hour support
Information Phone:	0011-1-713-926-4780

2: HAZARDS IDENTIFICATION

Most important hazards:	All ingredients are non-hazardous – may cause mild skin irritation.
Route of Entry:	Skin YES
Route of Entry:	Ingestion YES
Route of Entry:	Inhalation YES
Health Hazards:	Acute and Chronic IF INGESTED, GIVE 2 GLASSES OF WATER. INDUCE VOMITING IMMEDIATELY
Carcinogenity:	NTP NO
Carcinogenity:	IARC NO
Carcinogenity:	OSHA NO
Explanation of Carcinogenity:	NOT APPLICABLE
Symptoms of Overexposure:	IRRITATION AND BAD ODOR
Medical Cond. Aggravated by Exposure:	NONE KNOWN
Emergency/First Aid Procedures:	CONTROL CONTACT AND MAINTAIN AT A MINIMUM



3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient #:	01
Ingredient Name:	ALL INGREDIENTS ARE NON HAZARDOUS/ NO INGREDIENTS LISTED ON MFG SDS
CAS Number	1005
Proprietary:	NO
Percent:	0

4: FIRST AID MEASURES

Inhalation:	Induce vomiting immediately by giving 2 glasses of water and sticking finger down throat.
Skin contact:	Wash off with soap and water.
Eye contact:	Rinse immediately with plenty of water
Emergency/First Aid Procedures:	CONTROL CONTACT AND MAINTAIN AT A MINIMUM

5: FIRE-FIGHTING MEASURES

Flash Point:	365
Flash Point Method:	UNK
Lower Explosion Limit:	N/R
Upper Explosion Limit:	N/R
Extinguishing Media:	WATER FOG, FOAM, CO2, DRY CHEMICAL
Special Fire Fighting Procedures:	NONE KNOWN
Unusual Fire/Explosion Hazards:	NR

6: ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes and clothing.
Environmental precautions:	None.
Method of cleaning up:	Contain spill and wipe up, place in appropriate disposal container. Dispose as non-hazardous waste.
Ventilation:	Not required.

7: HANDLING AND STORAGE

Storage:	Keep in dry place at a temperature range 35 degree F to 115 degree F. Do not expose to high temperatures or water contamination; do not freeze (for preservation of product only).
Handling:	Avoid contact with skin, eyes and wear gloves (if desired).
Hygiene:	Be clean, after applying clean hands with soap and water.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment:	Wear protective glasses.
Respiratory protection:	None required.
Hand Protection:	If desired, not necessary
Skin and body protection:	None required.
Eye Protection:	Wear protective glasses.
Hygiene Measures:	Be clean, after applying clean hands with soap and water. Handle in accordance with good industrial hygiene and safety practice.

9: PHYSICAL AND CHEMICAL PROPERTIES

Hazard Storage Compatibility Code:	N1
NRC License Number:	N/R
Net Propellant Weight (Ammo):	N/R
Appearance/Odour:	BROWN SEMI-SOLID WITH SLIGHT AMMONIA ODOR
Boiling Point:	650 F
Melting Point:	NA
Vapour Pressure:	0.1
Vapour Density:	N/A
Specific Gravity:	1.1
Decomposition Temperature:	N/K
Evaporation Rate:	NA
Solubility in Water:	MISCISBLE
Percent Volatiles by Volume:	0.0
Chemical pH:	N/K
Corrosion Rate:	N/K
Container Pressure Code:	1
Temperature Code:	4
Product State Code:	S

10: STABILITY AND REACTIVITY

Stability:	YES
Stability Conditions to Avoid:	NONE
Materials to Avoid:	OXIDIZING AGENTS AND ACIDS
Hazardous Decomposition Products:	NONE KNOWN
Hazardous Polymerization:	NO
Polymerization Conditions to Avoid:	WILL NOT OCCUR
LD50 - LD50 Mixture:	UNKNOWN

11: TOXICOLOGICAL INFORMATION

All products are non-hazardous, May cause mild skin irritation.

12: ECOLOGICAL INFORMATION

No data is available on the product itself.



13: DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Dispose of in accordance with local regulations for non hazardous waste.

14: TRANSPORT INFORMATION

All products are non-hazardous, no labelling is required, flashpoint above 400 degrees F.

15: REGULATORY INFORMATION

Labelling:	The product is classified as non-hazardous, no labelling is required
Symbol:	None
R-phase:	None

16: OTHER INFORMATION

Sources of key data used to compile this datasheet:

U.S. department of Labor, Occupational Safety and Health Administration

(Non-Mandatory Form) Form approved OMB No: 1218-0072

Disclaimer of Liability: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

PETRO Contact Information

AFRICA

South Africa

Factory 1 - 16 Bentonite Street
Alrode, Alberton, Johannesburg
South Africa
P: +27 (0)11 864 7758
F: +27 (0) 11 864 1649
E: sales@petroindustrial.co.za

AUSTRALIA

Eastern Australia

Factory 2, 106 Potassium Street
PO Box 407
Narangba QLD 4504
P: 07 3204 9558
F: 07 3293 4852
E: sales@petroindustrial.com.au

UAE

Dubai

Office LB17330, Lobby Building 17
Jebel Ali Free Zone
PO Box 18602
Dubai, United Arab Emirates
P: +971 488 76688
F: +971 488 76932
E: salesuae@petroind.com

Western Australia

2 Competition Way
Wangara WA 6065
P: 08 6305 0855
F: 08 6305 0319
E: sales@petroindustrial.com.au

PETRO INDUSTRIAL



petroind.com