

petroind.com

Self Bunded (Double Wall)

D K L P

LIQUITAINER CONTAINERISED TANKS

Suitable for the Storage and Dispensing of Diesel, Biodiesel, Lubricants, Kerosene and Petrol.

FEATURES:

- Integrated Bunded Pump Bay and Tank Access Platform design providing access to the full tank functionality in one convenient location on the tank.
- Unique rounded rectagular tank profile maximises the storage capacity of the tank and provides the strength of a cylindrical design.
- Rounded roof profile that will not pool water / snow or sand.
- CSC plated as 10ft / 20ft / 40ft / 48ft Standard
 Container.
- Dispensing Equipment housed within a lockable bunded pump bay housing.
- Lockable Container Doors with option for Roller
 Door.
- Supplied with Interstitial Emergency Relief Vent that will relieve the gap between the two tanks in the event of a fire.
- DN80 Fill Point c/w Camlock Male Fitting / Dust Cap / Fire Safe Full Bore Ball Valve / Wafer Style Non Return Valve.
- DN80 Suction Outlet c/w Anti Syphon Valve and Two Piece Full Bore Fire Safe Ball Valve.

- DN80 Mechanical Overfill Valve + 12V Battery
 Operated Overfill Alarm.
- 2 x 600mm manways with integrated tank access ladder assembly.
- Fold out AS1657 designed and approved access ladder.
- Removable plate to allow the linking of multiple tanks in tank farm applications.
- Full under tank visibility allows for regular visual inspect of the tank base and prevents the base rusting by providing for unrestricted air flow under the tank.
- Paint Colour RAL9003 Signal White/ Tanks are sandblasted to SA2 Standard. Hempel Marine Paint 3 Stage process. Primer Hempadur 1530. 2nd Coat Hempadur Hi-Build 4520. Final Coat Hempathane Enamel 55100 Finished dry film thickness no less than 180 um.
- Supplied with all required statutory safety decals for your region of operation.





PRODUCT RANGE: Safe Fill Length Width Height Weight Container Integrated Code Capacity Pump Bay Level Footprint (m) (m) (m) (kg) 3 LT12 12,000L 11,240L 2,4 4500 2,9 **10FT** Container Yes LT20 17,285L 3 4500 20,000L 2,4 2,9 **10FT** Container No LT30 30,000L 29,350L 7500 6 2,4 2,9 20FT Container Yes LT38 38,000L 35,340L 6 2,4 2,9 7500 20FT Container No LT68 68,000L 65,570L 12 2,4 2,9 14500 40FT Container Yes LT75 75,000L 73,500L 12 2,4 2,9 14500 40FT Container No LT100 97,800L 14 2,4 48FT Container Yes 100,000L 3,5 _ LT110 110,000L 102,200L 14 2,4 3,5 48FT Container No



LT68 Tank Pump Bay and Ladder Assembly



Liquitainer being used for Generators



LT30 Tank in Preparation and Customization



Liquitainer Integrated Self Bunded Pump Bay



petroind.com

CERTIFICATIONS

In the last of



PETRO

Certificate of Compliance #20120912-MH49221 for UL 142, ULC-S601.



Decals manufactured to comply with AS1319 and AS2700.