

PETRO Industrial – New Product Warranty

1.	PETRO Industrial warrants that each new and unused item of equipment (hereinafter
	called the Product) is of good workmanship and is free from mechanical defects,
	provided that:
	The Product is installed and operated in accordance with the printed
	instructions as provided by PETRO Industrial.
	The Product is used under normal operating conditions for which it is
	designed.
	The Product is not subject to misuse, negligence or accident.
	The Product receives proper care, lubrication, protection and maintenance
	under the supervision of suitably qualified personnel.
2.	This warranty expires 12 months after shipment by PETRO Industrial to the first user.
3.	This warranty does not apply to:
	• Fluids
	• Filters
	• Fuses
	Bulbs
	And other consumable or normally wearing type items unless found to be
	defective prior to use.
4.	PETRO Industrial does not warrant the following components:
	Engines (Gasoline or Diesel)
	Compressors (Air or Freon)
	Storage Batteries
	Engine Starters
	Generators
	Alternators
	Regulators
	Governors
	Transmissions
	Any other Product having its own inherent warranty.
	Many of the foregoing components are warranted directly by the manufacturer and
	are serviced by a worldwide network of distributors and others authorised to handle
	claims for component manufacturers. A first user's claim should be presented
	directly to such an authorized component service outlet.
ĺ	



	In the event any component manufacturer has warranted its component to PETRO Industrial and will not deal directly with a first user, then PETRO Industrial will cooperate with the first user in the presentation of a claim to such manufacturer.
	Under no circumstances does PETRO Industrial assume any liability for any warranty claim against or warranty work done by, or on behalf, of any manufacturer of the
_	foregoing components.
5.	This warranty is extended by PETRO Industrial only to the purchaser of new
	Products from PETRO Industrial or one of its authorised distributors. The products
	purchased under this warranty are intended for use exclusively by the buyer and its
	employees and by no other persons and, therefore, there shall be no third party
	beneficiary to this warranty.
6.	A claim of defects in any Product covered by this warranty must be in writing and is
	subject to PETRO Industrial inspection and judgment. PETRO Industrial's liability is
	limited to repair only. PETRO Industrial will replace the defective product, F.O.B.
	factory, once the purchaser, at its expense, has returned the defective product to
	PETRO Industrial's nominated shipping place.
	Replacement and exchange parts will be warranted for the remainder of the original
	warranty, or for a period of ninety days, whichever is the greater.
7.	Under no circumstances whatsoever shall PETRO Industrial and its authorised
	distributors be liable for any special or consequential damages, whether based on
	goodwill, lost resale profits, work stoppage, impairment of other goods or otherwise,
	and whether arising out of breach of any express or implied warranty, breach of
	contract, negligence or otherwise, except only as may be required by applicable law.
8.	Continued use of Product (s) after discovery of a defect voids all warranties.
9.	Expect as authorised in writing, this warranty does not cover any equipment that has
	been altered by any party other than PETRO Industrial.
10.	There are no warranties which extend beyond the description of the face hereof.
	PETRO Industrial makes no warranties, express or implied, of merchant ability or
	fitness for a particular purpose.
11.	PETRO Industrial neither assumes nor authorises any person for PETRO Industrial
	any liability in connection with the Products sold, and there are no oral agreements or
	warranties collateral to of affecting this written warranty.



12. The laws of the State of Queensland, Australia hereunder shall govern this warranty and all undertakings of PETRO Industrial.

Warning

At all times, safety must be considered an important factor in the installation, servicing and operation of the product. Skilled and technically qualified personnel should always be employed for such tasks.