



## K24 TURBINOX UREA PULSE METER

Item code: F0040721B-CATA

### K24 METER:

This meter is easy to install, in line or at the end of the delivery hose, and is provided with a compact easy readable display. It is possible to apply the meter directly on the nozzle.

- Impulse type signals: single channel, reed switch.
- Electronic card with LCD display.
- 5 digit partial total from 0.1 to 99999.
- 6 digit total from 1 to 999999.
- Resettable total available.
- Flow rate indication.
- Users can easily replace the 2 batteries.



Display can be rotated in 4 different positions

### TURBINOX INLINE PULSE METER:

- This meter is easy to install.
- A tight stainless steel body provides endurance for use in every condition.
- Also available is a pulser display to connect to an external receiver.
- User can easily replace the 2 display batteries.



### K24 PULSE METER:

- Raw output signal (reed switch), single channel.
- Max 28 V Ac/dc 100 mAmp (87,73 pulse/l).

# PETRO INDUSTRIAL



petroind.com



## ON REQUEST:



## PULSER VERSION:

Code	Description	Fluids (type)	Flow Rate		Pulse out (p/l)		Pressure		Display
			lpm	gpm	Pulse Version	Display Version	bar	psi	
F0040710A	K24 Meter (1 socket)	Urea	5-100	1,3-26,4	-	-	10	145	Yes
F0040721B	K24 Pulse Meter (1 socket) (87,73 pulse/l)	Urea	5-100	1,3-26,4	88	-	10	145	No
F0042000A	Turbinox Inline Turbine Pulse Meter	Urea	10-40	2,6-10,6	88	-	20	290	No
F0042001A	Turbinox 90° Turbine Pulse Meter	Urea	10-40	2,6-10,6	88	-	20	290	No
F00410000	Turbinox 90° Turbine Pulse Meter + Display	Urea	10-40	2,6-10,6	88	1-100	20	290	Yes
F0049503B	Remote Display with Pulse OUT	-	-	-	-	1-100	-	-	Yes
F16073000	Socket 1" BSP/BSP (20 pcs)	-	-	-	-	-	-	-	-

## SHIPPING:

Code	Weight		Packaging		
	kg	lbs	mm	inch	pcs/box
F0040710A	0,4	0,9	Blister	Blister	1
F0040721B	0,4	0,9	115 x 160 x 136	4,5 x 6,3 x 5,3	1
F0042000A	0,5	1,1	80 x 80 x 75	3,1 x 3,1 x 3	1
F0042001A	0,5	1,1	80 x 80 x 75	3,1 x 3,1 x 3	1
F00410000	1,2	2,6	225 x 125 x 150	8,9 x 4,9 x 5,9	1
F0049503B	1,2	2,6	225 x 125 x 150	8,9 x 4,9 x 5,9	1
F16073000	2,4	3,1	Box	Box	20