



FILL-RITE



AC

300 SERIES FUEL PUMPS

Item code: FILLRITE-AC300

Fill-Rite AC Series heavy duty pumps offer all-cast-iron construction, thermal protection and wide range of fuel-delivery rates and features that provide accuracy, durability and reliability. These are High Flow AC Utility Rotary Vane Pumps with an open flow rate and seals. They provide long life and are explosion-proof.

Motors have sealed bearings, heavy-duty switches, thermal overload protection and built-in junction boxes. It's a cast iron pump housing with iron rotor, carbon vanes, check valve, pressure relief valve, strainer assembly, automatic bypass valve and 2" threaded bung for tank openings. 2-Year Warranty.

PRODUCT RANGE:

BD310VN

For use with Bio-Diesel

- Pump only.
- Biodiesel fuels B21 to B100.
- 132Lpm (35Gpm).
- 3/4 HP motor. (115 and 230 VAC)
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- 2" threaded bung for tank openings.
- Iron rotor with carbon rotary vanes.
- Self priming.
- Check valve, pressure relief.



FR303V

For use with Above Ground Steel Tank Dispensers

- Pump only.
- 75Lpm (20Gpm).
- 1/2 HP motor. (115 and 230 VAC)
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- Iron rotor with carbon rotary vanes.
- Self priming.
- Check valve, pressure relief.





FILL-RITE.

These are heavy duty, High Flow AC Utility Rotary Vane Pumps with an open flow rate and seals. They provide long life and are explosion-proof. Motors have sealed bearings, heavy-duty switches, thermal overload protection and built-in junction boxes. It's a cast iron pump housing with iron rotor and automatic bypass valve.

FR311VN With 901L Litre Meter)

- Pump and meter only.
- 35Gpm (132Lpm).
- 3/4 HP motor (115 and 230 VAC).
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- 2" threaded bung for tank openings.
- Self priming.
- Iron rotor with carbon rotary vanes.
- Check valve, pressure relief.
- Option for US Gallon or Litre Meter.
- 2 year warranty.



FR319VB With Hose, Ultra High Flow Nozzle & 900D Meter

- 35Gpm (132Lpm).
- 3/4 HP motor (115 and 230 VAC).
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- 2 in. threaded bung for tank openings.
- Self priming.
- Iron rotor with carbon rotary vanes.
- Check valve, pressure relief
- 900D meter.
- 1 in. Ultra High Flow Nozzle.
- 1" x 18 ft. Hose with Static Wire.
- 2 year warranty.



FR310VB With Hose & Ultra High Flow Automatic Nozzle

- 35Gpm (132Lpm).
- 3/4 HP motor (115 and 230 VAC).
- UL/cUL listed.
- Cast iron construction.
- 2" threaded bung for tank openings.
- Self priming.
- Iron rotor with carbon rotary vanes.
- Check valve, pressure relief.
- Includes 18' hose.
- Ultra high flow automatic nozzle.
- 2 year warranty.





FILL-RITE

These are heavy duty, High Flow AC Utility Rotary Vane Pumps with an open flow rate and seals. They provide long life and are explosion-proof. Motors have sealed bearings, heavy-duty switches, thermal overload protection and built-in junction boxes. It's a cast iron pump housing with iron rotor and automatic bypass valve.

FR300VN

Hose & Nozzle are optional

- Pump only.
- 20Gpm (75Lpm).
- 1/2 HP motor (115 and 230 VAC).
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- Self priming.
- 2" threaded bung for tank openings.
- Iron rotor with carbon rotary vanes.
- Check valve, pressure relief.
- 2 year warranty.



FR310VN

- Pump only.
- 35Gpm (132Lpm).
- 3/4 HP motor (115 and 230 VAC).
- UL/cUL listed.
- Cast iron construction.
- Self priming.
- 2" threaded bung for tank openings.
- Iron rotor with carbon rotary vanes.
- Check valve, pressure relief.
- 2 year warranty.



FR311VB

With Hose, 901L Litre Meter & Ultra High Flow Nozzle

- 30Gpm (113Lpm).
- 3/4 HP motor (115 and 230 VAC).
- UL/cUL listed pump and motor.
- Heavy duty cast iron.
- 2 year warranty.
- 2" threaded bung for tank openings.
- Iron rotor with carbon rotary vanes.
- Self priming.
- Check valve, pressure relief.
- 1" ultra high flow nozzle.
- 1" x 18 ft. hose with static wire.
- 901 series mechanical meter.



PETRO INDUSTRIAL



petroind.com

FILL-RITE.

These are heavy duty, High Flow AC Utility Rotary Vane Pumps with an open flow rate and seals. They provide long life and are explosion-proof. Motors have sealed bearings, heavy-duty switches, thermal overload protection and built-in junction boxes. It's a cast iron pump housing with iron rotor and automatic bypass valve.

FR313V

For use with Above Ground Steel Tank Dispensers

- Pump only.
- 35Gpm (132Lpm).
- 3/4 HP motor (115 and 230 VAC).
- Heavy duty cast iron.
- Self priming.
- Check valve, pressure relief.
- 2 in.threaded bung for tank openings.
- Iron rotor with carbon rotary vanes.
- 2 year warranty.



FR319VBP

With Hose, 900DP Digital Meter & Ultra High Flow Nozzle

- 27Gpm (102Lpm).
- 3/4 HP motor (115 and 230 VAC).
- 900DP digital flow meter with integrated pulse output.
- Compatible with Diesel Fuel, Biodiesel up to B20 and Kerosene.
- 18 ft. lift capacity.
- Thermally protected motor.
- 30-minute duty cycle.
- Ultra hi-flow nozzle.
- 1" x 18 ft. hose.

