





VARIABLE FREQUENCY DRIVE \$1100 **MODEL S10-4T15G**

Item code: S10-4T15G

A Variable Frequency Drive (VFD) is a type of motor controller that drives an electric motor by varying the frequency and voltage supplied to the electric motor. Other names for a VFD are variable speed drive, adjustable speed drive, adjustable frequency drive, AC drive, microdrive, and inverter.

FEATURES:

- Professionally customised core computing program.
- Smooth shift on forward and reverse rotation.
- Automatic torque compensation.
- Automatic slip compensation.
- Advanced control technology of switching 3-phase to 2-phase, reduces heat by 33.3o/o.
- Adopting nanometer manufacturing technology.
- CPU with built-in dual core dramatically improves the computing speed.

Reliability

- Protect function: over voltage(OU), low voltage(LU), over current(OC), over heat(OH), over load(OL).
- Over voltage and over current stall prevention.
- The technology of integration hardware and software wave filtering for better anti-jamming effects.
- 3-level prohibited frequencies can avoid resonance effectively.
- Braking using software control, be able to adjust brake-bit and brake occupating coefficient.

High Performance

- Automatic torque compensation-start torque can be up to 150% at 2HZ.
- Automatic slip compensation-more accurate speed.
- Ultra-low noise-motor runs more stably.
- High overload capacity-150% rated torque can last for 65 seconds.





Multi-Function

- PIO feedback control.
- Oscillation frequency function.
- Built-in PLC enables 16-levelspeed program running.
- Multifarious frequency input methods:
 - pulse input,
 - AVI/ACI superimposed,
 - UP/DOWN, RS-485.
- Multifarious control methods:
 - operation control,
 - exterior terminal,
 - two-line/three-line control,
 - RS-485 control.
- Multifarious stop methods:
 - (OFF stop, stop for AVI zero).
- Multifarious input methods:
 - external EF,
 - counting input,
 - frequency switching,
 - Pendulum frequency input and so on.

- Multifarious output methods:
 - multi-function relay output,
 - multifunction collector open circuit output.
- Multifarious output methods:
 - indication of forward and reverse rotation,
 - counting arrival.
 - program operation,
 - and faults.

Other functions:

- power failure memory.
- running-locked when power on.
- automatic voltage regulation (AVR).
- DC brake.
- password protection.

HOW TO ORDER:

Product Series	Input Voltage	Applicable Motor	Purpose Application	Example Code
Variable Frequency Drive	2T - 220V (1 phase or 3 phase) 4T - 440V 3 Phase	0.75 - 0.75KW 1.5 - 1.5KW 2.2 - 2.2KW 3.7 - 3.7KW 5.5 - 5.5KW 7.5 - 7.5KW 11 - 11KW 15 - 15KW 18.5 - 18.5KW 22 - 22KW	G - For General Purpose Application P - For Variable Torque Load	
S1100-	4T	15	G	S1100-4T15G

INSTALLATION DIMENSIONS:

Code	Width	Height	Depth
S1100-4T15G	250	403	216