


Flower Girl Quilt

a pattern by Sarah Made for PBS Fabrics

Throw Size Quilt 53 x 72, Beginner Friendly





Getting Started

- Read instructions all the way through before beginning
- RST means right sides together
- WOF means width of fabric
- Seam allowance is 1/4 inch
- Fabric is assumed to be 42" wide and unwashed

Fabric Requirements

Each block is made up of four fabrics as shown on the right. The blocks are made in two different colorways, and you will make (6) blocks of each colorway for a total of (12) blocks.



Fabrics A1 and A2	1/4 yard
Fabrics B1 and B2	5/8 yard
Fabrics C1 and C2	1/2 yard
Background fabric	2 ^{1/4} yards
Backing	3 ^{1/2} yards (non directional) 4 ^{5/8} yards (directional)
Binding & sashing squares	2/3 yards

Cutting Instructions

Fabrics A1 and A2	(6) $6\frac{5}{8}$ " squares
Fabrics B1 and B2	(6) $8\frac{1}{2}$ " squares
Fabrics C1 and C2	Cut (3) $4\frac{7}{8}$ " WOF strips, subcut (24) $4\frac{7}{8}$ " squares
Background fabric	Cut (4) $5\frac{1}{4}$ " WOF strips, subcut (24) $5\frac{1}{4}$ " squares Cut (6) $4\frac{1}{2}$ " WOF strips, subcut (48) $4\frac{1}{2}$ " squares Cut (1) $16\frac{1}{2}$ " WOF strip, subcut into (14) $16\frac{1}{2}$ " x 3" rectangles Cut (2) 3" WOF strips, subcut (3) $16\frac{1}{2}$ " x 3" rectangles for a total of (17) $16\frac{1}{2}$ " x 3" rectangles
Sashing squares	(6) 3" squares
Binding strips	(7) $2\frac{1}{2}$ " WOF strips

Sewing Instructions

Block Construction

For each block you will need:

- (1) fabric A $6\frac{5}{8}$ " square
- (1) fabric B $8\frac{1}{2}$ " square
- (4) fabric C $4\frac{7}{8}$ " squares
- (2) background $5\frac{1}{4}$ " squares
- (4) background $4\frac{1}{2}$ " squares

1. Grab (1) fabric A $6\frac{5}{8}$ " square and (2) background $5\frac{1}{4}$ " squares. Cut diagonally along both $5\frac{1}{4}$ " squares, creating (4) right triangles. Fold in half on the longest side to crease the halfway point. (see figure 1)




figure 1

Block Construction (cont)

2. Fold side of square in half and crease the halfway point. Line up the halfway crease on the triangle and attach (1) triangle to the side of fabric A $6\frac{5}{8}$ " square and sew. Repeat on opposite side of the square. (see figure 2)





figure 2

3. Press seams open and trim dog ears. (see figure 3)




figure 3

4. Repeat steps 2 and 3 on the other two sides of fabric A $6\frac{5}{8}$ " square. (see figure 4)





figure 4

Block Construction (cont)

5. Using the square you just finished and (4) fabric C $4\frac{7}{8}$ " squares, you will create no waste flying geese. First, place (2) fabric C $4\frac{7}{8}$ " squares on the corners of your square. Mark a line diagonally and sew $\frac{1}{4}$ inch away on both sides of the line. (see figure 5)




figure 5

6. Cut along the diagonal line (figure 6) and then press open (figure 7). Trim dog ears.




figure 6





figure 7

7. Place (1) fabric C $4\frac{7}{8}$ " squares on the corner of each of your pieces. Mark a line diagonally and sew $\frac{1}{4}$ inch away on both sides of the line. (see figure 8) Trim dog ears.





figure 8

Block Construction (cont)

8. Cut along the diagonal line (figure 9) and then press open (figure 10). Trim dog ears. If necessary, trim flying geese to $8\frac{1}{2}'' \times 4\frac{1}{2}''$.




figure 9





figure 10

Block Construction (cont)

9. Construct the block as shown, first sew into rows. Press away from flying geese. Then sew rows together. Press open. Unfinished block measures 16-1/2" square.



10. Complete remaining (11) blocks by repeating steps 1-9.

Quilt Assembly

Lay out blocks and sashing. Assemble as shown, first into rows and then sew rows together. In all rows press toward the white sashing. To make the backing, cut the backing fabric in half and then sew together using a 1/2" seam allowance. Press seam open. Make quilt sandwich and quilt as desired. Use binding strips to make and attach binding.

