

Otter Village

a disappearing 9-patch quilt

Otter Romp fabric collection by Paintbrush Studio




58" x 72"



901 E. 14th Avenue
North Kansas City, MO 64116
(816) 421-2000 www.pbsfabrics.com

Designed by Terry Albers
www.hedgehogquilts.com
©2018 Hedgehog Quilts



Yardages and Cutting

- *WoF = Width of fabric from selvage to selvage.*
- *All seams are 1/4" unless otherwise noted and seam allowances are included in the cut sizes.*

10 Print Fat Quarters

- Cut 2 - 8-3/4" squares from each

1-1/4 yards Navy Solid

- Cut 2 strips - 8-3/4" x WoF; from these cut 5 - 8-3/4" squares and 15 - 2-1/2" squares
- Cut 7 strips - 2-1/4" x WoF for binding

2-2/3 yards Oyster Solid

- Cut 5 strips - 8-3/4" x WoF; from these cut 20 - 8-3/4" squares for 9-patch blocks
- Cut 9 strips - 2-1/2" x WoF; from *each* strip cut the following:
 - 1 - 2-1/2" x 26-1/2" rectangle for row sashing
 - 1 - 2-1/2" x 12-1/2" rectangle for block sashing
- Cut 1 strip - 14-1/2" x WoF; from this cut the following:
 - 6 - 2-1/2" x 14-1/2" rectangles for row sashing
 - 10 - 2-1/2" x 12-1/2" rectangles for block sashing
- Cut 2 strips - 2-1/2" x WoF; from this cut the following:
 - 6 - 2-1/2" x 12-1/2" rectangles for block sashing (total 25)

4-5/8 yards Directional Fabric for Backing

- Cut 2 pieces 80" x WoF for backing

OR

3-7/8 yards Non-Directional Fabric for Backing

- Cut 2 pieces 66" x WoF for backing

Batting

- 1 piece 66" x 80"

Piecing the 9-patch Segments


Note: Use a scant 1/4" seam allowance for all stitching.

1. Arrange 8-3/4" squares into 5- 9-patch blocks as shown, with print squares in corners, Navy squares in the center and Oyster squares in the remaining spots.

2. Sew squares together into 3 rows of 3 squares, pressing away from center.


3. Stitch block rows together, matching seams. Press seams away from center. Blocks should measure approximately 25-1/4" square.

4. Slice 9-patch blocks into 4 equal pieces as shown.



Continued on page 3

5. Sliver-trim the navy edges, if needed, so that quarter-blocks measure 12-1/2" x 12-1/2". You will have 20 quarter-blocks.



Assembling the Quilt

Refer to exploded quilt diagram on next page.


1. Arrange and stitch 5 rows of 4 quarter-blocks with 2-1/2" x 12-1/2" block sashing rectangles between blocks and at each end. Press seams toward sashing. Rows should measure 12-1/2" x 58-1/2".
2. Assemble sashing rows with 2-1/2" x 26-1/2" and 2-1/2" x 14-1/2" rectangles, paying close attention to the placement of the 2-1/2" navy cornerstone squares. Press seams toward sashing. Sashing rows should measure 2-1/2" x 58-1/2".
3. Stitch all rows together, matching seams. Press toward sashing.
4. Quilt should now measure 58 1/2" x 72 1/2".

Completing the Quilt


Remove selvage edges from backing pieces. Stitch together on the long edges, **using a 1/2" seam allowance**. Press seam open to reduce bulk. Trim and straighten the edges to make a 66" x 80" backing piece.

Making the Binding:

1. Remove selvage edges from 2 1/4" x WoF Navy strips and sew together, end to end on the diagonal as shown. Trim seam allowances to 1/4" and press open to reduce bulk. Press entire length of binding in half, wrong sides together.
2. Layer, quilt, and bind using your favorite methods.



exploded quilt diagram



Otter Village

1 Kit 6 Kits 12 Kits

120-99302 Otter Village Blue
Fat qtr 1-1/2 yds 3 yds



120-99305 Otter Village Navy
Fat qtr 1-1/2 yds 3 yds



120-99304 Otter Village Turq.
Fat qtr 1-1/2 yds 3 yds



120-99315 Scenic Orange
Fat qtr 1-1/2 yds 3 yds



120-99312 Scenic Pink
Fat qtr 1-1/2 yds 3 yds



120-99322 Swimming Otters Turq.
Fat qtr 1-1/2 yds 3 yds



1 Kit 6 Kits 12 Kits

120-99324 Swimming Otters Orange
Fat qtr 1-1/2 yds 3 yds



120-99331 Fan Leaves Blue Green
Fat qtr 1-1/2 yds 3 yds



120-99333 Fan Leaves Pink Green
Fat qtr 1-1/2 yds 3 yds




120-99362 Tiny Flowers Pink
Fat qtr 1-1/2 yds 3 yds



121-161 Navy (Abyss) Solid
Fat qtr 1-1/2 yds 3 yds



121-122 Oyster Solid
2-2/3 yds 16 yds 32 yds



Directional Backing of Choice
4-5/8 yds 27-3/4 yds 55-1/2 yds

OR
Non-directional Backing of Choice
3-7/8 yds 23-1/4 yds 46-1/2 yds