

SAFETY DATA SHEET

1.1 Product (material) name: 1.2 Other names: 1.3 Recommended use: 1.3 Recommended use: 1.5 Address: 1.5 Address: 1.6 Phone: 1.8 Integrated (Material) (Ma	1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER				
1.2. Other names: Hydrocarbon Resin Based Professional Hair Removal Wax Removal of unwanted body hair Barneys Salon Supplies: Unit 1, 15-21 Huntingdale Rd, Burwood, Victoria, 3128, Australia 1800 676 522 1.7. Website: www.barneyssalons.upplies.com.au 1.8. Emergency Contacts: Poloson Information Centre (Australia) 13 11 26 1.4. Supplier: Barneys Salon Supplies Com.au 1.4. Supplier: Poloson Supplies Com.au 1.4. Supplicable 1.4. Supplicabl	1.1. Product (material) name:		Platinum Hard Wax		
1.4. Supplier: Barneys Salon Supplies 1.6. Phone: 1800 676 522 1.7. Website: www.barneyskalonsupplies.com.au 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.7. Website: Same Supplies 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.7. Website: Same Supplies 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.8. Emergency Contacts: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Oncordin			Hydrocarbon Resin Based Professional Hair Removal Wax		
1.4. Supplier: Barneys Salon Supplies 1.6. Phone: 1800 676 522 1.7. Website: www.barneyskalonsupplies.com.au 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.7. Website: Same Supplies 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.7. Website: Same Supplies 1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.8. Emergency Contacts: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Non-hazardous according to NOHSC criteria. 1.8. Larard classification: Oncordination: Oncordin	1.3. Recommended use:		Removal of unwanted body hair		
1.5. Address: Unit 1, 15-21 Huntingdale Rd, Burwood, Victoria, 3128, Australia 1.6. Phone: 1806 75 522 www.barneyssalonsupplies com. au Poisons Information Centre (Australia) 13 11 26 Barneys Salon Supplies Salon Sal	1.4. Supplier:		,		
1.7. Wexbistie:					
1.8. Emergency Contacts: Poisons Information Centre (Australia) 13 11 26 1.4. Supplier: Barneys Salon Supplier 2.1. Hazard classification: Non-hazardous according to NOHSC criteria. Non-hazardo	1.6. Phone:		1800 676 522		
1.4. Supplier: Sameys Salon Supplies	1.7. Website:		www.barneyssalonsupplies.com.au		
2.1. Hazard classification: Non-hazardous according to NOHSC criteria.	1.8. Emergency Contacts:		Poisons Information Centre (Australia) 13 11 26		
2.1 Hazard classification: 2.2 Risk phrase(s): 3. Safety phrase(s): Not applicable Concentration: Polycyclopentadiene 68132-00-3 8006-00-4 1030% Olus Oil 8001-22-47 < 100% Parfum N/A <10% 4.1985 AID MEASURES 4.1 Description of necessary first aid measures Ingestion: Initial mium Dioxide Not applicable Concentration: Concentration	1.4. Supplier:		Barneys Salon Supplies		
2.2. Isk phrase(s): Not applicable 2.3. Safety phrase(s) To applicable 2.3. Safety phrase(s) To applicable 2.3. Safety phrase(s) To applicable 2.4. A concentration: 2.5. Concentration: 2		2. HAZAR			
Not applicable SINGEDIENTS Ingredient s: CAS number: Concentration: Polycyclopentadiene					
S. INGREDIENTS CAS number: Concentration: Polycyclopentadiene 68132-00-3 > 560%					
Ingredient s:	2.3. Safety phrase(s)				
Polycyclopentadiene 68132-00-3 560% 10~30% 2016					
Cera Alba 8006-40 10-30% 100					
Olus Oil 13463-67-7 < 10% Titanium Dioxide 13463-67-7 < 10% Parfum N/A					
Titanium Dioxide N/A					
Parfum N/A IRIST AID MEASURES 4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact cheese, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice: 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptoms persist, seek medical advice: 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions A source of clean water should be available in the work area on small fires. When the product has penetrated drains, sewers and water of purportive clothing including self contained breathing apparatus. 6.5. Environmental p					
4.1. Description of necessary first aid measures Ingestion: Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus. 6.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Protective equipment for firefighters: None known On ont discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes.					
### As Description of necessary first aid measures	Partum		·		
Rinse mouth out with water. Do not attempt to induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burn which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for cotainment Not applicable	4.1 Description of passessmy first aid		I AID MEASURES		
unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if Irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus 6.4. Personal precautions None known On on discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep		iiieasuies	Pince mouth out with water. Do not attempt to induce veniting		
mouth to an unconscious person. If large quantities are swallowed, seek medical advice immediately. Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if riritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 6.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions On on Gischarge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.2. Environmental precautions None known On the applicable 6.3. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	ingestion.				
Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions A on to applicable 6.3. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep 6.4. Methods for cleaning					
Eye: Flush with water for 15 minutes including under eyelids. If person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.2. Environmental precautions RelEASE MEASURES 6.3. Methods for colaaning Remains in solid form under normal conditions, pick up or sweep			- ·		
person is wearing contact lenses, remove them prior to flushing. Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus. 6.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning	Fire				
Seek medical advice if discomfort persists. Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning	Eye:		· · · · · · · · · · · · · · · · · · ·		
Skin: May cause temporary local redness after application. Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep					
Discontinue use if irritation occurs, seek medical attention if discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions On not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.2. Environmental precautions Not applicable 6.4. Methods for coleaning Remains in solid form under normal conditions, pick up or sweep	Skin				
discomfort persists. If directions for use not followed correctly and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician 5. IFRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL EXELEASE MEASURES 6.1. Personal precautions On ont discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	SKIII.				
and applied too hot this may cause burns in which case flush with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions None known 6.3. Methods for containment Not applicable 6.4. Methods for containment Not applicable 6.5. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep					
with or immerse in cold water. Seek medical attention for burns. Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for coleaning Remains in solid form under normal conditions, pick up or sweep					
Inhalation: If respiratory symptoms develop whilst using molten material remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep					
remove patient from area of exposure into fresh air. If symptoms persist, seek medical advice. 4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions None known 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	Inhalation		<u> </u>		
4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5. FIRE FIGHTING MEASURES 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	iiiiaiatioii.				
4.2. Medical Attention And Special Treatment First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep			· · · · · · · · · · · · · · · · · · ·		
First Aid Facilities: A source of clean water should be available in the work area for flushing eyes and skin. Notes to physician Treat symptomatically 5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions None known 6.3. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep	1.2 Medical Attention And Special Tr	eatment	symptoms persist, seek medical advice.		
Rotes to physician Treat symptomatically			A source of clean water should be available in the work area for		
Treat symptomatically					
5.1. Flammable properties 5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep					
5.1. Flammable properties 5.2. Suitable extinguishing media: 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6.4. Protective equipment for firefighters: 6.5. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions 6.2. Environmental precautions 6.3. Methods for containment 6.4. Methods for containment 6.4. Methods for cleaning Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus. Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	Notes to physician	5. FIRE FI			
5.2. Suitable extinguishing media: Dry chemical, carbon dioxide, foam or water may be used. Do not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	5.1. Flammable properties				
not use straight streams of water on burning material as it may cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep			Dry chemical, carbon dioxide, foam or water may be used. Do		
cause spattering and spread the fire. Sand / earth can be used on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known 6.5. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.4. Methods for containment Not applicable Remains in solid form under normal conditions, pick up or sweep					
on small fires. 5.3. Hazards from combustion products: During a fire irritating and toxic gases maybe produced by combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6.4. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep					
combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep					
combustion or thermal decomposition. Wear a breathing apparatus 5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	5.3. Hazards from combustion products:		During a fire irritating and toxic gases maybe produced by		
5.4. Protective equipment for firefighters: Move exposed containers from fire areas if possible. Firefighters should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	,				
should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep			· · · · · · · · · · · · · · · · · · ·		
should wear full protective clothing including self contained breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	5.4. Protective equipment for firefigh	ters:	1.1		
breathing apparatus. 6. ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions None known 6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep					
6.1. Personal precautions None known Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep			breathing apparatus.		
6.2. Environmental precautions Do not discharge into lakes, streams, ponds or public waters. Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep		6. ACCIDENT	AL RELEASE MEASURES		
Advise authorities if the product has penetrated drains, sewers and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	-				
and water pipes. 6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep	6.2. Environmental precautions				
6.3. Methods for containment Not applicable 6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep			Advise authorities if the product has penetrated drains, sewers		
6.4. Methods for cleaning Remains in solid form under normal conditions, pick up or sweep			and water pipes.		
	6.3. Methods for containment				
spilled product. If molten, allow to cool and scrape up.	6.4. Methods for cleaning				
			spilled product. If molten, allow to cool and scrape up.		



SAFETY DATA SHEET

7. HANDI	ING AND STORAGE
7.1. Handling	Avoid contact with eyes.
	Observe precautions found on label. Wash face and hands
	thoroughly with soap and water after use and before eating.
7.2. Storage	Store containers upright and closed.
	Keep out of reach of children.
	Store in a cool, dry preferably below 30°C
	ROLS/PERSONAL PROTECTION
8.1. National exposure standards	None allocated
8.2. Biological limit values	None allocated
8.3. Engineering controls	General ventilation normally adequate
8.4. Personal protective equipment	Gloves may be used to minimise contact.
	D CHEMICAL PROPERTIES
9.1. Appearance:	Opaque white solids resin
9.2. Odour:	Synthetic fragrance resembling coconut
9.3. Vapour Pressure:	Not available
9.4. Vapour density:	Not available
9.5. Softening point:	37 +/- 2°C
9.6. Melting point:	60 +/- 5 °C
9.7. Solubility in water:	Insoluble
9.8. Specific gravity:	0.93 – 0.99 g/mL
9.9. Flammable materials information:	
flash point and method of detecting flash point;	Not applicable Not determined
upper and lower flammable (explosive) limits in air;	Not determined
and	Not determined
ignition temperature. 9.10. Viscosity at room temperature:	Not determined Solid
9.11. Percent volatile:	Not available
	ITY AND REACTIVITY
10.1. Chemical Stability:	Stable under normal condition. May react with strong oxidising
25121 51151111541 514311111111	agents
10.2. Conditions to avoid:	Do not mix with other chemicals.
	Keep away from moisture.
	Avoid storage temperature exceeding 50 °C
10.3. Incompatible materials:	oxidisers
10.4. Hazardous decomposition products:	Combustion may yield large amounts of oxides of carbon,
	smoke, incomplete combustion products, flammable
	hydrocarbons.
10.5. Hazardous reactions:	None known
11. TOXICOL	OGICAL INFORMATION
11.1. Likely routes of exposure:	Skin, eyes, inhaled.
11.2. Health effects from the likely routes of exposure:	
11.2.1. Acute	No specific toxicological data is available.
Ingestion:	Product may induce nausea.
Eye:	May cause abrasive irritation to the eyes if they come into
	contact with the product.
Skin:	Not expected to be an irritant but may cause temporary local
	redness after application.
Inhalation:	When heated, the vapour/fumes given off may cause respiratory
	tract irritation.
11.2.2. Chronic	No long term effects are known.
11.3. Other Information:	None
	GICAL INFORMATION
12.1. Ecotoxicity:	Not expected to be harmful to aquatic or terrestrial organisms.
12.2. Persistence and degradability:	Expected to be persistent.
12.3. Mobility:	Expected to partition to sediment and wastewater solids.
	Minimally volatile.



13. DISF	POSAL CONSIDERATIONS		
13.1. Disposal methods and containers:	Dispose the waste as a non-hazardous organic solid according to		
	local and state regulations.		
	Contact relevant authority for details. No special considerations		
	for containers.		
14. TRANSPORT INFORMATION			
14.1. UN Number:	Not applicable		
14.2. UN Proper Shipping Name:	Not applicable		
14.3. Class and subsidiary risk:	Not applicable		
14.4. Packing Group:	Not applicable		
14.5. Special precautions for user:	Not applicable		
14.6. Hazchem Code:	Not applicable		
15. REGULATORY INFORMATION			
15.1. Regulatory Status:	Not applicable		
16. OTHER INFORMATION			
16.1. Document Information:	Document Issued 01/11/2018		
16.2. Additional Information:	The information contained in this MSDS is, to the best of Caron		
	Laboratories' knowledge and belief, accurate and reliable as of		
	the date issued. The information is provided without any		
	warranty, expressed or implied regarding its correctness or		
	accuracy. Similarly, no warranty expressed or implied shall be		
	created or inferred regarding the product described in this MSDS		
	and Caron Laboratories Pty Ltd will not assume liability for any		
	loss or damage arising out of the use of this information. It is the		
	user's responsibility to satisfy itself that the product is suitable		
	for its intended use		

SAFETY DATA SHEET