

1. IDENTIFICA	TION OF THE MATERIAL AND SUPPLI	ER					
1.1. Product (material) name:	Wintergreen Paraffin Wax						
1.2. Other names:	Paraffin Based Moisturising	Treatment Wax					
1.3. Recommended use:		Moisturising Treatment					
1.4. Supplier:	-	Caronlab Australia Pty Ltd					
1.5. Address:	-	Geelong, Victoria, 3215, Australia					
1.6. Phone:	(03) 5227 4999						
1.7. Fax:	(03) 5227 4950						
1.8. Email:	info@caronlab.com.au						
1.9. Emergency Contacts:	_	Poisons Information Centre (Australia) 13 11 26					
	HAZARDS IDENTIFICATION						
2.1. Hazard classification:	Non-hazardous according to	NOHSC criteria.					
2.2. Risk phrase(s):	-	Not applicable					
2.3. Safety phrase(s)	Not applicable						
3. INGREDIENTS							
Ingredient s:	CAS number:	Concentration:					
Paraffin	8002-74-2	>60%					
Paraffinum Liquidum (Mineral Oil)	8012-95-1 / 8042-47-5	<10%					
Wintergreen (Gaultheria Procumbens) Leaf Oil	90045-28-6	<10%					
Olea Europaea (Olive) Oil	8001-25-0 / 156798-12-8	<10%					
Triticum Vulgare (Wheat) Germ Oil	84012-44-2	<10%					
Corn mint (Mentha Arvensis) Leaf Oil	68917-18-0, 91722-84-8, 294-486-						
NOTE: Allergen reported on label includes Limone		een Oil.					
4.1. Description of necessary first aid measures	4. FIRST AID MEASURES						
· · · ·	Pipco mouth out with water	r. If swallowed, give a glass of water					
Ingestion:							
		give further water. Seek medical					
	advice.						
Eye:							
Skin:		o reaction anticipated. If irritation					
		For skin burns, immediately flood					
		ater, cover with a clean dry dressing					
	and seek medical help.						
Inhalation:		f exposure. Seek medical advice if					
	effects persist. For fumes fro	om molten material: remove person					
	from exposure. Remove cor	ntaminated clothing and loosen					
	from exposure. Remove cor	ntaminated clothing and loosen atient to assume most comfortable					
	from exposure. Remove con remaining clothing. Allow pa	-					
4.2. Medical Attention And Special Treatment	from exposure. Remove con remaining clothing. Allow pa	atient to assume most comfortable					
4.2. Medical Attention And Special Treatment First Aid Facilities:	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke	atient to assume most comfortable					
	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke	atient to assume most comfortable sep at rest until fully recovered.					
	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho	atient to assume most comfortable eep at rest until fully recovered.					
First Aid Facilities: Notes to physician	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin.	atient to assume most comfortable eep at rest until fully recovered.					
First Aid Facilities: Notes to physician 5.1. Flammable properties	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for					
First Aid Facilities: Notes to physician 5.	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do					
First Aid Facilities: Notes to physician 5.1. Flammable properties	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for					
First Aid Facilities: Notes to physician 5.1. Flammable properties	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of w	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do					
First Aid Facilities: Notes to physician 5.1. Flammable properties	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of w	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media:	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of cause spattering and spread on small fires.	atient to assume most comfortable rep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may					
First Aid Facilities: Notes to physician 5.1. Flammable properties	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of cause spattering and spread on small fires. During a fire irritating and to	e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media:	from exposure. Remove corremaining clothing. Allow papersition and keep warm.	atient to assume most comfortable sep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products:	from exposure. Remove corremaining clothing. Allow papersition and keep warm.	atient to assume most comfortable sep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media:	from exposure. Remove corremaining clothing. Allow paper position and keep warm. Kee A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of a cause spattering and spread on small fires. During a fire irritating and to combustion or thermal deco apparatus Move exposed containers fr	atient to assume most comfortable tep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may I the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products:	from exposure. Remove con remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of v cause spattering and spread on small fires. During a fire irritating and to combustion or thermal deco apparatus Move exposed containers fr should wear full protective of	atient to assume most comfortable sep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by opposition. Wear a breathing					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters:	from exposure. Remove corremaining clothing. Allow paper position and keep warm. Kee A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of a cause spattering and spread on small fires. During a fire irritating and to combustion or thermal deco apparatus Move exposed containers fr	atient to assume most comfortable tep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may I the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters:	from exposure. Remove corremaining clothing. Allow papesition and keep warm. Kee A source of clean water shoflushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of values spattering and spread on small fires. During a fire irritating and to combustion or thermal decomparatus Move exposed containers from should wear full protective or breathing apparatus.	atient to assume most comfortable tep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may I the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6. ACC 6.1. Personal precautions	from exposure. Remove cor remaining clothing. Allow pa position and keep warm. Ke A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of cause spattering and spread on small fires. During a fire irritating and to combustion or thermal deco apparatus Move exposed containers fr should wear full protective of breathing apparatus. CIDENTAL RELEASE MEASURES None known	e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by composition. Wear a breathing rom fire areas if possible. Firefighters clothing including self contained					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6. ACC	from exposure. Remove corremaining clothing. Allow paposition and keep warm. Kee A source of clean water shoflushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of values spattering and spread on small fires. During a fire irritating and to combustion or thermal decord apparatus Move exposed containers for should wear full protective or breathing apparatus. CIDENTAL RELEASE MEASURES None known Do not discharge into lakes,	e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters clothing including self contained streams, ponds or public waters.					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6.4. Comparison of the form of the fighters: 6.1. Personal precautions	from exposure. Remove corremaining clothing. Allow paposition and keep warm. Ke	e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by composition. Wear a breathing rom fire areas if possible. Firefighters clothing including self contained					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6.4. Protective equipment for firefighters: 6.2. Environmental precautions 6.2. Environmental precautions	from exposure. Remove corremaining clothing. Allow paposition and keep warm. Kee position and keep warm. Kee A source of clean water shoul flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of we cause spattering and spread on small fires. During a fire irritating and to combustion or thermal decorrest or thermal decorrest for should wear full protective or breathing apparatus. CIDENTAL RELEASE MEASURES None known Do not discharge into lakes, Advise authorities if the pro and water pipes.	e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters clothing including self contained streams, ponds or public waters.					
First Aid Facilities: Notes to physician 5.1. Flammable properties 5.2. Suitable extinguishing media: 5.3. Hazards from combustion products: 5.4. Protective equipment for firefighters: 6. ACC 6.1. Personal precautions	from exposure. Remove corremaining clothing. Allow paposition and keep warm. Kee position and keep warm. Kee A source of clean water sho flushing eyes and skin. Treat symptomatically FIRE FIGHTING MEASURES Dry chemical, carbon dioxid not use straight streams of a cause spattering and spread on small fires. During a fire irritating and to combustion or thermal decorrest apparatus Move exposed containers fr should wear full protective of breathing apparatus. CIDENTAL RELEASE MEASURES None known Do not discharge into lakes, Advise authorities if the pro and water pipes. Not applicable	atient to assume most comfortable eep at rest until fully recovered. uld be available in the work area for e, foam or water may be used. Do water on burning material as it may d the fire. Sand / earth can be used oxic gases maybe produced by pomposition. Wear a breathing rom fire areas if possible. Firefighters clothing including self contained streams, ponds or public waters.					



7. HAND	DLING AND STORAGE
7.1. Handling	Avoid contact with eyes. Avoid breathing in vapour.
	Observe precautions found on label. Wash face and hands
	thoroughly with soap and water after use and before eating.
7.2. Storage	Store containers upright and closed.
-	Keep out of reach of children.
	Store in a cool, dry preferably below 30°C and away from direct
	sunlight.
8. EXPOSURE CON	TROLS/PERSONAL PROTECTION
8.1. National exposure standards	None allocated
8.2. Biological limit values	None allocated
8.3. Engineering controls	General ventilation normally adequate
8.4. Personal protective equipment	Gloves may be used to minimise contact.
9. PHYSICAL A	ND CHEMICAL PROPERTIES
9.1. Appearance:	Opaque white solid paraffin
9.2. Odour:	Characteristic of wintergreen oil
9.3. Vapour Pressure:	Not available
9.4. Vapour density:	Not available
9.5. Softening point:	40 +/- 5°C
9.6. Melting point:	40 +/- 5 °C
9.6. Menting point: 9.7. Solubility in water:	Insoluble
9.8. Specific gravity:	0.76 – 0.82 g/mL
9.9. Flammable materials information:	
flash point and method of detecting flash point;	Not applicable
upper and lower flammable (explosive) limits in air;	Not determined
and	
ignition temperature.	Not determined
9.10. Viscosity at room temperature:	Solid
9.11. Percent volatile:	Not available
10. STAB	ILITY AND REACTIVITY
10.1. Chemical Stability:	Stable under normal condition.
10.2. Conditions to avoid:	Do not mix with other chemicals.
	Avoid exposure to excessive heat, sources of ignition and open
	flames
10.3. Incompatible materials:	oxidisers
10.4. Hazardous decomposition products:	Combustion may yield large amounts of oxides of carbon,
	smoke, incomplete combustion products, flammable
	hydrocarbons.
10.5. Hazardous reactions:	None known
11. TOXICO	LOGICAL INFORMATION
11.1. Likely routes of exposure:	Skin, eyes, inhaled.
11.2. Health effects from the likely routes of exposure:	
11.2.1. Acute	No specific toxicological data is available.
Ingestion:	No adverse effects expected. However, large amounts may
	cause nausea and vomiting.
Eye:	May be an eye irritant. Exposure to the dust may cause
-,	discomfort due to particulate nature. May cause physical
	irritation to the eyes. Fumes from molten material may be mildly
	irritating.
Skin:	Not expected to be an irritant. Molten material may cause skin
	burns.
Inhalation:	When heated, the vapour/fumes given off may cause respiratory
וווומומנוסוו.	tract irritation.
11.2.2. Chronic	
11.2.2. Chronic	No long term effects are known.
11.3. Other Information:	None
12. ECOLO	DGICAL INFORMATION
	Avoid contaminating waterways
12.1. Ecotoxicity: 12.2. Persistence and degradability:	Expected to be persistent.



caron			()°	
	A	U	S	Т	R	A	L	1	A	

13. DISPOSAL CONSIDERATIONS				
13.1. Disposal methods and containers:	Dispose the waste as a non-hazardous organic solid according to			
	local and state regulations.			
	Contact relevant authority for details. No special considerations			
	for containers.			
14. TRANSPORT INFORMATION				
14.1. UN Number:	Not applicable			
14.2. UN Proper Shipping Name:	Not applicable			
14.3. Class and subsidiary risk:	Not applicable			
14.4. Packing Group:	Not applicable			
14.5. Special precautions for user:	Not applicable			
14.6. Hazchem Code:	Not applicable			
15. REGULATORY INFORMATION				
15.1. Regulatory Status:	Not applicable			
16. OTHER INFORMATION				
16.1. Document Information:	Document Issued 29/10/2019			
16.2. Additional Information:	The information contained in this MSDS is, to the best of			
	Caronlab Australia's knowledge and belief, accurate and reliable			
	as of the date issued. The information is provided without any			
	warranty, expressed or implied regarding its correctness or			
accuracy. Similarly, no warranty expressed or implied sha				
	created or inferred regarding the product described in this MSDS			
	and Caronlab Australia Pty Ltd will not assume liability for any			
	loss or damage arising out of the use of this information. It is the			
	user's responsibility to satisfy itself that the product is suitable			
	for its intended use			