

# Safety Data Sheet - Oven & Grill Cleaner

Chemical Xchange  
340 S Lemon Ave - Walnut, CA 91789  
www.chemicalxchange.com  
info@chemicalxchange.com  
(909) 979-1875

## Section 1: Identification

GHS product identifier  
Product name: Liquid Brick  
Product Code: N/A

### Recommended uses and uses advised against

Recommended use: Grill and oven cleaning. Deep fryer boil-out.

Uses not recommended: Cleaning 'soft' metals or delicate surfaces.

### Supplier details

Chemical Xchange  
340 S Lemon Ave - Walnut, CA 91789  
www.chemicalxchange.com  
info@chemicalxchange.com  
(909) 979-1875

### Emergency telephone number

Infotrac: (800) 535-5053

## Section 2: Hazard identification

### United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### Classification of the substance or mixture

OSHA HCS 2012

Skin Corrosion/Irritation 1

### Label Elements

OSHA HCS 2012

Danger



### Hazard Statements

H314 Causes severe skin burns and eye damage.

### Precautionary Statements

#### Prevention

P260 Do not breathe dusts or mists.  
P264 Wash hands and skin thoroughly after handling.  
P280 Wear protective gloves, protective apron, eye protection and face shield where appropriate.

#### Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
Rinse skin with water.  
P363 Wash contaminated clothing before reuse.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P310 Immediately call a poison control center and seek medical attention.

P321 Specific treatment see section 4.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do.  
Continue rinsing.

Storage/Disposal

P501 Dispose of contents/container per guidelines in section 13.  
P405 Store locked up.


Other hazards

OSHA HCS 2012

No data available.

Other information

NFPA



### Section 3: Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

Potassium Hydroxide	[Caustic Potash]	CAS No. 1310-58-3	10% - 33%
Proprietary Dispersants/Stabilizers	[Proprietary Dispersants]	CAS No. Not Applicable	1% - 25%

See section 11 for toxicological information.

### Section 4: First-Aid Measures

Description of first aid measures

Inhalation:

Move to fresh air. Call physician if symptoms develop or persist.

Skin:

Take off immediately all contaminated clothing. Rinse skin with water or use emergency shower. Call physician or poison control center immediately. Wash contaminated clothing or articles before reuse.

Eye:

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call physician or poison control center immediately.

Ingestion:

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth to mouth method if victim ingested substance. Artificial respiration may be administered only with pocket mask with one-way valve.

#### Most important symptoms and effects, both acute and delayed

Burning pain and severe corrosive skin damage. Diarrhea. Nausea, vomiting. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, blurred vision and foreign body sensation. Permanent eye damage/blindness could occur. Coughing.

#### Indication of any immediate medical attention and special treatment needed:

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

### Section 5: Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:

Water fog. Foam. Dry chemical powder. CO2.

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

## Special hazards arising from the substance or mixture

Unusual fire and explosion hazards: During fire, gasses hazardous to health may be formed.

Hazardous combustion products: Material data lacking.

Advice for firefighters: Use water spray to cool containers exposed to fire.

## Section 6: Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear appropriate protective equipment including respiratory protection as conditions warrant. Do not touch or walk through spilled material.

Emergency procedures: As an immediate precautionary measure, isolate spill or leak for at least 50 meters. Keep unnecessary personnel away, and keep people upwind and away from spill or leak. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless protected. Ensure adequate ventilation. Advise local authorities if spillage cannot be contained.

Environmental precautions: Avoid run off to waterways and sewers. Avoid release to the environment.

### Methods and material for containment and clean-up

Stop leak if you can do it without risk.

## Section 7: Handling and Storage

### Precautions for safe handling

Handling: Do not breathe mist or vapor. Do not get in eyes, on skin or on clothing. When using, do not eat, drink or smoke. Provide Adequate Ventilation. Wear appropriate personal protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage: Store at or near room temperature. Keep container closed when not in use. Store locked up. Store away from incompatible materials.

Incompatible materials or ignition sources: Magnesium. Chlorinated hydrocarbons. Maleic anhydride. Phenols. Acid chlorides. Nitro compounds.

## Section 8: Exposure Controls/Personal Protection





### Control parameters

Component	Result	Exposure Limits/Guidelines		
		NIOSH	ACGIH	Canada Ontario
Potassium Hydroxide CAS No. 1310-58-3	STELs	Data lacking	2 mg/m <sup>3</sup>	Data lacking
	TWAs	Data lacking	2 mg/m <sup>3</sup>	Data lacking
Proprietary Dispersants/Stabilizers CAS No. Not Applicable	STELs	Data lacking	Data lacking	Data lacking
	TWAs	Data lacking	Data lacking	Data lacking

### Exposure controls

Engineering measures and controls: Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable exposure limit values. Good general ventilation (10 air changes per hour) should be used. Eye wash facilities and emergency shower must be available when handling this product. Perform a risk assessment to determine the appropriate PPE.

Incompatible materials or ignition sources: Pictograms:

Respiratory: Not required.

Eye and face: Must wear goggles when using this product.

Hands: Must wear chemical protective gloves when using this product.

Skin and body: Must wear chemical protective clothing when using this product.

General industrial hygiene considerations: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling.

Environmental exposure controls: Follow best practice for site management and disposal of waste. Avoid release to the environment.

**Key to Abbreviations**

ACGIH= American Conference of Governmental Industrial Hygiene TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures NIOSH= National Institute of Occupational Safety and Health STEL = Short Term Exposure Limits are based on 15-minute exposures OSHA =Occupational Safety and Health Administration STEV = Short Term Exposure Value  
 MSHA = Mine Safety and Health Administration

**Section 9: Physical and Chemical Properties**

Information on physical and chemical properties

<b>Material Description</b>				
Physical Form	Liquid		Appearance/Description	Opaque.
Color	Iridescent yellow/green.		Odor	Odorless
Taste	Data lacking		Particulate Type	Not relevant
Particulate Size	Not relevant		Aerosol Type	Not relevant
Odor Threshold	Not relevant		Physical and Chemical Properties	Data lacking
<b>General Properties</b>				
Boiling Point	> 212 F		Melting Point	Not available
Decomposition Temperature	Data lacking		Heat of Decomposition	Data lacking
pH	> 12		Specific Gravity/Relative Density	1.224 (H2O = 1)
Density	Data lacking		Bulk Density	Data lacking
Water Solubility	Data lacking		Solvent Solubility	Data lacking
Viscosity	Data lacking		Explosive Properties	Classification criteria not met
Oxidizing Properties:	Data lacking			
<b>Volatility</b>				
Vapor Pressure	< 2.3 kPa @20C		Vapor Density	< 0.62 @20C
Evaporation Rate	1		VOC (Wt.)	Data lacking
VOC (Vol.)	Data lacking		Volatiles (Wt.)	Data lacking
Volatiles (Vol.)	Data lacking			
<b>Flammability</b>				
Flash Point	Not applicable		UEL	Not applicable
LEL	Not applicable		Autoignition	Not applicable
Self-Accelerating Decomposition Temperature (SADT)	Data lacking		Heat of Combustion (ΔHc)	Data lacking
Burning Time	Data lacking		Flame Duration	Data lacking
Flame Height	Data lacking		Flame Extension	Data lacking
Ignition Distance	Data lacking		Flammability (solid, gas)	Not applicable
<b>Environmental</b>				
Half-Life	Data lacking		Octanol/Water Partition coefficient	Data lacking
Coefficient of water/oil distribution	Data lacking		Bioaccumulation Factor	Data lacking
Bioconcentration Factor	Data lacking		Biochemical Oxygen Demand BOD/BOD5	Data lacking
Chemical Oxygen Demand	Data lacking		Persistence	Data lacking
Degradation	Data lacking			

**Section 10: Stability and Reactivity**

Reactivity

Reacts violently with strong acids. May react with oxidizing agents.

Chemical stability

Material is stable under normal conditons.

Possible hazardous reactions

No dangerous reaction known under conditons of normal use. Hazardous polymerization does not occur.

**Conditions to avoid**

Do not mix with other chemicals. Contact with incompatible materials must be avoided.

**Incompatible materials**

Magnesium. Chlorinated hydrocarbons. Maleic anhydride. Phenols. Acid chlorides. Nitro compounds.

**Hazardous decomposition products**

Carbon oxides. Heat is generated from contact with acids, water and/or alcohols. When wet, attacks metals producing extremely flammable hydrogen gas and can form explosive mixtures with air.

**Section 11: Toxicological Information**

**Information on toxicological effects**

Component	CAS No.	Data
Potassium Hydroxide	1310-58-3	Oral-rat LD50: 606.6667 mg/kg Data lacking Not expected to cause reproductive effects.
Proprietary Dispersants/Stabilizers	Not Applicable	Data lacking Data lacking Data lacking

**Target organs**

No data available.

**Routes of entry and/or exposure**

Inhalation, Skin contact, eye contact, ingestion.

**Potential health effects**

**Inhalation**

Acute (immediate):

May cause irritation to the respiratory system.

Chronic (delayed):

Prolonged inhalation may be harmful.

**Skin**

Acute (immediate):

Causes severe skin burns and eye damage.

Chronic (delayed):

This product is not expected to cause skin sensitization.

**Ingestion**

Acute (immediate):

Toxic if swallowed, Causes digestive tract burns.

Chronic (delayed):

No data available.

**Eye**

Acute (immediate):

Causes serious eye damage.

Chronic (delayed):

Blindness and blurred vision, foreign body sensation.

**Section 12: Ecological Information**

**Toxicity**

Harmful to aquatic life with long lasting effects.

**Persistence and degradability**

Material data lacking.

**Bioaccumulative potential**

Material data lacking.

**Mobility in soil**

Material data lacking.

**Other adverse effects**

No studies have been found.

**Other information**

No other adverse environmental effects

**Section 13: Disposal Considerations**

**Waste treatment methods**

**Product waste**

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Warning: empty product containers may contain dangerous residue!

## Section 14: Transport Information

### Transport Document Description

Proper Shipping Name DOT

UN1760 Corrosive liquids, n.o.s. (Contains Sodium Hydroxide), 8, II

Corrosive Liquids, n.o.s.  
Contains Sodium Hydroxide

UN Number(s)

UN1760

Transport Hazard Class

8 – Class 8 – Corrosive material 49 CFR 173.136

Hazard Label(s)

8 - Corrosive



Packing Group

III

## Section 15: Regulatory Information

Safety, health and environmental regulations specific to substance or mixture

SARA hazard classifications:

Immediate Hazard, Reactivity Hazard - SARA classified as hazardous

## Section 16: Other Information

Last revision date:

4/25/2016

Preparation date:

8/2/2016

Disclaimer and statement of liability:

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.