





| easy - easy shift |  
**MANUAL & MOTOR DRIVEN  
FLATBED APPLICATORS**



THE BENEFITS OF  
THREE POINT  
ERGONOMICS...








# BORN MOTORISED

Designed with the motor right from the start

motor driven machine

conventional machine



Don't work hard,  
Work Smart...

**lamidesk**

Motorized drive system, double foot switch and 5 up/down buttons for moving the roller, allow you to completely change the way you use a flatbed applicator. Using traditional tables, the operator works from the area in the middle of the table. With Lamidesk, we have designed everything to happen at the edge of the table. This work area is easily accessible for the operator and allows for mounting that is so quick and easy compared with manual models.



Easily switched and controlled motor drive and double foot pedal keep you your hands free for precise handling of laminated materials. All the work is done by the electric motor.



With the double foot switch you can control the movement of the roller from either side and the operator can stay at the part of machine that suits his/her preferred method of work.



Switches are accessible from everywhere on the table. Up/Down control of the roller is done from any one of the 5 buttons on the machine so the operator does not need to move from his position.






## | WELDED STEEL FRAME |

extremely stable and durable

We start with steel tubing which is cut using lasers for 100% accuracy. Then, the parts are welded into a massive steel frame which is powder coated for a superior protected finish

## | MORE THAN 680W LED POWER |

over 8400 LED chips



The machine comes with a table illuminated by LED strips, giving it an even light coverage of the whole working table. Not only do LED's minimize power consumption, but they offer proven long life.

The LED's are mounted on a steel assembly secured to cross ties and plugged into the next unit. In the event of an occasional LED failure, illumination still remains effective. In the long term, should the LED strips need replacing, this is simple to do and spares are readily available.

## | HEATED ROLLER |

The heated roller has been standard in Roll Laminators for many years, This provides the advantage of avoiding the "silvering effect". Silvering effect means, that you have encapsulated air, so the glue is not connected to the print on tiny parts of your print material. When working with selfadhesive films, the heat will warm up the glue, so it will fill up the "rough" surface of paper or vinyl. The effect is, that you will have less air encapsulated and the result is more brilliant.

If you are mounting prints behind glass or plexiglass you would need to have a heated roller because the glue should be absolutely transparent. The heated roller would provide a perfect result.

Especially for Photographers or for producer of glass-products, the heated roller is a recommended feature.

## | GLASS SURFACE IN ONE PIECE |

incl. biggest version 400/210 and 500/160



# TECHNICAL DATA



## Compressed air - consumption

6 bar - 4l/min.




## Power consumption

all manual models:	100W	Voltage:	single-phase 240V
300/160 EASY SHIFT	250W	LED + 456W	heating +1500W
300/210 EASY SHIFT	250W	LED + 547W	heating +1500W
400/160 EASY SHIFT	250W	LED + 571W	heating +1500W
400/210 EASY SHIFT	250W	LED + 686W	heating +1500W
500/160 EASY SHIFT	250W	LED + 686W	heating +1500W



## Dimension & weight

Default max. sheet thickness 70mm - optionally up to 300mm



# AVAILABLE ACCESSORIES COLORS |

in stock

8309-12	8301	8349-17	8339-06	8369-00
---------	------	---------	---------	---------

to order

8303	8339-00	8339-33	8349-15	8359-12
8305	8339-02	8339-34	8349-16	8359-15
8309-00	8339-04	8339-35	8359-00	8379-00
8309-16	8339-07	8339-36	8359-01	8389-02
8329-01	8339-13	8349-00	8359-03	8383-05
8329-13	8339-14	8349-03	8359-04	8383-06
8329-14	8339-30	8349-04	8359-06	8389-01
8323-15	8339-31	8349-05	8359-08	8389-04
	8339-32	8349-07	8389-12	8389-13

Default color of frame - RAL 9005 - BLACK, structured.

Colorful accessories are available in MACal 8300 PRO color definition. We recommended to choose according

MACal Colour card or


<http://www.mactac.eu/products-macal-8300-pro-1-11--21.htm>



<<<lamidesk.cz  
 <<<lamidesk.cz  
 <<<lamidesk.cz  
 <<<lamidesk.cz  
 <<<lamidesk.cz



# | MACHINE MODELS |



**lamidesk** *solution for lamination*

WARRANTY:

Waranty - 12 months

MANUFACTURER:

**Tomáš Václavík - Lamidesk**

Street: **Hrudkov 79**

City: **Vyšší Brod , ZIP: 382 79**

Country: **Czech**

VAT: **CZ7407111349**

phone: **+420 604 349 624**

web: [www.lamidesk.cz](http://www.lamidesk.cz)

| Distributor |

**magco**

*Sign | Display | Digital | Supplies*

220 Holly Rd.  
Western Industrial Estate  
Dublin 12,  
Ireland

0845 8741760  
info@magco.co.uk  
www.magco.co.uk

| BEST COMPONENTS INSIDE |



**MICROCHIP**

