~~ A V 8 6

INSTRUCTIONS

1564 CHRONODATE

INTRODUCTION

What better way to celebrate a 10-year anniversary than to make something we've never done before. Though we're all about vintage, this milestone is worth celebrating by looking forward to the next 10 years.

1564 Chronodate Automatic celebrates our first decade as a watch brand. The model number is a reference to our very first watch, 1564 Concinnus.

The design balances vintage and contemporary elements, honoring our history while also looking forward. The case combines polished and brushed finishes to accentuate its curves and layered structure.

Beneath the domed sapphire crystal lies a beautifully textured gradient dial that adds depth and character, complemented by a date window at 4:30 and detailed subdials with day, date, month.

SPECIFICATIONS

Caliber: Power reserve: Glass: Water Resistance: Miyota 9120 Automatic 40 Hours Double domed saphire glass 5.ATM – Water tested to 50 meters.



HOW TO SET DAY, DATE, TIME AND MONTH

- 1. DAY: Adjust the day by rotating the crown counter-clockwise in "B" position.
- 2. DATE: Adjust the date by rotating the crown clockwise in "B" position.
- 3. TIME: Rotate the crown in "C" position and adjust the standard time.
- 4. MONTH: Push the button "D" and adjust the month.

HOW TO WIND UP THE MAINSPRING

1. Turning the crown in "A" position. Wind 15 \sim 20 times clockwise until second hand starts to move naturally.

ACCURACY

1. Static Accuracy : -10~+30 seconds per day



A V 8 6 CELEBRATE YOUR MOMENT

Go to www.AV86.com for warranty information