

# **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: T-5®

PRODUCT SYNONYM(s): Bentonite, Bentonite Clay

CAS NUMBER: 1302-78-9

RECOMMENDED USE: Adsorbent, filter aid, food oil purification

SUPPLIER/MANUFACTURER'S NAME: Carbon Chemistry Ltd.

ADDRESS: 6155 S Main St, Suite 280, Aurora, Colorado 80016

BUSINESS PHONE: +1 (888) 446-8421

**EMERGENCY PHONE:** 24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC: CCN832309 (800) 424-9300

**DATE OF PREPARATION:**DATE OF LAST REVISION:

August 1, 2021

November 24, 2019

# **SECTION 2 - HAZARDS IDENTIFICATION**

### Classification of the mixture

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and WHMIS 2015.

#### Component(s) Contributing to Classification(s)

Silica

# GHS Label elements, including precautionary statements

### Pictogram(s):



## Signal Word:

#### Danger!

## **GHS Hazard Classification(s):**

Carcinogenicity Category 1

## **Hazard Statement(s):**

H350I: May cause cancer by inhalation

### Prevention Statement(s):

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

# Response Statement(s):

P308+P313: IF exposed or concerned: Get medical advice/attention.

#### Storage Statement(s):

P405: Store locked up.

## Disposal Statement(s):

P501: Dispose of contents/ container to an approved waste disposal plant.

#### Other Hazards

None applicable.



# SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS#	WT %	GHS CLASSIFICATION
Silica	14808-60-7	0.1-1%	STOT RE 1, CARC CAT 1

Additional Information: See SECTION 16 for full classification phrases. Exact concentrations are withheld as trade secret.

# **SECTION 4 - FIRST-AID MEASURES**

#### Description of first aid measures

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

# Most important symptoms and effects, both acute and delayed

Dust may cause mechanical eye irritation. Contains a chemical which is documented as a cancer hazard.

#### Medical conditions aggravated by exposure:

This material or its emissions may aggravate pre-existing disorders involving any target organs mentioned in this Safety Data Sheet as being at risk.

#### Indication of immediate medical attention and special treatment needed

Treat symptoms and reduce over-exposure.

## **SECTION 5 - FIRE-FIGHTING MEASURES**

#### Extinguishing media

Water, Dry powder / dry sand, alcohol-resistant foam, dry chemical or CO2.

### Specific hazards arising from the chemical

None known.

Explosion Sensitivity to Mechanical Impact:Not Sensitive.Explosion Sensitivity to Static Discharge:Not Sensitive.Minimum Ignition Energy (M.I.E.)No Data at this time

#### Special firefighting Procedure

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### **Small Spill:**

Sweep or vacuum material. Transfer to secondary container to be properly disposed.





#### Large Spill:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Dike area of spill to prevent spreading. Pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers. Notify proper authorities that a spill has occurred.

## **Environmental precautions**

Do not let product enter drains, do not allow to sewers/surface or ground water. See Section 12, Ecological information.

## Methods and material for containment and cleaning up

Pick up released product with appropriate implements & return to original container if reusable, or dispose. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

# **SECTION 7 - HANDLING and STORAGE**

#### **General Procedures:**

Do not eat, drink or smoke when using this product. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs.

#### Handling:

Avoid dust formation. Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory equipment. For personal protection see section 8. Handle and open container with care.

If you require advice on safe handling techniques or specific uses, please contact your supplier or check the further information referred to in section 16.

#### Storage:

Keep only in the original container. Keep containers tightly closed in a cool, well-ventilated place.

### Specific end uses

Adsorbent, filter aid, food oil purification

## **SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**

### **Control parameters**

#### **EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH	OSHA
Silica	14808-60-7	0.025 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>

#### **Exposure Controls**

Currently, International exposure limits are established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**HAND PROTECTION:** Use protective gloves as appropriate to minimize skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.





## **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

PHYSICAL STATE: Solid (powder)
ODOR: Odorless
ODOR THRESHOLD (PPM): Not Available
APPEARANCE / COLOR: Beige powder

**pH**: 6-7

**MELTING / FREEZING POINT (F°):** Not Applicable **BOILING POINT (F°):** Not Applicable Not Applicable FLASH POINT (F°): **EVAPORATION RATE (nBuAc = 1):** Not Available FLAMMABILITY (solid, gas): Not Applicable FLAMMABLE LIMITS (in air by volume, %): Not Applicable Not Applicable VAPOR PRESSURE (mmHg): **VAPOR DENSITY (AIR=1):** Not Applicable **RELATIVE DENSITY** Not Available **SOLUBILITY IN WATER (%)** 0.9 g/l (at 20 °C) **PARTITION COEFFICIENT: N-OCTANOL/WATER:** Not Applicable **AUTOIGNITION TEMPERATURE:** Not Applicable **DECOMPOSITION TEMPERATURE:** Not Applicable Not Applicable VISCOSITY: **EXPLOSIVE PROPERTIES:** Not Applicable Not Applicable **OXIDISING PROPERTIES:** 

Other Information

SPECIFIC GRAVITY 4°C: (Water = 1)

DENSITY:

VOC:

Not Avaiable

0.5 - 0.7 g/cm3

Not Applicable

WEIGHT PER GALLON:

Not Applicable

# **SECTION 10 - STABILITY and REACTIVITY**

Reactivity: No data is available.

Chemical Stability: Product is stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data available.

**Conditions to avoid:** No data available. **Incompatible materials:** Not data available.

Hazardous Decomposition Products: No data available.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

TOXICITY DATA: LD50 Oral – Rat > 5000 mg/kg

POTENTIAL HEALTH HAZARDS OR RISKS FROM EXPOSURE:

**IRRITANCY OF PRODUCT:** Exposure with this product can be irritating to exposed skin and eyes.

**SENSITIZATION OF PRODUCT:** This product is not considered a skin sensitizer.

**CARCINOGENICITY:** Ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies. **GERM CELL MUTAGENICITY INFORMATION:** This product does not contain components which are documented as

Germ Cell Mutagenicity hazards.

**REPRODUCTIVE TOXICITY INFORMATION:** This product does not contain components which are documented as reproductive hazards.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: No specific data available for this product.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: No specific data available for this product.

ASPIRATION HAZARD This product is not anticipated to be an aspiration hazard.



## **SECTION 12 - ECOLOGICAL INFORMATION**

#### ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

#### **Toxicity**

LC50 - Oncorhynchus mykiss (Rainbow trout) - 8000 - 16,000 mg/l - 96h

EC50 - Daphnia magna (Water flea) - >100 mg/l - 48 h

#### Persistence and degradability

No specific data available on this product.

## Bioaccumulative potential

No specific data available on this product.

## Mobility in soil

No specific data available on this product.

### Results of PBT and vPvB assessment

No specific data available on this product.

#### Other adverse effects

No specific data available on this product.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PRODUCT DISPOSAL**: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

**COMMENTS:** The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional/local authority requirements.

## **SECTION 14 - TRANSPORTATION INFORMATION**

#### **US DOT/IMDG/IATA:**

PROPER SHIPPING NAME: Not Regulated

HAZARD CLASS NUMBER and DESCRIPTION: N/A

**UN IDENTIFICATION NUMBER: N/A** 

**PACKING GROUP: N/A** 

DOT LABEL(S) REQUIRED: N/A

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): N/A

MARINE POLLUTANT: Ingredients are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR

172.101, Appendix B)

## **SECTION 15 - REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UNITED STATES REGULATIONS</u>

**SARA REPORTING REQUIREMENTS:** This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

#### SARA 311/312:

Acute Health: Yes Chronic Health: Yes Fire: No Reactivity: No

## **U.S. CERCLA REPORTABLE QUANTITY (RQ):**

CERCLA Reportable Quantity RQ: None

#### **CLEAN WATER ACT:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

**STATE REGULATIONS:** None.



# CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

WARNING! This product can expose you to Quartz, which is known to the State of California to be a to cause cancer. For more information, go to WWW.P65Warning.ca.gov.

## **CANADIAN REGULATIONS:**

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product is categorized as per WHMIS 2015 Controlled Product Regulations.

# **SECTION 16 - OTHER INFORMATION**

HMIS RATING		
HEALTH	2	
FLAMMABILITY	0	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	Х	



Caution: HMIS and NFPA ratings are based on a 0-4 rating scale 0= Minimal Hazard, 1= Slight, 2= Moderate, 3= High, 4= Extreme

#### **GENERAL STATEMENTS:**

Key or Legend to abbreviations and acronyms

AIHA - American Industrial Hygiene Association

ACGIH - American Conference of Governmental Industrial Hygienists

CASRN - Chemical Abstract Services Registry Number

CFR - Code of Federal Regulations

D.O.T. - United States Department of Transportation
 IARC - International Agency for Research on Cancer
 OSHA - Occupational Safety and Health Administration
 NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

PPM - Parts per million

mg/m3 - milligram per cubic meter

kg - kilogram L or I - Liter

n.o.s. - not otherwise specified

Lbs. - Pounds

mm2/s - millimeters squared per second PMCC - Pensky-Martens Closed Cup

LC50 - Lethal Concentration 50 (concentration in water having a 50% chance of causing death to aquatic life)

- Effective Concentration that causes 50% inhibition in growth or mobilization

OECD - Organization for Economic Cooperation and Development - Synthetic Organic Chemical Manufacturing Industry

VOC - Volatile Organic Compound



**PREPARED BY:** Chris Eigbrett

MSDS to GHS Compliance (www.msdstoghs.com)

**Disclaimer:** Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for her/his particular purpose(s).

Revision History:

May 17, 2018 - Document creation.
November 24, 2019 - Address update

August 1, 2021 - Updated Logo and classification to align with raw material SDS

**END OF SDS** 

