

. .

## PO BOX 940876 MIAMI, FL 33194 1-855-294-3553 FAX: 1 (305) 396-2825

## **CERTIFICATE OF ANALYSIS**

| Product Description |  |
|---------------------|--|
| Droduct Namo:       |  |

| Product Name:            | LEONFLAX LINAZA   | Certificate No.     | 2019-1422 |
|--------------------------|-------------------|---------------------|-----------|
| Packaging Configuration: | Finished Product  | Lot. No.            | 32617     |
| Presentation:            | 510 Gr. (18 Oz.)  | Manufacturing Date: | 08/2019   |
| Serving Size             | 15 Gr. (15000 mg) | Expiration Date:    | 08/2022   |

| PHYSICAL – CHEMICAL TEST  |                                   |          |                      |            |        |           |
|---|-----------------------------------|----------|----------------------|------------|--------|-----------|
| TEST  | SPECIFICATIONS RES                |          | ULTS                 |            | METHOD |           |
| Appearance<br>Color<br>Odor   | Powder<br>Brown<br>Characteristic |          | Con                  | formo      |        |           |
| Taste<br>Foreign Materials  | Characteristic<br>None present    | Conforms |                      | SOP-LB613  |        |           |
| рН  | Report Result                     |          | 6.67                 |            |        | SOP-LB649 |
| ACTIVE INGREDIENTS  | SPECIFICATIONS                    | ASSA     | Y RESULTS            | ACTIVE AMO | DUNT   | METHOD    |
| Golden Flaxseed<br>Brown Flaxseed<br>Wheat Bran Powder<br>Oat Bran Powder<br>Psyllium Husk Powder<br>Senna Leaf Powder<br>Maca Powder<br>Noni Fruit Powder<br>Nopal Cactus Powder<br>Apple Fiber Powder<br>Papaya Fruit Powder<br>Orange Powder<br>Pineapple Powder<br>Grape Fruit Powder | ≤ 80% Standard<br>Comparison      |          | FT-IR<br>ntification | Conform    | s      | SOP-LB618 |

## MICROBIOLOGICAL TEST

| TEST                  | SPECIFICATIONS | RESULTS        | METHOD    |  |  |
|-----------------------|----------------|----------------|-----------|--|--|
| Total Aerobic Count   | <100,000 CFU/g | <100,000 CFU/g |           |  |  |
| Total Yeast & Mold    | <1,000 CFU/g   | <1,000 CFU/g   |           |  |  |
| Enterobacteria        | <1,000 CFU/g   | <1,000 CFU/g   | SOP-LB617 |  |  |
| Escherichia Coli      | Negative       | Negative       | SOP-LB690 |  |  |
| Staphylococcus Aureus | Negative       | Negative       | SOP-LB691 |  |  |

ALLERGEN: Wheat

**STORAGE:** Cool and dry, not to exceed 90F **MANUFACTURE DATE:** 08/2019

EXPIRATION DATE: 08/2022

## Approved by M. F.- Quality Control Manager

This information is presented in good faith, but is not warranted as to accuracy of results. This information is offered solely for your investigation, verification and consideration. Final determination of suitability of any material is the sole responsibility of the user.



