


Fast Scan

Image Plate Scanner



A high-definition image plate scanner with fast identifying in 3s

One-click operation, easy to handle

It is fully automatic scanning, and reduce the extrusion of the image board with intelligent retractable card slot. There is a magnetic sheet inside to absorb the image board, making it easy to place and preventing scratches.

Powerful algorithm clear imaging

It has excellent image display and processing quality.



Humanized design

Double hygienic case and pouch.

Protective shell prevents bite marks or crushing.

A layer of protective film on the black bottom to enhance light protection.

The body is light and take up little space

Small size, big difference.

Compatible with mainstream X-ray machine brands on the market.



Type	Dimension	Imaging Size
No.0	22X31mm	628X885mm
No.1	24X40mm	685X1142mm
No.2	31X41mm	885X1171mm
No.3	27X54mm	771X1542mm


The size is flexible and optional
No. 0 -No. 3 image plates are suitable

Parameters

Version	DS630
Pixel	35 μm
Laser Wavelength	660nm
Line Pair Resolution	≤20lp/mm
Bit Depth	14bit
Imaging Time	≤6 Sec
Spatial Resolution	≥7lp/mm
Output	USB2.0
Rated voltage	AC220V/50Hz
Operating Voltage	DC12V
Operating current	≤1.0A
Power consumption	≤12W

Computer Configuration

Configuration	Minimum requirements
Processor	Intel chip processor and above
Memory	4G and above
Hard Disk	There is 1GB of space for software installation 40GB of free space for using the software
Graphics Card	32M and above video memory
ZB	1024x768 minimum screen resolution 32-bit color mode
USB	At least two USB 2.0 / USB 3.0 interfaces should be available
Operating System	Windows 7(32 bit/64 bit) Windows 10 (32 bit/64 bit)



The Ideal Partner
For Oral Radiograph, Make It Easier



Runyes Medical Instrument Co.,Ltd.

Add:No. 456, Tonghui Road, Jiangbei Investment & Pioneering Park C, Ningbo,China

Tel:+86-574-27709922 Fax:+86-574-27709923 Http://en.runyes.com

E-mail:runyes@runyes.com

Revision: 202211



Facebook



Instagram