



### SAMPLE INFORMATION

Sample Name: Do si Do      Sample Matrix: Concentrate  
Sample Id: 55789      Batch Id: A40-A99  
Collected: 09/05/2018 09:21      Received: 09/10/2018 10:58  
Overall Result: **Pass**

### MANUFACTURER INFO

Business Name: JBTB Holdings, Inc. DBA JBTB Holdings, Inc.  
Street Address: 1031 98th Ave      City: Oakland  
State: CA      Zip Code: 94603  
License: CDPH-T00001060

## CANNABINOID ANALYSIS

**i** Total THC, CBD and Cannabinoid value(s) have been decarboxylated.

TOTAL THC: 796 mg/g (79.6 %)  
TOTAL CBD: ND (ND)  
TOTAL CANNABINOIDS: 852 mg/g (85.2 %)

TEST TYPE RESULT: N/A  
UNIT OF MEASUREMENT: Milligrams per Gram(mg/g)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
D9THC	778 mg/g (77.8 %)	1.000	2.00	D8THC	ND	1.000	2.00
THCa	10.0 mg/g (1.00 %)	1.000	2.00	CBG	23.6 mg/g (2.36 %)	1.000	2.00
CBN	18.0 mg/g (1.80 %)	1.000	2.00	CBD	ND	1.000	2.00
CBDa	ND	1.000	2.00	CBGa	ND	1.000	2.00
THCv	9.38 mg/g (0.938 %)	1.000	2.00	CBC	14.2 mg/g (1.42 %)	1.000	2.00
CBDv	ND	1.000	2.00				

### ADDITIONAL INFORMATION

Method: SOP-TECH-001  
Instrument: HPLC-DAD

Sample Prepped 09/11/2018 12:51  
Sample Analyzed 09/11/2018 20:07

Sample Approved 09/12/2018 14:06



 **CHEMICAL RESIDUE ANALYSIS**

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: **Micrograms per Gram(ug/g)**

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Acephate	ND	0.0025	0.0050	0.100 <b>Pass</b>	Acequinocyl	ND	0.0050	0.0250	0.100 <b>Pass</b>
Acetamiprid	ND	0.0025	0.0100	0.100 <b>Pass</b>	Aldicarb	ND	0.0025	0.0100	0.0 <b>Pass</b>
Azoxystrobin	ND	0.0025	0.0100	0.200 <b>Pass</b>	Bifenazate	0.0108 ug/g	0.0025	0.0100	0.100 <b>Pass</b>
Bifenthrin	ND	0.0050	0.0250	3.00 <b>Pass</b>	Boscalid	ND	0.0025	0.0100	0.100 <b>Pass</b>
Carbaryl	ND	0.0025	0.0100	0.500 <b>Pass</b>	Carbofuran	ND	0.0025	0.0100	0.0 <b>Pass</b>
Chlorantraniliprole	ND	0.0030	0.0250	10.0 <b>Pass</b>	Chlorfenapyr	ND	0.0500	0.100	0.0 <b>Pass</b>
Chlorpyrifos	ND	0.0025	0.0100	0.0 <b>Pass</b>	Clofentezine	ND	0.0030	0.0250	0.100 <b>Pass</b>
Cypermethrin	ND	0.0100	0.0500	1.00 <b>Pass</b>	Daminozide	ND	0.0050	0.250	0.0 <b>Pass</b>
Dichlorvos	ND	0.0050	0.0500	0.0 <b>Pass</b>	Diazinon	ND	0.0025	0.0100	0.100 <b>Pass</b>
Dimethoate	ND	0.0025	0.0100	0.0 <b>Pass</b>	Ethoprophos	ND	0.0025	0.0100	0.0 <b>Pass</b>
Etofenprox	ND	0.0025	0.0100	0.0 <b>Pass</b>	Etoxazole	ND	0.0025	0.0100	0.100 <b>Pass</b>
Fenoxycarb	ND	0.0025	0.0100	0.0 <b>Pass</b>	Fenpyroximate	ND	0.0025	0.0100	0.100 <b>Pass</b>
Fipronil	ND	0.0250	0.200	0.0 <b>Pass</b>	Fonicamid	ND	0.0050	0.0250	0.100 <b>Pass</b>
Fludioxonil	ND	0.0100	0.0500	0.100 <b>Pass</b>	Hexythiazox	ND	0.0025	0.0250	0.100 <b>Pass</b>
Imazalil	ND	0.0050	0.0250	0.0 <b>Pass</b>	Imidacloprid	ND	0.0050	0.0500	5.00 <b>Pass</b>
KresoximMethyl	ND	0.0025	0.0100	0.100 <b>Pass</b>	Malathion	ND	0.0025	0.0100	5.00 <b>Pass</b>
Metalaxyl	ND	0.0025	0.0100	2.00 <b>Pass</b>	Methiocarb	ND	0.0025	0.0100	0.0 <b>Pass</b>
Methomyl	ND	0.0025	0.0100	1.00 <b>Pass</b>	Myclobutanil	ND	0.0100	0.0500	0.100 <b>Pass</b>
Naled	ND	0.0025	0.0100	0.100 <b>Pass</b>	Oxamyl	ND	0.0250	0.100	0.500 <b>Pass</b>
Paclobutrazol	ND	0.0025	0.0100	0.0 <b>Pass</b>	Phosmet	ND	0.0025	0.0100	0.100 <b>Pass</b>
PiperonylButoxide	ND	0.0025	0.0100	3.00 <b>Pass</b>	Prallethrin	ND	0.0100	0.0500	0.100 <b>Pass</b>
Propoxur	ND	0.0025	0.0100	0.0 <b>Pass</b>	Pyridaben	ND	0.0025	0.0100	0.100 <b>Pass</b>
Spiromesifen	ND	0.0025	0.0100	0.100 <b>Pass</b>	Spirotetramat	ND	0.0025	0.0100	0.100 <b>Pass</b>
Spiroxamine	ND	0.0250	0.0100	0.400 <b>Pass</b>	Tebuconazole	ND	0.0250	0.0100	0.100 <b>Pass</b>
Thiacloprid	ND	0.0025	0.0100	0.0 <b>Pass</b>	Thiamethoxam	ND	0.0025	0.0100	5.00 <b>Pass</b>
Trifloxystrobin	ND	0.0025	0.0100	0.100 <b>Pass</b>	Abamectin	ND	0.0127	0.0635	0.100 <b>Pass</b>
Cyfluthrin	ND	0.100	0.500	2.00 <b>Pass</b>	Permethrins	ND	0.0166	0.0685	0.500 <b>Pass</b>
Propiconazole	ND	0.0051	0.0251	0.100 <b>Pass</b>	Pyrethrins	ND	0.0144	0.0705	0.500 <b>Pass</b>
Spinosad	ND	0.0061	0.0244	0.100 <b>Pass</b>	Coumaphos	ND	0.0025	0.0100	0.0 <b>Pass</b>
Fenhexamid	ND	0.0050	0.0500	0.100 <b>Pass</b>	Spinetoram	ND	0.0030	0.0100	0.100 <b>Pass</b>
Dimethomorph	ND	0.0025	0.0100	2.00 <b>Pass</b>	Mevinphos	ND	0.0020	0.0100	0.0 <b>Pass</b>

**ADDITIONAL INFORMATION**

Method: SOP-TECH-002  
Instrument: UPLC-MSMS

Sample Prepped 09/11/2018 12:52  
Sample Analyzed 09/11/2018 20:18

Sample Approved 09/12/2018 22:31



## CHEMICAL RESIDUE GC ANALYSIS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Chlordane	ND	0.0400	0.100	0.0 <b>Pass</b>	Captan	ND	0.200	0.400	0.700 <b>Pass</b>
PCNB	ND	0.0200	0.0400	0.100 <b>Pass</b>	MethylParathion	ND	0.0400	0.100	0.0 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-LAB-007      Sample Prepped 09/11/2018 12:53      Sample Approved 09/12/2018 22:39  
Instrument: GC-MS/MS      Sample Analyzed 09/11/2018 20:24

## RESIDUAL SOLVENT ANALYSIS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Micrograms per Gram(ug/g)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
Chloroform	ND	0.500	1.00	0.0 <b>Pass</b>	Acetone	59.4 ug/g	5.00	10.0	3100 <b>Pass</b>
Methanol	188 ug/g	50.0	100	400 <b>Pass</b>	Ethanol	66.8 ug/g	10.0	50.0	5000 <b>Pass</b>
Benzene	ND	0.500	1.00	0.0 <b>Pass</b>	Toluene	ND	1.00	2.50	30.0 <b>Pass</b>
Pentane	ND	50.0	100	5000 <b>Pass</b>	Hexane	ND	0.500	1.00	70.0 <b>Pass</b>
Heptane	ND	5.00	10.0	5000 <b>Pass</b>	Ethyl Acetate	ND	10.0	50.0	5000 <b>Pass</b>
Propane	ND	100	200	5000 <b>Pass</b>	Acetonitrile	ND	1.00	2.50	6.00 <b>Pass</b>
Ethyl Ether	ND	10.0	50.0	5000 <b>Pass</b>	1,2-Dichloroethane	ND	0.500	1.00	0.0 <b>Pass</b>
Butane	ND	96.0	192	5000 <b>Pass</b>	Methylene chloride	ND	0.500	1.00	0.0 <b>Pass</b>
Ethylene oxide	ND	0.500	1.00	0.0 <b>Pass</b>	Isopropyl Alcohol	62.5 ug/g	5.00	10.0	320 <b>Pass</b>
Trichloroethylene	ND	0.500	1.00	0.0 <b>Pass</b>	Xylenes	ND	1.00	2.00	10.0 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-TECH-003      Sample Prepped 09/11/2018 12:48      Sample Approved 09/12/2018 17:08  
Instrument: HS-GC-FID      Sample Analyzed 09/11/2018 18:39



## MICROBIAL ANALYSIS

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Cycle Threshold (Ct)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
A.fumigatus	ND	0.0	0.0	33.0 <b>Pass</b>	A. flavus	ND	0.0	0.0	33.0 <b>Pass</b>
A. niger	ND	0.0	0.0	33.0 <b>Pass</b>	A. terreus	ND	0.0	0.0	33.0 <b>Pass</b>
STEC	ND	0.0	0.0	33.0 <b>Pass</b>	Salmonella spp	ND	0.0	0.0	33.0 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-LAB--00?  
Instrument: qPCR

Sample Prepped 09/11/2018 12:55  
Sample Analyzed 09/11/2018 20:25

Sample Approved 09/13/2018 15:30

## FILTH & FOREIGN MATERIAL

TEST TYPE RESULT: **Pass**  
UNIT OF MEASUREMENT: Filth and Foreign Matter (%)

ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL	ANALYTE	RESULT	LOD	LLOQ	ACTION LEVEL
SSCD	ND	0.0	0.0	25.0 <b>Pass</b>	Mold	ND	0.0	0.0	25.0 <b>Pass</b>
IF RH ME	ND	0.0	0.0	3.00 <b>Pass</b>	IFM	ND	0.0	0.0	25.0 <b>Pass</b>

### ADDITIONAL INFORMATION

Method: SOP-LAB-007  
Instrument: Magnifying Glass

Sample Prepped 09/11/2018 10:14  
Sample Analyzed 09/11/2018 20:25

Sample Approved 09/11/2018 21:26

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

## DATA REVIEWED AND APPROVED BY



09/13/2018

Swetha Kaul, PhD  
Chief Scientific Officer

Date

