



Before taking your truck in for service, remove the module and reconnect factory harness.

If you have any issues, feel free to call our technical support line 1 (800) 406-5257 or email us at company@drperformancetech.com.

## Table of Contents

Table of Contents	Page	3
Contents	Page	4
Overview	Page	5
Engine Map	Page	6
Harness Layout	Page	7
Fuel Connector	Page	8
Fuel Installation Diagram	Page	9
MAP Sensor	Page	10
MAP Installation Diagram	Page	11
Selector Switch	Page	12
Review	Page	13

### Contents



# Overview

### What you will need:

-Dr Performance Module -15 minutes of your time




Be sure your truck has been off, with the hood unlatched and key fob located away from the vehicle for at least 15 minutes before installing the module. Key fob needs to continue to stay away from the vehicle for the entire installation process.

# Engine Map



## Harness Layout



# Fuel Connector



Locate Fuel Connector access point.



Disconnect your truck's factory harness from the Fuel Connector.

Connect the module's harness to the Fuel Connector.




Connect the module's harness to the truck's factory harness.



Make sure you pull out the locking tab before disconnecting, and push in after reconnecting any of the connectors.



# Fuel Installation Diagram



### MAP Sensor



Locate MAP Sensor.

- Disconnect your truck's factory harness from the MAP Sensor.
  - Connect the module's harness to the MAP Sensor.

(4)


Connect the module's harness to the trucks factory harness.



#### \*Do not pull on the wires, only the connectors.\*



# MAP Installation Diagram



# Selector Switch

The selector switch plugs into the small white connector coming off of the module's main harness.





The dial going clockwise: Off - Low - Medium - High

- Low: Towing heavy and low traction situations.
- Med: Moderate towing and ideal for everyday driving situations.
- High: Ideal for empty highway driving. Use for best mileage gains.

The switch must remain plugged in to stay in the desired setting. You can run the switch into the cab or keep it tied up under the hood. Leave in one setting as much as possible.

## Review



Thank you for your purchase!

An instruction video is available at www.drperformancerx.com.

If you have any questions or concerns please give us a call at 1 (800) 406-5257 or email us at company@drperformancetech.com.

This concludes the installation.

# **High Endurance Injectors**

### Marine Grade Quality






### \$150 OFF USE DISCOUNT CODE "DRPINJECTORS" AT CHECHOUT

drperformancerx.com

## **Throttle Sensitivity Booster**

Pedal Control





**10% OFF** USE DISCOUNT CODE **"THROTTLE**" AT CHECHOUT TO

drperformancerx.com

www.drperformancerx.com