



# Core FLEX Product References

Kocsis, JJ; Harkaway, S; Snyder, R (1975). "Biological effects of the metabolites of dimethyl sulfoxide". Annals of the New York Academy of Sciences 243: 104–9.

Parcell, S (2002). "Sulfzzzur in human nutrition and applications in medicine". Altern Med Rev 7 (1): 22–44.

Kim, LS; Axelrod, LJ; Howard, P; Buratovich, N; Waters, RF (2006). "Efficacy of methylsulfonylmethane (MSM) in osteoarthritis pain of the knee: A pilot clinical trial". Osteoarthritis and cartilage / OARS, Osteoarthritis Research Society 14 (3): 286–94.

Usha, PR; Naidu, MU (2004). "Randomised, Double-Blind, Parallel, Placebo-Controlled Study of Oral Glucosamine, Methylsulfonylmethane and their Combination in Osteoarthritis". Clinical drug investigation 24 (6): 353–63.

Brien, S; Prescott, P; Bashir, N; Lewith, H; Lewith, G (2008). "Systematic review of the nutritional supplements dimethyl sulfoxide (DMSO) and methylsulfonylmethane (MSM) in the treatment of osteoarthritis". Osteoarthritis and cartilage / OARS, Osteoarthritis Research Society 16 (11): 1277–88.

Brent A. Bauer, M.D., "MSM for arthritis pain: Is it safe?", Expert Answers, Mayo Clinic, July 9, 2009. Accessed 2011-03-11.

Childs, SJ (1994). "Dimethyl sulfone (DMSO2) in the treatment of interstitial cystitis". The Urologic clinics of North America 21 (1): 85–8.

Barrager, E; Veltmann, JR; Schauss, AG; Schiller, RN (2002). "A multicentered, open-label trial on the safety and efficacy of methylsulfonylmethane in the treatment of seasonal allergic rhinitis". Journal of alternative and complementary medicine 8 (2): 167–73.

Gregory PJ, et al. Dietary supplements for osteoarthritis. American Family Physician. 2008;77:177.

Debbi EM, et al. Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: A randomized controlled study. BMC Complementary and Alternative Medicine. 2011;11:50.



McAlindon TE, LaValley MP, Gulin JP, Felson DT. Glucosamine and chondroitin for treatment of osteoarthritis: a systematic quality assessment and meta-analysis. *JAMA*. 2000;283:1469–1475.

Pavelka K, Gatterova J, Olejarova M, Machacek S, Giacovelli G, Rovati LC. Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. *Arch Intern Med*. 2002;162:2113–2123.

Reginster JY, Deroisy R, Rovati LC, Lee RL, Lejeune E, Bruyere O, Glacovelli G, Henrotin Y, Dacre JE, Gossett C. Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. *Lancet*. 2001;357:251–256.

Hucker HB, Miller JK, Hochberg A, Brobyn RD, Riordan FH, Calesnick B. Studies on the absorption, excretion and metabolism of dimethylsulfoxide (DMSO) in man. *J Pharmacol Exp Ther*. 1967;155:309–317.

Engelke UF, Tangerman A, Willemsen MA, Moskau D, Loss S, Mudd SH, Wevers RA. Dimethyl sulfone in human cerebrospinal fluid and blood plasma confirmed by one-dimensional (<sup>1</sup>H and two-dimensional (<sup>1</sup>H-(<sup>13</sup>C NMR. *NMR Biomed*. 2005;18:331–336.

Prasad GC, Udupa KN. Effect of *Cissus quadrangularis* on the healing of cortisone treated fractures. *Indian Journal of Medical Research*. 1963;51:667–676.

Onyechi UA, Judd PA, Ellis PR. African plant foods rich in non-starch polysaccharides reduce postprandial blood glucose and insulin concentrations in healthy human subjects. *British Journal of Nutrition*. 1998;80(5):419–428.

Udupa KN, Arnikar HJ, Singh LM. Experimental studies of the use of “*Cissus quadrangularis*” in healing of fractures. II. *Indian Journal of Medical Sciences*. 1961;15:551–557.

Singh LM, Udupa KN. Studies on “*Cissus quadrangularis*” in fracture by using phosphorus 32. III. *Indian Journal of Medical Sciences*. 1962;16:926–931.

Belcaro G, Cesaroni MR, Dugall M, Pellegrini L, Ledda A, Grossi MG, Togni S, Appendino G. Efficacy and safety of Meriva(R), a curcumin- phosphatidylcholine complex, during extended administration in osteoarthritis patients. *Alternative Med Rev: J Clin Therapeutic*. 2010;15(4):337–344.

Buhrmann C, Mobasher A, Matis U, Shakibaei M. Curcumin mediated suppression of nuclear factor-kappaB promotes chondrogenic differentiation of mesenchymal stem cells in a high-density co-culture microenvironment. *Arthritis Res Ther*. 2010;12(4):R127



Buhrmann C, Mobasher A, Busch F, Aldinger C, Stahlmann R, Montaseri A, Shakibaei M. Curcumin modulates nuclear factor kappaB (NF-kappaB)-mediated inflammation in human tenocytes in vitro: role of the phosphatidylinositol 3-kinase/Akt pathway. *J Biol Chem*. 2011;286(32):28556–28566.

Bustanji Y, Taha MO, Almasri IM, Al-Ghussein MA, Mohammad MK, Alkhatib HS. Inhibition of glycogen synthase kinase by curcumin: Investigation by simulated molecular docking and subsequent in vitro/in vivo evaluation. *J Enzyme Inhibition Med Chem*. 2009;24(3):771–778.

Chan MM. Inhibition of tumor necrosis factor by curcumin, a phytochemical. *Biochem Pharmacol*. 1995;49(11):1551–1556.

Chandran B, Goel A. *Phytother Res: PTR*. 2012. A Randomized, Pilot Study to Assess the Efficacy and Safety of Curcumin in Patients with Active Rheumatoid Arthritis.

Cheng AL, Hsu CH, Lin JK, Hsu MM, Ho YF, Shen TS, Ko JY, Lin JT, Lin BR, Ming-Shiang W, Yu HS, Jee SH, Chen GS, Chen TM, Chen CA, Lai MK, Pu YS, Pan MH, Wang YJ, Tsai CC, Hsieh CY. Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res*. 2001;21(4B):2895–2900.

Chowdhury TT, Salter DM, Bader DL, Lee DA. Signal transduction pathways involving p38 MAPK, JNK, NFkappaB and AP-1 influences the response of chondrocytes cultured in agarose constructs to IL-1beta and dynamic compression. *Inflammation Res: J Eu Histamine Res Soc [et al]* 2008;57(7):306–313.