

Core MRP Product References



Jeukendrup A.E., Killer S.C. The myths surrounding pre-exercise carbohydrate feeding. *Ann. Nutr. Metab.* 2010;57(Suppl. 2):18–25.

Coyle E.F., Coggan A.R., Hemmert M.K., Lowe R.C., Walters T.J. Substrate usage during prolonged exercise following a preexercise meal. *J. Appl. Physiol.* 1985;59:429–433.

Ahlborg G., Felig P. Influence of glucose ingestion on fuel-hormone response during prolonged exercise. *J. Appl. Physiol.* 1976;41:1–6.

Marmy-Conus N., Fabris S. Preexercise glucose ingestion and glucose kinetics during exercise. *J. Appl. Physiol.* 1996;81:853–857.

DeFronzo R.A., Ferrannini E., Hendler R., Felig P., Wahren J. Regulation of splanchnic and peripheral glucose uptake by insulin and hyperglycemia in man. *Diabetes.* 1983;32:35–45. Costill D.L., Coyle E., Dalsky G., Evans W., Fink W., Hoopes D. Effects of elevated plasma FFA and insulin on muscle glycogen usage during exercise. *J. Appl. Physiol.* 1977;43:695–699.

Coyle E.F., Jeukendrup A.E., Wagenmakers A., Saris W. Fatty acid oxidation is directly regulated by carbohydrate metabolism during exercise. *Am. J. Physiol. Endocrinol. Metab.* 1997;273:E268–E275.

Febbraio M., Stewart K. CHO feeding before prolonged exercise: Effect of glycemic index on muscle glycogenolysis and exercise performance. *J. Appl. Physiol.* 1996;81:1115–1120.

Horowitz J.F., Mora-Rodriguez R., Byerley L.O., Coyle E.F. Lipolytic suppression following carbohydrate ingestion limits fat oxidation during exercise. *Am. J. Physiol.* 1997;273

McGarry J.D., Mannaerts G.P., Foster D.W. A possible role for malonyl-CoA in the regulation of hepatic fatty acid oxidation and ketogenesis. *J. Clin. Investig.* 1977;60:265–270.

Montain S.J., Hopper M.K., Coggan A.R., Coyle E.F. Exercise metabolism at different time intervals after a meal. *J. Appl. Physiol.* 1991;70:882–888.

Douen A., Ramlal T., Rastogi S. Exercise induces recruitment of the “insulin-responsive glucose transporter”. Evidence for distinct intracellular insulin-and exercise-recruitable transporter pools in. *J. Biol. Chem.* 1990;265:13427–13430.

Fielding R., Costill D., Fink D., King D., Kovaleski J., Kirwan J. Effects of pre-exercise carbohydrate feedings on muscle glycogen use during exercise in well-trained runners. *Eur. J. Appl. Physiol.* 1987;56:225–229.

Hargreaves M., Costill D.L., Fink W.J. Effect of pre-exercise carbohydrate feedings on endurance cycling performance. *Med. Sci. Sports Exerc.* 1987;19:33–36.

Hargreaves M., Costill D.L., Katz A., Fink W.J. Effect of fructose ingestion on muscle glycogen usage during exercise. *Med. Sci. Sports Exerc.* 1985;17:360–363.

Achten J., Jeukendrup A.E. The effect of pre-exercise carbohydrate feedings on the intensity that elicits maximal fat oxidation. *J. Sports Sci.* 2003;21:1017–1024.

Foster C., Costill D.L., Fink W.J. Effect of pre-exercise feedings on endurance performance. *Med. Sci. Sports.* 1979;11:1–5.

Devlin J.T., Calles-Escandon J., Horton E.S. Effects of preexercise snack feeding on endurance cycle exercise. *J. Appl. Physiol.* 1986;60:980–985.

Chryssanthopoulos C., Hennessy L.C., Williams C. The influence of pre-exercise glucose ingestion on endurance running capacity. *Br. J. Sports Med.* 1994;28:105–109. doi: 10.1136/bjism.28.2.105.

Sparks M.J., Selig S.S., Febbraio M.A. Pre-exercise carbohydrate ingestion: Effect of the glycemic index on endurance exercise performance. *Med. Sci. Sports Exerc.* 1998;30:844–849.

Whitley H.A., Humphreys S.M., Campbell I.T., Keegan M.A., Jayanetti T.D., Sperry D.A., MacLaren D.P., Reilly T., Frayn K.N. Metabolic and performance responses during endurance exercise after high-fat and high-carbohydrate meals. *J. Appl. Physiol.* 1998;85:418–424.

Febbraio M.A., Chiu A., Angus D.J., Arkinstall M.J., Hawley J.A. Effects of carbohydrate ingestion before and during exercise on glucose kinetics and performance. *J. Appl. Physiol.* 2000;89:2220–2226.

Febbraio M.A., Keenan J., Angus D.J., Campbell S.E., Garnham A.P. Preexercise carbohydrate ingestion, glucose kinetics, and muscle glycogen use: Effect of the glycemic index. *J. Appl. Physiol.* 2000;89:1845–1851.

Jentjens R., Cale C., Gutch C., Jeukendrup A. Effects of pre-exercise ingestion of differing amounts of carbohydrate on subsequent metabolism and cycling performance. *Eur. J. Appl. Physiol.* 2003;88:444–452.

Pritchett K., Bishop P., Pritchett R., Kovacs M., Davis J.K., Casaru C., Green M. Effects of timing of pre-exercise nutrient intake on glucose responses and intermittent cycling performance. *S. Afr. J. Sports Med.* 2008;20:86–90.

McMurray R.G., Wilson J.R., Kitchell B.S. The Effects of Fructose and Glucose on High Intensity Endurance Performance. *Res. Q. Exerc. Sport.* 1983;54:156–162.

Thomas D.E., Brotherhood J.R., Brand J.C. Carbohydrate feeding before exercise: Effect of glycemic index. *Int. J. Sports Med.* 1991;12:180–186.

Wright D.A, Sherman W.M., Dernbach A.R. Carbohydrate feedings before, during, or in combination improve cycling endurance performance. *J. Appl. Physiol.* 1991;71:1082–1088.

Kirwan J.P., Cyr-Campbell D., Campbell W.W., Scheiber J., Evans W.J. Effects of moderate and high glycemic index meals on metabolism and exercise performance. *Metabolism.* 2001;50:849–855.

Berardi J.M., Noreen E.E., Lemon P.W. Recovery from a cycling time trial is enhanced with carbohydrate-protein supplementation vs. isoenergetic carbohydrate supplementation. *J. Int. Soc. Sports Nutr.* 2008;5

Niles E.S., Lachowetz T., Garfi J. Carbohydrate-protein drink improves time to exhaustion after recovery from endurance exercise. *J. Exerc. Physiol. Online.* 2001;4:45–52.

Ferguson-Stegall L., McCleave E.L., Ding Z., Doerner P.G., III, Wang B., Liao Y.H., Kammer L., Liu Y., Hwang J., Dessard B.M., et al. Postexercise carbohydrate-protein supplementation improves subsequent exercise performance and intracellular signalling for protein synthesis. *J. Strength Cond. Res.* 2011;25:1210–1224.

Ivy J., Goforth H. Early postexercise muscle glycogen recovery is enhanced with a carbohydrate-protein supplement. *J. Appl. Physiol.* 2002;93:1337–1344.

Van Loon L.J., Saris W.H., Kruijshoop M., Wagenmakers A.J. Maximizing postexercise muscle glycogen synthesis: Carbohydrate supplementation and the application of amino acid or protein hydrolysate mixtures. *Am. J. Clin. Nutr.* 2000;72:106–111.

Williams M., Raven P.B., Fogt D.L., Ivy J.L. Effects of recovery beverages on glycogen restoration and endurance exercise performance. *J. Strength Cond. Res.* 2003;17:12–19.

Claessens M., Calame W., Siemensma A.D., Saris W.H.M., van Baak M.A. The thermogenic and metabolic effects of protein hydrolysate with or without a carbohydrate load in healthy male subjects. *Metabolism.* 2007;56:1051–1059.

Claessens M., Calame W., Siemensma A.D., van Baak M.A., Saris W.H.M. The effect of different protein hydrolysate/carbohydrate mixtures on postprandial glucagon and insulin responses in healthy subjects. *Eur. J. Clin. Nutr.* 2009;63:48–56.

Ang M., Müller A.S., Wagenlehner F., Pilatz A., Linn T. Combining protein and carbohydrate increases postprandial insulin levels but does not improve glucose response in patients with type 2 diabetes. *Metabolism.* 2012;61:1696–1702.

Kabadi U.M. Dose-kinetics of pancreatic alpha- and beta-cell responses to a protein meal in normal subjects. *Metabolism*. 1991;40:236–240.

Manders R.G., Wagenmakers A.J., Koopman R., Zorenc A.H., Menheere P.P., Schaper N.C., Saris W.H., van Loon L.J. Co-ingestion of a protein hydrolysate and amino acid mixture with carbohydrate improves plasma glucose disposal in patients with type 2 diabetes. *Am. J. Clin. Nutr.* 2005;82:76–83.

Rasane, P., Jha, A., Sabikhi, L., Kumar, A., & Unnikrishnan, V. S. (2015). Nutritional advantages of oats and opportunities for its processing as value added foods - a review. *Journal of food science and technology*, 52(2), 662–675. <https://doi.org/10.1007/s13197-013-1072-1>

Bashir, K., & Choi, J. S. (2017). Clinical and Physiological Perspectives of β -Glucans: The Past, Present, and Future. *International journal of molecular sciences*, 18(9), 1906.
<https://doi.org/10.3390/ijms18091906>