



Core FURY X Product References

Agharanya JC, Alonso R, Wurtman RJ. Changes in catecholamine excretion after short-term tyrosine ingestion in normally fed human subjects. *Am J Clin Nutr* 1981 Jan;34(1):82-7.

Shurtleff D, Thomas JR, Shlers ST, et al. Tyrosine ameliorates a cold-induced delayed matching-to sample performance decrements in rats. *Psychopharmacology* 1993; 112:228-232, .

Owasoyo JO, Neri DF, Lamberth JG. Tyrosine and its potential use as a countermeasure to performance decrement in military sustained operations. *Aviation Space and Environmental Medicine* 1992; 63:364-369.

Lehnert H, Reinstein DK, Strowbridge BW et al. Neurochemical and behavioral consequences of acute, uncontrollable stress: effects of dietary tyrosine. *Brain Res* 1984 Jun 15;303(2):215-23

Shurtleff D, Thomas JR, Schrot J, et al. Tyrosine reverses a cold-induced working memory deficit in humans. *PharmacolBiochemBehav* 1994 Apr;47(4):935-41.

Deijen JB, Wientjes CJ, Vullings HF et al. Tyrosine improves cognitive performance and reduces blood pressure in cadets after one week of a combat training course. *Brain Res Bull* 1999 Jan 15;48(2):203-9.

Thomas JR, Lockwood PA, Singh A, et al. Tyrosine improves working memory in a multitasking environment. *PharmacolBiochemBehav* 1999 Nov;64(3):495-500.

Shukitt-Hale B, Stillman MJ, Lieberman HR. Tyrosine administration prevents hypoxia-induced decrements in learning and memory. *PhysiolBehav* 1996 Apr-May;59(4-5):867-71.

Lehnert H, Wurtman RJ. Amino acid control of neurotransmitter synthesis and release: physiological and clinical implications. *Psychotherapy and Psychosomatics* 1993, 60:18-32.

Hull KM, Maher TJ. L-Tyrosine potentiates the anorexia induced by mixed-acting sympathomimetic drugs in hyperphagic rats. *J Pharm Exp Ther* 1990, 255:403-409.

Hull KM, Maher TJ. L-Tyrosine fails to potentiate several peripheral actions of the sympathomimetics. *Pharm BiochemBehav* 1991, 39:755-759.

Alonso R, Gibson CJ, Wurtman RJ, et al. Elevation of urinary catecholamines and their metabolites following tyrosine administration in humans. *Biol Psychiatry* 1982, 17:781-790.

Lever M, Sizeland PC, Bason LM, Hayman CM, Chambers ST. Glycine betaine and proline betaine in human blood and urine. *BiochimBiophys Acta*1994;1200:259-64.

Crush It

www.corenutrionals.com

Sakura N, Ono H, Nomura S, Ueda H, Fujita N. Betaine dose and treatment intervals in therapy for homocystinuria due to 5, 10-methylenetetrahydrofolate reductase deficiency. *J Inher Metab Dis* 1998;21:84-5.

Virtanen E, Junnila M, Soivio A. Effects of food containing betaine/amino acid additive on the osmotic adaptation of young Atlantic salmon, *Salmo salar* L. *Aquaculture* 1989;83:109-22.

Virtanen E, Cambell R. Reduction of backfat thickness through supplementation of diets for fattening pigs. In: Verlag H, ed. *Handbuch der tierischen Veredlung*. Oesnabruok, Germany: Kamlage, 1994:145-50.

Bemben MG, Lamont HS. Creatine supplementation and exercise performance: recent findings. *Sports Med.* (2005) 35(2):107-25.

van Loon LJ et. al. Effects of creatine loading and prolonged creatine supplementation on body composition, fuel selection, sprint and endurance performance in humans. *Clin Sci (Lond)*. (2003) 104(2):153-62.

Rawson ES, Volek JS. Effects of creatine supplementation and resistance training on muscle strength and weightlifting performance. *J Strength Cond Res.* (2003) 17(4):822-31.

Kreider RB. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem.* (2003) 244(1-2):89-94.

Willoughby DS and J. Rosene. Effects of oral creatine and resistance training on myosin heavy chain expression. *Med Sci Sports Exerc.* (2001) 33(10):1674-81.

Willoughby DS and JM Rosene. Effects of oral creatine and resistance training on myogenic regulatory factor expression. *Med Sci Sports Exerc.* (2003) 35(6):923-9.

Mihic S et. al. Acute creatine loading increases fat-free mass, but does not affect blood pressure, plasma creatinine, or CK activity in men and women. *Med Sci Sports Exerc.* (2000) 32(2):291-6.

Branch JD. Effect of creatine supplementation on body composition and performance: a meta-analysis. *Int J Sport Nutr Exerc Metab.* (2003) 13(2):198-226.

Louis M et. al. No effect of creatine supplementation on human myofibrillar and sarcoplasmic protein synthesis after resistance exercise. *Am J Physiol Endocrinol Metab.* (2003) 285(5):E1089-94.

Louis M et. al. Creatine supplementation has no effect on human muscle protein turnover at rest in the postabsorptive or fed states. *Am J Physiol Endocrinol Metab.* (2003) 284(4):E764-70.

Juhn MS. Oral creatine supplementation and athletic performance: a critical review. *Clin J Sport Med.* (1998) 8(4):286-97.

Chwalbinska-Moneta J. Effect of creatine supplementation on aerobic performance and anaerobic capacity in elite rowers in the course of endurance training. *Int J Sport Nutr Exerc Metab.* (2003) 13(2):173-83.

Engelhardt M et. al. Creatine supplementation in endurance sports. *Med Sci Sports Exerc.* (1998) 30(7):1123-9. Santos RV et. al. The effect of creatine supplementation upon inflammatory and muscle soreness markers after a 30km race. *Life Sci.* (2004) 75(16):1917-24.



van Loon LJ et. al. Creatine supplementation increases glycogen storage but not GLUT-4 expression in human skeletal muscle. *Clin Sci (Lond)*. (2004) 106(1):99-106.

Syrotuik DG, Bell GJ. Acute creatine monohydrate supplementation: a descriptive physiological profile of responders vs. nonresponders. *J Strength Cond Res*. (2004) 18(3):610-7.

Hespel P et. al. Opposite actions of caffeine and creatine on muscle relaxation time in humans. *J Appl Physiol*. (2002) 92(2):513-8.

Vandenbergh K, et. al. Caffeine counteracts the ergogenic action of muscle creatine loading. *J Appl Physiol*. (1996) 80(2):452-7.

van Leemputte M et. al. Shortening of muscle relaxation time after creatine loading. *J Appl Physiol*. (1999) 86(3):840-4.

Bizzarini E et. al. Is the use of oral creatine supplementation safe? *J Sports Med Phys Fitness*. (2004) 44(4):411-6.

Greenwood M, et. al. Creatine supplementation during college football training does not increase the incidence of cramping or injury. *Mol Cell Biochem*. (2003) 244(1-2):83-8.

Casey A and PL Greenhaff PL. Does dietary creatine supplementation play a role in skeletal muscle metabolism and performance? *Am J Clin Nutr*. (2000) 72(2 Suppl):607S-17S.

Steenge GR et. al. Protein- and carbohydrate-induced augmentation of whole body creatine retention in humans. *J Appl Physiol*. (2000) 89(3):1165-71.

Burke DG et. al. Effect of alpha-lipoic acid combined with creatine monohydrate on human skeletal muscle creatine and phosphagen concentration. *Int J Sport Nutr Exerc Metab*. (2003) 13(3):294-302.

Preen D et. al. *Int J Sport Nutr Exerc Metab*. Creatine supplementation: a comparison of loading and maintenance protocols on creatine uptake by human skeletal muscle. (2003) 13(1):97-111.

Burke DG et. al. Effect of creatine and weight training on muscle creatine and performance in vegetarians. *Med Sci Sports Exerc*. (2003) 35(11):1946-55.

Tarnopolsky, M. et. al. Acute and moderate-term creatine monohydrate supplementation does not affect creatine transporter mRNA or protein content in either young or elderly humans. *Mol Cell Biochem*. (2003) 244(1-2):159-66.

Alfieri RR, Bonelli MA, Cavazzoni A et al (2006) Creatine as a compatible osmolyte in muscle cells exposed to hypertonic stress. *J Physiol* 576:391-401.

Bloomer RJ, Farney TM, Trepanowski JF, McCarthy CG, Canale RE. Effect of betaine supplementation on plasma nitrate/nitrite in exercise-trained men. *J Int Soc Sports Nutr*. 2011 Mar 18;8:5.

Craig SA. Betaine in human nutrition. *Am J Clin Nutr*. 2004; 80: 539-549.

del Favero S, Roschel H, Artioli G, Ugrinowitsch C, Tricoli V, Costa A, Barroso R, Negrelli AL, Otaduy MC, da Costa Leite C, Lancha-Junior AH, Gualano B. Creatine but not betaine supplementation increases muscle phosphorylcreatine content and strength performance. *Amino Acids*. 2012 Jun;42(6):2299-305.

Crush It

www.corenutritional.com

Hoffman JR, Ratamess NA, Kang J, Rashti SL, Faigenbaum AD. Effect of betaine supplementation on power performance and fatigue. *J Int Soc Sports Nutr.* 2009 Feb 27;6:7.

Hoffman JR, Ratamess NA, Kang J, Gonzalez AM, Beller NA, Craig SA. Effect of 15 days of betaine ingestion on concentric and eccentric force outputs during isokinetic exercise. *J Strength Cond Res.* 2011 Aug;25(8):2235-41.

Lee EC, Maresh CM, Kraemer WJ, Yamamoto LM, Hatfield DL, Bailey BL, Armstrong LE, Volek JS, McDermott BP, Craig SA. Ergogenic effects of betaine supplementation on strength and power performance. *J Int Soc Sports Nutr.* 2010 Jul 19;7:27.

Ortiz-Costa S, Sorenson MM, Sola-Penna M (2002) Counteracting effects of urea and methylamines in function and structure of skeletal muscle myosin. *Arch BiochemBiophys* 408:272–278

Pryor JL, Craig SA, Swensen T. Effect of betaine supplementation on cycling sprint performance. *J Int Soc Sports Nutr.* 2012 Apr 3;9(1):12.

Trepanowski JF, Farney TM, McCarthy CG, Schilling BK, Craig SA, Bloomer RJ. The effects of chronic betaine supplementation on exercise performance, skeletal muscle oxygen saturation and associated biochemical parameters in resistance trained men. *J Strength Cond Res.* 2011 Dec;25(12):3461-71.

Ueland PM. Choline and betaine in health and disease. *J Inherit Metab Dis.* 2011;34:3–15.

Zeisel SH, Niculescu MD. Perinatal choline influences brain structure and function. *Nutr Rev* 2006;64:197–203.

Zeisel SH. The fetal origins of memory: the role of dietary choline in optimal brain development. *J Pediatr* 2006;149(suppl):S131–6.

Michel V, Yuan Z, Ramsubir S, Bakovic M. Choline transport for phospholipid synthesis. *Exp Biol Med* (Maywood) 2006;231:490–504.

Zeisel SH. Nutritional importance of choline for brain development. *J Am Coll Nutr* 2004;23(suppl):621S–6S.

Blusztajn JK. Choline, a vital amine. *Science* 1998;281:794–5. da Costa KA, Gaffney CE, Fischer LM, Zeisel SH. Choline deficiency in mice and humans is associated with increased plasma homocysteine concentration after a methionine load. *Am J Clin Nutr* 2005;81:440–4.

Zeisel SH. Gene response elements, genetic polymorphisms and epigenetics influence the human dietary requirement for choline. *IUBMB Life* 2007;59:380–7.

Zeisel SH. Choline: an essential nutrient for humans. *Nutrition* 2000;16:669–71.

Ulus IH, Wurtman RJ, Mauron C, Blusztajn JK. Choline increases acetylcholine release and protects against the stimulation-induced decrease in phosphatide levels within membranes of rat corpus striatum. *Brain Res* 1989;484:217–27.

Blusztajn JK, Wurtman RJ. Choline and cholinergic neurons. *Science* 1983;221:614–20.

Meck WH, Smith RA, Williams CL. Pre- and postnatal choline supplementation produces long-term facilitation of spatial memory. *Dev Psychobiol* 1988;21:339–53.



Buchman AL, Soheli M, Moukartzel A, et al. Plasma choline in normal newborns, infants, toddlers, and in very-low-birth-weight neonates requiring total parenteral nutrition. *Nutrition* 2001;17:18–21.

Meck WH, Williams CL. Simultaneous temporal processing is sensitive to prenatal choline availability in mature and aged rats. *Neuroreport* 1997;8:3045–51.

Mellott TJ, Williams CL, Meck WH, Blusztajn JK. Prenatal choline supplementation advances hippocampal development and enhances MAPK and CREB activation. *FASEB J* 2004;18:545–7

PNAS, Sep 20 2005, 102(38):13681-13686. L-citrulline and L-arginine supplementation retards the progression of high-cholesterol-diet-induced atherosclerosis in rabbits.

Br J Clin Pharma, 2008, 65:51-59 Pharmacokinetic and pharmacodynamic properties of oral L-citrulline and L-arginine: impact on nitric oxide metabolism.

Urology, Jan 2011, 77(1):119-22. Oral L-citrulline supplementation improves erection hardness in men with mild erectile dysfunction

Tangphao O, et al. Pharmacokinetics of intravenous and oral L-arginine in normal volunteers. *Br J Clin Pharmacol.* (1999).

Curis E, Crenn P, Cynober L. Citrulline and the gut. *Curr Opin Clin NutrMetab Care.* (2007).

Bahri S, et al. Mechanisms and kinetics of citrulline uptake in a model of human intestinal epithelial cells. *Clin Nutr.* (2008).

Takeda K, et al. Effects of citrulline supplementation on fatigue and exercise performance in mice. *J Nutr Sci Vitaminol (Tokyo).* (2011)

Giannesini B, et al. Citrulline malate supplementation increases muscle efficiency in rat skeletal muscle. *Eur J Pharmacol.* (2011).

Bendahan D, et al. Citrulline/malate promotes aerobic energy production in human exercising muscle. *Br J Sports Med.* (2002).

Pérez-Guisado J, Jakeman PM. Citrulline malate enhances athletic anaerobic performance and relieves muscle soreness. *J Strength Cond Res.* (2010)

Fitts RH, Balog EM. Effect of intracellular and extracellular ion changes on E-C coupling and skeletal muscle fatigue. *Acta Physiol Scand.* (1996)

Crush It

www.corenutrionals.com