

Core INTRA Product References



Ivy, J. (1998). Glycogen resynthesis after exercise: effect of carbohydrate intake. *International Journal of Sports Medicine*, 142-5.

Staples, A. W., et al. Carbohydrate does not augment exercise-induced protein accretion versus protein alone. *Med Sci Sports Exerc.* 2011 Jul;43(7):1154-61.

Koopman, R., et al. (2007). Coingestion of carbohydrate with protein does not further augment postexercise muscle protein synthesis. *American Journal of Physiology Endocrinology and Metabolism*, 833-42.

Casagrande Figueiredo, V. and Cameron-Smith, D. (2013). Is carbohydrate needed to further stimulate muscle protein synthesis/hypertrophy following resistance exercise? *Journal of the International Society of Sports Nutrition*, 42.

Caronia, L. M., et al. (2014). Abrupt decrease in serum testosterone levels after an oral glucose load in men: Implications for screening for hypogonadism. *Clinical Endocrinology*, 291-296.

Valerio, A., D'antona, G., et al. BCAAs, Mitochondrial Biogenesis, and Healthspan: An Evolutionary Perspective. *Aging.* May 2011. 3(5), 464-470.

Bajotto, G., Sato, Y., et al. Effect of BCAA Supplementation During Unloading on Regulatory Components of Protein Synthesis in Atrophied Soleus Muscles. *European Journal of Applied Physiology.* 2011. 111, 1815-1828.

Borgenvik, M., Nordin, M., et al. Alterations in Amino Acid Concentrations in the Plasma and Muscle in Human Subjects during 24 Hour of Simulated Adventure Racing. *European Journal of Applied Physiology.* 2012. Published Ahead of Print.

a Luz, Claudia, Nicastro, H., et al. Potential Therapeutic Effects of BCAA Supplementation on Resistance Exercise-Based Muscle Damage in Humans. *Journal of the International Society of Sports Nutrition*. 2011. 8(23).

Dualano, A, et al. Branched-Chain Amino Acids Supplementation Enhances Exercise Capacity and Lipid Oxidation During Endurance Exercise After Muscle Glycogen Depletion. *Journal of Sports Medicine and Physical Fitness*. 2011.51(5), 82-88.

Hsu, M., Chien, K., et al. Effects of BCAA, Arginine, and Carbohydrate Combined Drink on Post-Exercise Biochemical Response and Psychological Condition. *Chinese Journal of Physiology*. April 2011. 54(2), 71-78.

Glynn, E., Fry, C., Drummond, M., Timmerman, K., Dhanani, S., Volpi, E., Rasmussen, B. Excess Leucine Intake Enhances Muscle Anabolic Signaling but Not Net Protein Anabolism in Young Men and Women. *The Journal of Nutrition*. 2010. 140(11), 1970-1976.

Sharp, C., Pearson, D. Amino Acid Supplements and Recovery from High-Intensity Resistance Training. *Journal of Strength and Conditioning Research*. 2010. 24(4), 1125-1130.

Ipoglou, T., King, R., Polman, R., Zanker, C. Daily L-Leucine Supplementation in Novice Trainees During a 12-Week Weight Training Program. *International Journal of Sports Physiology and Performance*. 2011. 6(1), 38-80.

Jourdan, C., et al. Body Fat Free Mass is Associated with the Serum Metabolite Profile in A Population Based Study. *PLOS One*. 2012. 7(6), e40009.

Lustgarten, M., et al. Serum Predictors of Percent Lean Mass in Young Adults. *Journal of Strength and Conditioning Research*. 2013. Published Ahead of Print.

Peltier, S., Vincent, L., et al. Effects of Carbohydrates-BCAAs-Caffeine Ingestion on Performance and Neuromuscular Function During a 2-H Treadmill Run. *Journal of the International Society of Sports Nutrition*. December 2011. 8(22).

Sowers, Starkie. A Primer on Branched Chain Amino Acids. Huntington College of Health Sciences. 2009. Retrieved 13 November 2013. <http://www.hchs.edu/literature/BCAA.pdf>

Rondanelli, M., Opizzi, A., Antonello, N., Boschi, F., Iadarola, P., Pasini, E. Effect of Essential Amino Acid Supplementation on Quality of Life, Amino Acid Profile and Strength in Institutionalized Elderly Patients. *Clinical Nutrition*. 2011. 30(3).

Plauth, M., Schutz, T. BCAAs in Liver Disease: New Aspects of Long Known Phenomena. *Current Opinions in Clinical Nutrition and Metabolic Care*. January 2011. 14(1), 61-66.

Shah, S., Crosslin, D., et al. BCAA Levels are Associated with Improvement in Insulin Resistance with Weight Loss. *Diabetologia*. February 2012. 55(2), 321-330.

Hayaishi, S., Chung, H., et al. Oral BCAA Granules Reduce the Incidence of Hepatocellular Carcinoma and Improve Event-Free Survival in Patients with Liver Cirrhosis. *Digestive Diseases*. 2011. 29(3), 326-332.

Cole, J., Mitala, C., et al. Dietary BCAAs Ameliorate Injury-Induced Cognitive Impairment. *Proceedings of the National Academy of the Sciences*. January 2010. 107(1), 366-371.

Thomson, J., Ali, A., Rowlands, D. Leucine-Protein Supplemented Recovery Feeding Enhances Subsequent Cycling Performance in Well-Trained Male Cyclists. *Applied Physiology, Nutrition, and Metabolism*. 2011. 36(2), 242-253.

Walker, D., Dickinson, J., et al. Exercise, Amino Acids, and Aging in the Control of Human Muscle Protein Synthesis. *Medicine and Science in Sports and Exercise*. May 2011. Published Ahead of Print.

Qin, L., Xun, P., Bujnowski, D., Daviglius, M., Van Horn, L., Stamler, J., He, K. Higher Branched-Chain amino Acid Intake is Associated with a Lower Prevalence of Being Overweight or Obese in Middle-Aged East Asian and Western Adults. *The Journal of Nutrition*. 2010. 141(2), 249-254.

Jackman, S., et al. Branched-Chain Amino Acid Ingestion Can Ameliorate Soreness From Eccentric Exercise. *Medicine and Science in Sports and Exercise*. 2010. 42(5), 962-970.

Shimomura, Y., et al. Branched-Chain amino acid Supplementation Before Squat Exercise and Delayed-Onset Muscle Soreness. *International Journal of Sport Nutrition and Exercise Metabolism*. 2010. 20(3), 236-244.

Gil-Agustí M1, Esteve-Romero J, Carda-Broch S Anserine and carnosine determination in meat samples by pure micellar liquid chromatography . *J Chromatogr A*. (2008)

Abe H, et al Role of histidine-related compounds to intracellular buffering in fish skeletal muscle . *Am J Physiol*. (1985)

Drozak J, et al Molecular identification of carnosine synthase as ATP-grasp domain-containing protein 1 (ATPGD1) . *J Biol Chem*. (2010)

Miyaji T, et al Expression profiles of carnosine synthesis-related genes in mice after ingestion of carnosine or β -alanine . *J Int Soc Sports Nutr*. (2012)

Chez MG, et al Double-blind, placebo-controlled study of L-carnosine supplementation in children with autistic spectrum disorders . *J Child Neurol*. (2002)

- Hipkiss AR On the enigma of carnosine's anti-ageing actions . *Exp Gerontol.* (2009)
- Boldyrev AA Does carnosine possess direct antioxidant activity . *Int J Biochem.* (1993)
- Hipkiss AR, Michaelis J, Syrris P Non-enzymatic glycosylation of the dipeptide L-carnosine, a potential anti-protein-cross-linking agent . *FEBS Lett.* (1995)
- Dutka TL, Lamb GD Effect of carnosine on excitation-contraction coupling in mechanically-skinned rat skeletal muscle . *J Muscle Res Cell Motil.* (2004)
- Bauer K, Schulz M Biosynthesis of carnosine and related peptides by skeletal muscle cells in primary culture . *Eur J Biochem.* (1994)
- Dunnett M, Harris RC Influence of oral beta-alanine and histidine supplementation on the carnosine content of the gluteus medius . *Equine Vet J Suppl.* (1999)
- Matthews MM, Traut TW Regulation of N-carbamoyl-beta-alanine amidohydrolase, the terminal enzyme in pyrimidine catabolism, by ligand-induced change in polymerization . *J Biol Chem.* (1987)
- Derave W, et al beta-Alanine supplementation augments muscle carnosine content and attenuates fatigue during repeated isokinetic contraction bouts in trained sprinters . *J Appl Physiol* (1985). (2007)
- Joy JM, Falcone PH, Vogel RM, Mosman MM, Kim MP, Moon JR. Supplementation with a proprietary blend of ancient peat and apple extract may improve body composition without affecting hematology in resistance-trained men. *Appl Physiol Nutr Metab.* November 2015:1171-1177. doi:[10.1139/apnm-2015-0241](https://doi.org/10.1139/apnm-2015-0241)
- Tania Reyes-Izquierdo. The Effect of ElevATP on Exercise Output: A Single Dose, Blinded, Three-Way Cross-Over Study. *Journal of Nutraceuticals and Food Science.* 2016.
- Joy, J. M., Vogel, R. M., Moon, J. R., Falcone, P. H., Mosman, M. M., Pietrzowski, Z., Reyes, T., & Kim, M. P. (2016). Ancient peat and apple extracts supplementation may improve strength and power adaptations in resistance trained men. *BMC complementary and alternative medicine*, 16, 224. <https://doi.org/10.1186/s12906-016-1222-x>