

## Core PUMP Product References



Frank, M.S.B., Nahata, M.C., Hilty, M.D. (1981). Glycerol: a review of its pharmacology, pharmacokinetics, adverse reactions, and clinical use. *Pharmacotherapy*, 1, 147-160.

Freund, B.J., Montain, S.J., Young, A.J., Sawka, M.N., DeLuca, J.P., Pandolf, K.B., Valeri, C.R. (1995). Glycerol hyperhydration: hormonal, renal, and vascular fluid responses. *Journal of Applied Physiology*, 79, 2069-2077.

Koenigsberg, P.S., Martin, K.K., Hlava, H.R., Riedesel, M.L. (1995). Sustained hyperhydration with glycerol ingestion. *Life Sciences*, 5, 645-653.

Latzka, W.A., Sawka, M.N., Montain, S.J., Skrinar, G.S., Fielding, R.A., Matott, R.P., and Pandolf, K.B. (1997). Thermoregulatory effects during compensable exercise-heat stress. *Journal of Applied Physiology*, 83, 860-866.

Lyons, T.P., Riedesel, M.L., Meuli, L.E., Chick, T.W. (1990). Effects of glycerol-induced hyperhydration prior to exercise in the heat on sweating and core temperature. *Medicine and Science in Sports and Exercise*, 22, 477-483.

Montner, P., Stark, D.M., Riedesel, M.L., Murata, G., Robergs, R.A., Timms, M., Chick, T.W. (1996). Pre-exercise glycerol hydration improves cycling endurance time. *International Journal of Sports Medicine*, 17, 27-33.

Murray, R., Eddy, D.E., Paul, G.L., Seifert, J.G., Halaby, G.A. (1991). Physiological responses to glycerol ingestion during exercise. *Journal of Applied Physiology*, 71, 144-149.

Noakes, T.D. (1993). Fluid replacement during exercise. *Exercise Sport Science Review*, 21, 297-330.

Riedesel, M.L., Allen, D.Y., Peake, G.T., Al-Qattan, K. (1987). Hyperhydration with glycerol solutions. *Journal of Applied Physiology*, 63, 2262-2268.

Robergs, R.A. and Griffin, S.E. (accepted for publication, November, 1997). Glycerol: biochemistry, pharmacokinetics, clinical and applied applications. *Sports Medicine*.

Sawka, M.N., Latzka, W.A., Montain, S.J., Skrinnar, G.S., Fielding, R.A., and Pandolf, K.B. (1997). Hyperhydration: Thermal and cardiovascular effects during uncompensable exercise-heat stress. *Medicine and Science in Sports and Exercise*, 29, Abstract 760.

Li YF, Gong ZH, Cao JB, Wang HL, Luo ZP, & Li J. (2003). Antidepressant-like effect of agmatine and its possible mechanism. *European Journal of Pharmacology*. 469(1-3), 81-8.

Zarandi M, Serfozo P, Zsigo J, Bokser L, Janaky T, Olsen DB, Bajusz S, & Schally AV. (1992). Potent agonists of growth hormone-releasing hormone. Part I. *International Journal of Peptide and Protein Research*. 39(3), 211-7. Kalra SP, Pearson E, Sahu A, & Kalra PS. (1995). Agmatine, a novel hypothalamic amine, stimulates pituitary luteinizing hormone release in vivo and hypothalamic luteinizing hormone-releasing hormone release in vitro. *Neuroscience Letters*. 194(3), 165-8.

Arndt MA, Battaglia V, Parisi E, Lortie MJ, Isome M, Baskerville C, Pizzo DP, Lentile R, Colombatto S, Toninello A, & Satriano J. (2009). The arginine metabolite agmatine protects mitochondrial function and confers resistance to cellular apoptosis. *American Journal of Physiology. Cell Physiology*. 296(6), C1411-9.

Lu XL, et al. Marine cyclotripeptide X-13 promotes angiogenesis in zebrafish and human endothelial cells via PI3K/Akt/eNOS signaling pathways. *Mar Drugs*. (2012)

Shi F, et al. Effects of simulated microgravity on human umbilical vein endothelial cell angiogenesis and role of the PI3K-Akt-eNOS signal pathway. *PLoS One*. (2012)

Jung HJ, et al. Agmatine promotes the migration of murine brain endothelial cells via multiple signaling pathways. *Life Sci*. (2013)

Auguet M, et al. Selective inhibition of inducible nitric oxide synthase by agmatine. *Jpn J Pharmacol*. (1995)

Jianmongkol S, et al. Aminoguanidine-mediated inactivation and alteration of neuronal nitric-oxide synthase. *J Biol Chem*. (2000)

Wolff DJ, Lubeskie A. Aminoguanidine is an isoform-selective, mechanism-based inactivator of nitric oxide synthase. *Arch Biochem Biophys*. (1995)

Nakatsuka M, Nakatsuka K, Osawa Y. Metabolism-based inactivation of penile nitric oxide synthase activity by guanabenz. *Drug Metab Dispos.* (1998)

Li Q, et al. Effect of agmatine on intracellular free calcium concentration in isolated rat ventricular myocytes. *Sheng Li Xue Bao.* (2002)

Li Q, Yin JX, He RR. Effect of agmatine on L-type calcium current in rat ventricular myocytes. *Acta Pharmacol Sin.* (2002)

Lever M, Sizeland PC, Bason LM, Hayman CM, Chambers ST. Glycine betaine and proline betaine in human blood and urine. *Biochim Biophys Acta* 1994;1200:259–64.

Sakura N, Ono H, Nomura S, Ueda H, Fujita N. Betaine dose and treatment intervals in therapy for homocystinuria due to 5, 10-methylenetetrahydrofolate reductase deficiency. *J Inherit Metab Dis* 1998;21:84–5.

Virtanen E, Junnila M, Soivio A. Effects of food containing betaine/amino acid additive on the osmotic adaptation of young Atlantic salmon, *Salmo salar* L. *Aquaculture* 1989;83:109–22.

*Br J Clin Pharma*, 2008, 65:51-59 Pharmacokinetic and pharmacodynamic properties of oral L-citrulline and L-arginine: impact on nitric oxide metabolism.

*Urology*, Jan 2011, 77(1):119-22. Oral L-citrulline supplementation improves erection hardness in men with mild erectile dysfunction

Tangphao O, et al. Pharmacokinetics of intravenous and oral L-arginine in normal volunteers. *Br J Clin Pharmacol.* (1999).

Curis E, Crenn P, Cynober L. Citrulline and the gut. *Curr Opin Clin Nutr Metab Care.* (2007).

Bahri S, et al. Mechanisms and kinetics of citrulline uptake in a model of human intestinal epithelial cells. *Clin Nutr.* (2008).

Takeda K, et al. Effects of citrulline supplementation on fatigue and exercise performance in mice. *J Nutr Sci Vitaminol (Tokyo).* (2011)

Giannesini B, et al. Citrulline malate supplementation increases muscle efficiency in rat skeletal muscle. *Eur J Pharmacol.* (2011).

Bendahan D, et al. Citrulline/malate promotes aerobic energy production in human exercising muscle. *Br J Sports Med.* (2002).

Pérez-Guisado J, Jakeman PM. Citrulline malate enhances athletic anaerobic performance and relieves muscle soreness. *J Strength Cond Res.* (2010)

.Fitts RH, Balog EM. Effect of intracellular and extracellular ion changes on E-C coupling and skeletal muscle fatigue. *Acta Physiol Scand.* (1996)

Gil-Agustí M1, Esteve-Romero J, Carda-Broch S Anserine and carnosine determination in meat samples by pure micellar liquid chromatography . J Chromatogr A. (2008)

Abe H, et al Role of histidine-related compounds to intracellular buffering in fish skeletal muscle . Am J Physiol. (1985)

Drozak J, et al Molecular identification of carnosine synthase as ATP-grasp domain-containing protein 1 (ATPGD1) . J Biol Chem. (2010)

Miyaji T, et al Expression profiles of carnosine synthesis-related genes in mice after ingestion of carnosine or  $\beta$ -alanine . J Int Soc Sports Nutr. (2012)

Chez MG, et al Double-blind, placebo-controlled study of L-carnosine supplementation in children with autistic spectrum disorders . J Child Neurol. (2002)

Hipkiss AR On the enigma of carnosine's anti-ageing actions . Exp Gerontol. (2009)

Boldyrev AA Does carnosine possess direct antioxidant activity . Int J Biochem. (1993)

Hipkiss AR, Michaelis J, Syrris P Non-enzymatic glycosylation of the dipeptide L-carnosine, a potential anti-protein-cross-linking agent . FEBS Lett. (1995)

Dutka TL, Lamb GD Effect of carnosine on excitation-contraction coupling in mechanically-skinned rat skeletal muscle . J Muscle Res Cell Motil. (2004)

Bauer K, Schulz M Biosynthesis of carnosine and related peptides by skeletal muscle cells in primary culture . Eur J Biochem. (1994)

Dunnett M, Harris RC Influence of oral beta-alanine and histidine supplementation on the carnosine content of the gluteus medius . Equine Vet J Suppl. (1999)

Parnetti L, Amenta F, Gallai V. Choline alphoscerate in cognitive decline and in acute cerebrovascular disease: an analysis of published clinical data. Mech Ageing Dev. (2001)

Parnetti L, et al. Multicentre study of l-alpha-glyceryl-phosphorylcholine vs ST200 among patients with probable senile dementia of Alzheimer's type. Drugs Aging. (1993)

Barbagallo Sangiorgi G, et al. alpha-Glycerophosphocholine in the mental recovery of cerebral ischemic attacks. An Italian multicenter clinical trial. Ann N Y Acad Sci. (1994)

Alpha-GPC and power output; growth hormone.

Ceda GP, et al. alpha-Glycerylphosphorylcholine administration increases the GH responses to GHRH of young and elderly subjects. Horm Metab Res. (1992)

Agarwal N, et al. Short-term administration of uridine increases brain membrane phospholipid precursors in healthy adults: a 31-phosphorus magnetic resonance spectroscopy study at 4T. Bipolar Disord. (2010)





**Core Nutritionals, LLC**  
820 N. Pollard St., RTL#3  
Arlington, VA 22203  
**1-888-978-2332**

Babb SM, et al. Chronic citicoline increases phosphodiesters in the brains of healthy older subjects: an in vivo phosphorus magnetic resonance spectroscopy study. *Psychopharmacology (Berl)*. (2002)

Silveri MM, et al. Citicoline enhances frontal lobe bioenergetics as measured by phosphorus magnetic resonance spectroscopy. *NMR Biomed.* (2008)

Hurrell RF, et al. Meat protein fractions enhance nonheme iron absorption in humans. *J Nutr.* (2006)

Conrad ME, Umbreit JN, Moore EG. Iron absorption and transport. *Am J Med Sci.* (1999)

Troesch B, et al. Optimization of a phytase-containing micronutrient powder with low amounts of highly bioavailable iron for in-home fortification of complementary foods. *Am J Clin Nutr.* (2009)



**CORE NUTRITIONALS**  
**1-888-978-2332**

**820 N. Pollard St., RTL#3**  
**Arlington, VA 22203**

**info@corenutritionals.com**  
**www.corenutritionals.com**