

Core FURY V2 Product References



Agharanya JC, Alonso R, Wurtman RJ. Changes in catecholamine excretion after short-term tyrosine ingestion in normally fed human subjects. *Am J Clin Nutr* 1981 Jan;34(1):82-7.

Shurtleff D, Thomas JR, Shlers ST, et al. Tyrosine ameliorates a cold-induced delayed matching to sample performance decrements in rats. *Psychopharmacology* 1993; 112:228-232, .

Owasoyo JO, Neri DF, Lamberth JG. Tyrosine and its potential use as a countermeasure to performance decrement in military sustained operations. *Aviation Space and Environmental Medicine* 1992; 63:364-369.

Lehnert H, Reinstein DK, Strowbridge BW et al. Neurochemical and behavioral consequences of acute, uncontrollable stress: effects of dietary tyrosine. *Brain Res* 1984 Jun 15;303(2):215-23

Shurtleff D, Thomas JR, Schrot J, et al. Tyrosine reverses a cold-induced working memory deficit in humans. *Pharmacol Biochem Behav* 1994 Apr;47(4):935-41.

Deijen JB, Wientjes CJ, Vullings HF et al. Tyrosine improves cognitive performance and reduces blood pressure in cadets after one week of a combat training course. *Brain Res Bull* 1999 Jan 15;48(2):203-9.

Thomas JR, Lockwood PA, Singh A, et al. Tyrosine improves working memory in a multitasking environment. *Pharmacol Biochem Behav* 1999 Nov;64(3):495-500.

Shukitt-Hale B, Stillman MJ, Lieberman HR. Tyrosine administration prevents hypoxia-induced decrements in learning and memory. *Physiol Behav* 1996 Apr-May;59(4-5):867-71.

Hull KM, Maher TJ. L-Tyrosine potentiates the anorexia induced by mixed-acting sympathomimetic drugs in hyperphagic rats. *J Pharm Exp Ther* 1990, 255:403-409.

Hull KM, Maher TJ. L-Tyrosine fails to potentiate several peripheral actions of the sympathomimetics. *Pharm Biochem Behav* 1991, 39:755-759.

Alonso R, Gibson CJ, Wurtman RJ, et al. Elevation of urinary catecholamines and their metabolites following tyrosine administration in humans. *Biol Psychiatry* 1982, 17:781-790.

Lever M, Sizeland PC, Bason LM, Hayman CM, Chambers ST. Glycine betaine and proline betaine in human blood and urine. *Biochim Biophys Acta* 1994;1200:259-64.

Sakura N, Ono H, Nomura S, Ueda H, Fujita N. Betaine dose and treatment intervals in therapy for homocystinuria due to 5, 10-methylenetetrahydrofolate reductase deficiency. *J Inher Metab Dis* 1998;21:84-5.

Virtanen E, Junnila M, Soivio A. Effects of food containing betaine/amino acid additive on the osmotic adaptation of young Atlantic salmon, *Salmo salar* L. *Aquaculture* 1989;83:109-22.

Bloomer RJ, Farney TM, Trepanowski JF, McCarthy CG, Canale RE. Effect of betaine supplementation on plasma nitrate/nitrite in exercise-trained men. *J Int Soc Sports Nutr.* 2011 Mar 18;8:5.

Craig SA. Betaine in human nutrition. *Am J Clin Nutr.* 2004; 80: 539-549.

Hoffman JR, Ratamess NA, Kang J, Rashti SL, Faigenbaum AD. Effect of betaine supplementation on power performance and fatigue. *J Int Soc Sports Nutr.* 2009 Feb 27;6:7.

Hoffman JR, Ratamess NA, Kang J, Gonzalez AM, Beller NA, Craig SA. Effect of 15 days of betaine ingestion on concentric and eccentric force outputs during isokinetic exercise. *J Strength Cond Res.* 2011 Aug;25(8):2235-41.

Lee EC, Maresh CM, Kraemer WJ, Yamamoto LM, Hatfield DL, Bailey BL, Armstrong LE, Volek JS, McDermott BP, Craig SA. Ergogenic effects of betaine supplementation on strength and power performance. *J Int Soc Sports Nutr.* 2010 Jul 19;7:27.

Ortiz-Costa S, Sorenson MM, Sola-Penna M (2002) Counteracting effects of urea and methylamines in function and structure of skeletal muscle myosin. *Arch Biochem Biophys* 408:272-278

Pryor JL, Craig SA, Swensen T. Effect of betaine supplementation on cycling sprint performance. *J Int Soc Sports Nutr.* 2012 Apr 3;9(1):12.

Trepanowski JF, Farney TM, McCarthy CG, Schilling BK, Craig SA, Bloomer RJ. The effects of chronic betaine supplementation on exercise performance, skeletal muscle oxygen saturation and associated biochemical parameters in resistance trained men. *J Strength Cond Res.* 2011 Dec;25(12):3461-71.

Ueland PM. Choline and betaine in health and disease. *J Inher Metab Dis.* 2011;34:3-15.

Zeisel SH, Niculescu MD. Perinatal choline influences brain structure and function. *Nutr Rev* 2006;64:197–203.

Zeisel SH. The fetal origins of memory: the role of dietary choline in optimal brain development. *J Pediatr* 2006;149(suppl):S131–6.

Parnetti L, Amenta F, Gallai V. Choline alphoscerate in cognitive decline and in acute cerebrovascular disease: an analysis of published clinical data. *Mech Ageing Dev.* (2001)

Parnetti L, et al. Multicentre study of l-alpha-glyceryl-phosphorylcholine vs ST200 among patients with probable senile dementia of Alzheimer's type. *Drugs Aging.* (1993)

Barbagallo Sangiorgi G, et al. alpha-Glycerophosphocholine in the mental recovery of cerebral ischemic attacks. An Italian multicenter clinical trial. *Ann N Y Acad Sci.* (1994) Alpha-GPC and power output; growth hormone.

Ceda GP, et al. alpha-Glycerylphosphorylcholine administration increases the GH responses to GHRH of young and elderly subjects. *Horm Metab Res.* (1992)

Agarwal N, et al. Short-term administration of uridine increases brain membrane phospholipid precursors in healthy adults: a 31-phosphorus magnetic resonance spectroscopy study at 4T. *Bipolar Disord.* (2010)

Babb SM, et al. Chronic citicoline increases phosphodiesterases in the brains of healthy older subjects: an in vivo phosphorus magnetic resonance spectroscopy study. *Psychopharmacology (Berl).* (2002)

Silveri MM, et al. Citicoline enhances frontal lobe bioenergetics as measured by phosphorus magnetic resonance spectroscopy. *NMR Biomed.* (2008)

PNAS, Sep 20 2005, 102(38):13681-13686. L-citrulline and L-arginine supplementation retards the progression of high-cholesterol-diet-induced atherosclerosis in rabbits.

Br J Clin Pharma, 2008, 65:51-59 Pharmacokinetic and pharmacodynamic properties of oral L-citrulline and L-arginine: impact on nitric oxide metabolism.

Urology, Jan 2011, 77(1):119-22. Oral L-citrulline supplementation improves erection hardness in men with mild erectile dysfunction

Tangphao O, et al. Pharmacokinetics of intravenous and oral L-arginine in normal volunteers. *Br J Clin Pharmacol.* (1999).

Curis E, Crenn P, Cynober L. Citrulline and the gut. *Curr Opin Clin Nutr Metab Care.* (2007).

Bahri S, et al. Mechanisms and kinetics of citrulline uptake in a model of human intestinal epithelial cells. *Clin Nutr.* (2008).

Takeda K, et al. Effects of citrulline supplementation on fatigue and exercise performance in mice. *J Nutr Sci Vitaminol (Tokyo).* (2011)

Giannesini B, et al. Citrulline malate supplementation increases muscle efficiency in rat skeletal muscle. *Eur J Pharmacol.* (2011).

Bendahan D, et al. Citrulline/malate promotes aerobic energy production in human exercising muscle. *Br J Sports Med.* (2002).

Pérez-Guisado J, Jakeman PM. Citrulline malate enhances athletic anaerobic performance and relieves muscle soreness. *J Strength Cond Res.* (2010)

.Fitts RH, Balog EM. Effect of intracellular and extracellular ion changes on E-C coupling and skeletal muscle fatigue. *Acta Physiol Scand.* (1996)

Henderson E, Weinberg M, Wright WA (April 1950). "Pregnenolone". *J. Clin. Endocrinol. Metab.* 10 (4): 455–74. doi:10.1210/jcem-10-4-455. PMID 15415436.

Marx CE, Bradford DW, Hamer RM, et al. (September 2011). "Pregnenolone as a novel therapeutic candidate in schizophrenia: emerging preclinical and clinical evidence". *Neuroscience.* 191: 78–90. doi:10.1016/j.neuroscience.2011.06.076. PMID 21756978.

Vallée M, Mayo W, Le Moal M (November 2001). "Role of pregnenolone, dehydroepiandrosterone and their sulfate esters on learning and memory in cognitive aging". *Brain Research. Brain Research Reviews.* 37 (1–3): 301–12. doi:10.1016/S0165-0173(01)001357. PMID 11744095.

Vallée M (2016). "Neurosteroids and potential therapeutics: Focus on pregnenolone". *J. Steroid Biochem. Mol. Biol.* 160: 78–87. doi:10.1016/j.jsbmb.2015.09.030. PMID 26433186.

Pertwee, Roger G. (2015), "Endocannabinoids and Their Pharmacological Actions", *Endocannabinoids, Handbook of Experimental Pharmacology*, 231, Springer International Publishing, pp. 1–37, doi:10.1007/978-3-319-20825-1_1, ISBN 9783319208244, PMID 26408156

Vallée, M., Vitiello, S., Bellocchio, L., Hébert-Chatelain, E., Monlezun, S., Martin-Garcia, E., Kasanetz, F., Baillie, GL., Panin, F., Cathala, A., Roullot-Lacarrière, V., Fabre, S., Hurst, DP., Lynch, DL., Shore, DM., Deroche-Gamonet, V., Spampinato, U., Revest, JM., Maldonado, R., Reggio, PH., Ross, RA., Marsicano, G., Piazza, PV. [1], "Pregnenolone Can Protect the Brain from Cannabis Intoxication", *Science*, January 2014 *Science* 343(6166):94-8.

Mellon SH (2007). "Neurosteroid regulation of central nervous system development". *Pharmacol. Ther.* 116 (1): 107–24. doi:10.1016/j.pharmthera.2007.04.011. PMC 2386997. PMID 17651807.

Turpeinen, A.; Kumpu, M.; Rönback, M.; Seppo, L.; Kautiainen, H.; Jauhiainen, T.; Vapaatalo, H.; Korpela, R. Antihypertensive and cholesterol-lowering effects of a spread containing bioactive peptides IPP and VPP and plant sterols. *J. Funct. Food* 2009, 1, 260–265.

Turpeinen, A.; Ikonen, M.; Kivimaki, A.S.; Kautiainen, H.; Vapaatalo, H.; Korpela, R. A spread containing bioactive milk peptides Ile-Pro-Pro and Val-Pro-Pro, and plant sterols has antihypertensive and cholesterol-lowering effects. *Food Funct.* 2012, 3, 621–627.

Jauhiainen, T.; Rönback, M.; Vapaatalo, H.; Wuolle, K.; Kautiainen, H.; Korpela, R. *Lactobacillus helveticus* fermented milk reduced arterial stiffness in hypertensive subjects. *Int. Dairy J.* 2007, 17, 1209–1211.

Usinger, L.; Ibsen, H.; Linneberg, A.; Azizi, M.; Flambard, B.; Jensen, L. Human in vivo study of the renin-angiotensin-aldosterone system and the sympathetic activity after 8 weeks daily intake of fermented milk. *Clin. Physiol. Funct. Imaging* 2010, 30, 162–168.

Itakura, H.; Ikemoto, S.; Terada, S.; Konodo, K. The effect of sour milk on blood pressure in untreated hypertensive and normotensive subjects. *J. Jpn. Soc. Clin. Nutr.* 2001, 23, 26–31.

Hirota, T.; Ohki, K.; Kawagishi, R.; Kajimoto, Y.; Mizuno, S.; Nakamura, Y.; Kitakaze, M. Casein hydrolysate containing the antihypertensive tripeptides Val-Pro-Pro and Ile-Pro-Pro improves vascular endothelial function independent of blood pressure-lowering effects: Contribution of the inhibitory action of angiotensin-converting enzyme. *Hypertens. Res.* 2007, 30, 489–496.

Martínez-Pinilla, E., Oñatibia-Astibia, A., & Franco, R. (2015). The relevance of theobromine for the beneficial effects of cocoa consumption. *Frontiers in pharmacology*, 6, 30. <https://doi.org/10.3389/fphar.2015.00030>

Cocoabuterol®. (n.d.). Retrieved June 25, 2020, from <http://cocoabuterol.com/advantage.php>

Yasuda, K.; Aihara, K.; Komazaki, K.; Mochii, M.; Nakamura, Y. Effect of large intake of tablets containing “lactotripeptides (VPP, IPP)” on blood pressure, pulse rate and clinical parameters in healthy volunteers. *J. Nutr. Food* 2001, 4, 63–72.

Ishida, Y.; Sagitani, A.; Kaneko, K.; Nakamura, Y.; Mizutani, J.; Masuda, O.; Watanabe, M.; Sato, S.; Shioya, N. Antihypertensive effects of the tablet containing “lactotripeptide (IPP, VPP)” in subjects with high normal blood pressure or mild hypertension. *J. Pharmacol. Ther.* 2007, 35, 1249–1260

Rizza, S., Muniyappa, R., Iantorno, M., Kim, J. A., Chen, H., Pullikotil, P., Senese, N., Tesaro, M., Lauro, D., Cardillo, C., & Quon, M. J. (2011). Citrus polyphenol hesperidin stimulates production of nitric oxide in endothelial cells while improving endothelial function and reducing inflammatory markers in patients with metabolic syndrome. *The Journal of clinical endocrinology and metabolism*, 96(5), E782–E792. <https://doi.org/10.1210/jc.2010-2879> Pla-Pagà, L., Companys, J., Calderón-Pérez, L., Llauradó, E., Solà, R., Valls, R. M., & Pedret, A. (2019). Effects of hesperidin consumption on cardiovascular risk biomarkers: a systematic review of animal studies and human randomized clinical trials. *Nutrition reviews*, 77(12), 845–864. <https://doi.org/10.1093/nutrit/nuz036>

Li, C., & Schluesener, H. (2017). Health-promoting effects of the citrus flavanone hesperidin. *Critical reviews in food science and nutrition*, 57(3), 613–631. <https://doi.org/10.1080/10408398.2014.906382>

Lee, T., Wu, J., Jean, W. H., Condello, G., Alkhatib, A., Hsieh, C. C., Hsieh, Y. W., Huang, C. Y., & Kuo, C. H. (2021). Reduced stem cell aging in exercised human skeletal muscle is enhanced by ginsenoside Rg1. *Aging*, 13(12), 16567–16576. <https://doi.org/10.18632/aging.203176>

Pumpa KL, Fallon KE, Bensoussan A, Papalia S. The effects of *Panax notoginseng* on delayed onset muscle soreness and muscle damage in well-trained males: a double blind randomised controlled trial. *Complement Ther Med.* 2013 Jun;21(3):131-40.

Martin-Rincon M, Morales-Alamo D, Calbet JAL. Exercise-mediated modulation of autophagy in skeletal muscle. *Scand J Med Sci Sports.* 2018 Mar;28(3):772-81.

Li QJ, Nan Y, Qin JJ, Yang Y, Hao XJ, Yang XS. [Chemical constituents from medical and edible plants of *Rosa roxburghii*.] *Zhongguo Zhong Ya Za Zhi.* 2016 Feb;41(3):451-5.

Liang MTC, Podolka TD, Chuang WJ. *Panax notoginseng* supplementation enhances physical performance during endurance exercise. *J Strength Cond Res.* 2005 Feb;19(1):108-14.

Liu MH, Zhang Q, Zhang YH, Lu XY, Fu WM, He JY. Chemical analysis of dietary constituents in *Rosa roxburghii* and *Rosa sterilis* fruits. *Molecules.* 2016 Sep9;21(9):1204.



Kim DH. Chemical diversity of *Panax ginseng*, *Panax quinquefolium*, and *Panax notoginseng*. *J Ginseng Res.* 2012 Jan;36(1):1-15.

Kuo CH. Exercise against aging: Darwinian natural selection among fit and unfit cells inside human body. *J Sci Sport Exerc.* 2019 May;1(1):54-8.

Weaver C. M. (2013). Potassium and health. *Advances in nutrition (Bethesda, Md.)*, 4(3), 368S–77S. <https://doi.org/10.3945/an.112.003533>

Jeukendrup AE. Nutrition for endurance sports: marathon, triathlon, and road cycling. *J Sports Sci.* (2011)

"Caffeine Citrate Oral Solution, USP." *DailyMed.* N.p., n.d. Web. 17 Sept. 2015

"Apnea of Prematurity." *KidsHealth - the Web's Most Visited Site About Children's Health.* N.p., n.d. Web. 17 Sept. 2015.

"Caffeine Citrate | C14H18N4O9 - PubChem." *The PubChem Project.* N.p., n.d. Web. 17 Sept. 2015.

"Caffeine Citrate for the Treatment of Apnea of Prematurity." *Medscape.* N.p., n.d. Web. 17 Sept. 2015.