

SAFETY DATA SHEET

SECTION 1: *IDENTIFICATION*

PRODUCT NAME: REWIND

PRODUCT USE: AUTOMOTIVE DETAILING

MANUFACTURER/SUPPLIER: HYDROSILEX LLC 717 E ROSS STREET

LANCASTER PA 17602

TELEPHONE NUMBER: 800-918-6538 E-MAIL: INFO@HYDROSILEX.COM

SECTION 2: *HAZARD(S) IDENTIFICATION*

GHS CLASSIFICATION: HEALTH ENVIRONMENTAL

FLAMMABLE LIQUID - N/A

EYE EFFECTS - CATEGORY 2B (MILD IRRITATION) SKIN

CORROSION - N/A

ACUTE TOXICITY – CAT 5 (ORAL)

N/A (INHALATION). N/A (ORAL/DERMAL) SKIN SENSITIZATION - N/A MUTAGENICITY - N/A CARCINOGENICITY- N/A

REPRODUCTIVE/DEVELOPMENTAL- N/A TARGET ORGAN TOXICITY - N/A

TOXICITY - N/A

ASPIRATION HAZARD - N/A ENVIRONMENTAL HAZARDS - N/A

HAZARDOUS TO THE AQUATIC ENVIRONMENT - N/A

EXPLOSIVES - N/A FLAMMABLE GASES - N/A FLAMMABLE AEROSOLS - N/A OXIDIZING GASES - N/A GASES UNDER PRESSURE - N/A FLAMMABLE SOLID - N/A SELF-REACTIVE SUBSTANCES - N/A PYROPHORIC SOLIDS - N/A SELF-HEATING SUBSTANCES - N/A

OXIDIZING LIQUIDS - N/A OXIDIZING SOLIDS - N/A ORGANIC PEROXIDES - N/A CORROSIVE TO METAL - N/A

SUBSTANCES WHICH, IN CONTACT WITH WATER EMIT FLAMMABLE GASSES - N/A

PHYSICAL

HAZARD STATEMENTS

GENERAL:

P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT OR LABEL AT HAND.

P102 KEEP OUT OF REACH OF CHILDREN

P103 READ LABEL BEFORE USE.

PREVENTION:

P264 WASH THOROUGHLY AFTER HANDLING.

RESPONSE:

P3O1 + P312 IF SWALLOWED: CALL A POISON CONTROL CENTER OR

DOCTOR/PHYSICIAN. RINSE MOUTH.

P305 +P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES.

REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P337+313 IF EYE IRRITATION PERSISTS GET MEDICAL ADVICE/ATTENTION.

PRECAUTIONARY STATEMENTS

PICTOGRAM: N/A

WARNING!

H3O3 MAY BE HARMFUL IF SWALLOWED **H320 CAUSES EYE IRRITATION**

STORAGE: N/A DISPOSAL: P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	<u>CAS NUMBER</u>	WEIGHT %
POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER	60828-78-6	≤2
SODIUM METASILICATE PENTA	6834-92-O	≤1
ISOPROPYL ALCOHOL	67-63-O	< 9
FRAGRANCE	PROPRIETARY MIXTURE	≥7
COLORANT	PROPRIETARY MIXTURE	<1
		<1

SECTION 4: FIRST AID MEASURES

EYE CONTACT: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF CLEAN WATER FOR AT LEAST 15 MINUTES, EYELIDS SHOULD BE HELD AWAY FROM THE EYEBALL TO ENSURE THOROUGH RINSING, IF ANY IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: RINSE AREA WITH SOAP AND WATER, SEEK MEDICAL ATTENTION IF ANY REDNESS OR IRRITATION PERSISTS

INHALATION: N/A

INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS DIRECTED BY MEDICAL PERSONNEL.

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: USE DRY CHEMICAL, FOAM, OR CARBON DIOXIDE TO EXTINGUISH FIRE, WATER MAY BE INEFFECTIVE

BUT SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS, STRUCTURES AND TO PROTECT PERSONNEL.

USE WATER TO DILUTE SPILLS AND TO FLUSH THEM AWAY FROM SOURCES OF IGNITION.

NO SPECIAL PROTECTIVE ACTION FOR FIRE FIGHTERS IS ANTICIPATED. FIRE FIGHTING PROCEDURES:

N/A **UNUSUAL FIRE AND EXPLOSION:** N/A

COMBUSTION PRODUCTS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

CONTAIN LARGE SPILLS WITH DIKES TO PREVENT ENTRY TO WATERWAYS AND SANITARY SEWERS AND TRANSFER THE MATERIAL TO APPROPRIATE CONTAINERS FOR RECLAMATION OR DISPOSAL, ABSORB/TRAP REMAINING MATERIAL OR SMALL SPILLS WITH INERT MATERIAL (DIRT, SAND, INDUSTRIAL ABSORBENT) AND THEN PLACE IN CHEMICAL WASTE CONTAINERS. FLUSH RESIDUAL SPILL AREA WITH LARGE AMOUNTS OF WATER. DISPOSE OF ALL CLEAN UP MATERIALS IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL HEALTH AND ENVIRONMENTAL REGULATIONS.

SECTION 7: HANDLING AND STORAGE

HANDLING: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE VAPOR OR MISTS. USE GOOD PERSONAL HYGIENE PRACTICES.

WASH HANDS BEFORE EATING, DRINKING, SMOKING. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE RE-USE. KEEP OPERATING TEMPERATURES BELOW IGNITION TEMPERATURES AT ALL TIMES, CHEMICAL RESISTANT SPLASH GOGGLES AND

CHEMICAL RESISTANT GLOVES ARE ALWAYS RECOMMENDED WHEN USING CHEMICALS.

KEEP CONTAINER TIGHTLY CLOSED IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM HEAT, SOURCE OF IGNITION AND

INCOMPATIBLES.

STORAGE: DO NOT STORE BELOW 32 DEGREES F OR ABOVE 100 DEGREES F. DO NOT STORE IN DIRECT SUNLIGHT, KEEP AWAY FROM CHILDREN.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

ISOPROPYL ALCOHOL **EXPOSURE LIMITS:** 67-63-O

ACGIH	PEL	400 PPM
ACGIH	TWA	200 PPM
OSHA Z1	PEL	400 PPM - 980 MG/M3
OSHA Z1A	TWA	400 PPM - 980 MG/M3
OSHA Z1A	STEL	500 PPM - 1,225 MG/M3

ENGINEERING CONTROLS: NONE

PERSONAL PROTECTIVE EQUIPMENT (PPE):

EYE PROTECTION: WEAR CHEMICAL SAFETY GOGGLES AND FACE SHIELD. HAVE EYE-WASH STATIONS AVAILABLE WHERE EYE CONTACT CAN OCCUR.

SKIN PROTECTION: AVOID PROLONGED SKIN CONTACT. WEAR GLOVES IMPERVIOUS TO CONDITIONS OF USE. ADDITIONAL PROTECTION MAY BE NECESSARY TO PREVENT SKIN CONTACT INCLUDING USE OF APRON

RESPIRATORY PROTECTION: NONE

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

FLASHPOINT: 89°C

AUTO-IGNITION TEMPERATURE: NO DATA AVAILABLE

BOILING POINT: >95°C MELTING POINT: NO DATA AVAILABLE **VAPOR PRESSURE:** NO DATA AVAILABLE VAPOR DENSITY (AIR = 1): NO DATA AVAILABLE SOLUBILITY: SOLUBLE IN WATER POUR POINT: NOT AVAILABLE MOLECULAR FORMULA: MIXTURE ODOR/APPEARANCE: NO SCENT/BLUE

LOWER FLAMMABILITY LIMIT: UPPER FLAMMABILITY LIMIT: VOLATILE ORGANIC COMPOUND: VOLATILE ORGANIC COMPOUND:

EVAPORATION RATE (WATER=1):

VISCOSITY: PH:

> **MOLECULAR WEIGHT:** SPEC. GRAY. / DENSITY:

NO DATA AVAILABLE NO DATA AVAILABLE .5% WEIGHT [CARB] 5 G/L SCAQMD 443.1 NO DATA AVAILABLE NO DATA $8 \pm .5$

MIXTURE 8.40 LBS. /GAL.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: NONE. CHEMICAL STABILITY: STABLE

POSSIBILITY OF HAZARDOUS REACTIONS: CONDITIONS TO AVOID: INCOMPATIBLE

MATERIALS: HAZARDOUS DECOMPOSITION:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

NONE

STRONG ACIDS AND OXIDIZERS.

NONE KNOWN

SECTION 11: TOXICOLOGICAL INFORMATION

SIGNS AND SYSTEMS OF EXPOSURE: BASED ON THE TEST DATA AND/OR INFORMATION ON THE COMPONENTS, THIS MATERIAL MAY PRODUCE THE FOLLOWING HEALTH EFFECTS:

INHALATION: RESPIRATORY TRACT IRRITATION: NONE

SKIN CONTACT: MILD SKIN IRRITATION: NONE

EYE CONTACT: MODERATE EYE IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE REDNESS, SWELLING, PAIN, TEARING, AND BLURRED OR HAZY VISION.

INGESTION: GASTROINTESTINAL IRRITATION: SIGNS/SYMPTOMS MAY INCLUDE ABDOMINAL PAIN, STOMACH UPSET, NAUSEA, VOMITING AND DIARRHEA.

TARGET ORGAN EFFECTS: ALLERGIC SKIN REACTION (NON-PHOTO INDUCED) IN SENSITIVE PEOPLE, SIGNS/SYMPTOMS MAY INCLUDE REDNESS, SWELLING, BLISTERING, AND ITCHING.

TOXICOLOGICAL DATA: IF A COMPONENT IS DISCLOSED IN SECTION 3 BUT DOES NOT APPEAR IN A TABLE BELOW, EITHER NO DATA IS AVAILABLE FOR THAT ENDPOINT OR THE DATA ARE NOT SUFFICIENT FOR CLASSIFICATION.

ACUTE TOXICITY

NAME	ROUTE	SPECIES	VALUE
POLYETHYLENE GLYCOL TRIM	ORAL	RAT	LD 50 3,300 MG/KG
POLYETHYLENE GLYCOL TRIM	INHALATION	-	NO DATA AVAILABLE
POLYETHYLENE GLYCOL TRIM	DERMAL	RABBIT	LD 50 : 8,874 MG/KG
ACETIC ACID	ORAL	RAT	LD 50: N/A
ACETIC ACID	INHALATION	RAT	LC 50: N/A
ACETIC ACID	DERMAL	RABBIT	LD 50: N/A

SKIN CORROSION/IRRITATION

NAME	ROUTE	SPECIES	VALUE

SERIOUS EYE DAMAGE/IRRITATION

NAME	ROUTE	SPECIES	VALUE

SKIN SENSITIZATION

|--|

RESPIRATORY SENSITIZATION

NAME	ROUTE	SPECIES	VALUE
------	-------	---------	-------

GERM CELL MUTAGENICITY

NAME ROUTE SPECIES VALUE

CARCINOGENICITY

NAME ROUTE SPECIES VALUE REPRODUCTIVE TOXICITY

REPRODUCTIVE AND/OR DEVELOPMENTAL EFFECTS

NAME ROUTE SPECIES VALUE TARGET ORGAN (S)

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

NAME ROUTE SPECIES VALUE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

NAME ROUTE SPECIES VALUE

ASPIRATION HAZARD

NAME ROUTE SPECIES VALUE

SECTION 12: ECOLOGICAL INFORMATION

AQUATIC TOXICITY

ACUTE AND PROLONGED TOXICITY TO FISH: NO DATA ACUTE TOXICITY TO AQUATIC INVERTEBRATES: NO DATA

ENVIRONMENTAL FATE AND PATHWAYS

NO DATA

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

BECAUSE THIS IS PRODUCED AND SHIPPED IN SEVERAL DIFFERENT SIZES AS WELL AS DOMESTICALLY AND INTERNATIONALLY, PLEASE CONSULT YOUR TRANSPORTATION SPECIALIST FOR THE PROPER SHIPPING NAME AND CLASS.

SECTION 15: REGULATORY INFORMATION

HAZARD CATEGORIES:

FIRE HAZARD - NO, PRESSURE HAZARD - NO, REACTIVITY HAZARD - NO, IMMEDIATE HAZARD - NO, DELAYED HAZARD - NO

THIS SDS HAS BEEN PREPARED TO MEET THE U.S. OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA HAZARDOUS CLASSIFICATION

HEALTH: 1 FLAMMABILITY: O INSTABILITY: O SPECIAL HAZARD: NONE

REVISION INDICATOR: SDS REVISION #6/JUNE 8, 2017

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.