




2024 PRODUCT CATALOGUE

HEADQUARTER

Orange County
California, USA

SOCIAL

 @candex_lighting
 @candexlighting
 Candex Lighting

CONTACT

info@candexlighting.com
1(800) 223-3055



CANDEX®

HISTORY



Established in Los Angeles, California since 1978. CANDEX is devoted to our long-term talented workforce, business customers, and retail partners. Our operations span the globe.

All our factories are fully equipped with the most innovative machines and testing laboratories to ensure the highest quality.

We maintain thousands of bulbs and lighting luminaires in stock at all distribution centers allowing us to ship orders within 24 hours. We are proud of our superior customer service and maintain the highest level of trust, loyalty, and integrity.

Be Warm. Be Happy. Be Bright.

TABLE OF CONTENTS

03 A-Shapes

13 Candles

21 Globes

25 ST-Shapes

27 Tubulars

31 MR Series

33 PAR Series

37 R & BR Series

39 Miniatures

43 Specialty

47 Colored

49 String

51 Tubes

55 Corn Series

61 Downlights

65 Dimmer Switches



LED A-SHAPES

Filament Decorative

Filament Vintage

Filament Low Voltage

General Household

Twist-Lock

	INDOOR FIXTURES	OUTDOOR FIXTURES	APPLICATIONS
	Chandeliers	Wall Mounts	Household
	Table Lamps	Post Mounts	Desk/Floor/Table
	Decorative Fixtures		Decorative
	Ceiling Mounts		Restaurant Décor
	Floor Lamps		General Purpose
	Ceiling Fans		Patio Lighting
	Pendants		
	Vanities		

LED Filament Decorative

A19 7W 2700K Clear JA8

60W Replacement

M850399



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	60W	120V	E26 Medium	Clear	Glass	2700K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.24" x 2.38"	1PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029722

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

A19 7W 2700K White JA8

40W Replacement

M850316



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	40W	120V	E26 Medium	White	Glass	2700K	560lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.15" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564025953

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

AT19 4W 2200K Amber

40W Replacement

M850212



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	Amber	Glass	2200K	320lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	20,000	4.18" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564020507

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

A15 4W 2700K Clear JA8

40W Replacement

M850402



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	Clear	Glass	2700K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.35" x 1.85"	1PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564022433

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

A15 4W 2700K White JA8

40W Replacement

M850315



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	White	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.44" x 1.90"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564025939

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Low Voltage

A15 3.5W 12V 2700K Clear

25W Replacement

M850401



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
3.5W	25W	12V	E26 Medium	Clear	Glass	2700K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	No	20,000	3.35" x 1.85"	1PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029753

\$0.42 Estimated Yearly Energy Cost (3 Hours/day)

A19 5W 12V 2700K Clear

40W Replacement

M850409



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
5W	40W	12V	E26 Medium	Clear	Glass	2700K	450lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	No	20,000	4.16" x 2.37"	1PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029845

\$0.61 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose

A15 6W 3000K Warm White

40W Replacement

M850202



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	40W	120V	E26 Medium	White	Shatterproof	3000K	450lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	15,000	3.47" x 1.87"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564021962

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)

A15 6W 5000K Daylight

40W Replacement

M850338



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	40W	120V	E26 Medium	White	Shatterproof	5000K	450lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	15,000	3.47" x 1.87"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564026233

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose

A19 9W 3000K Non-Dim 60W Replacement

M850267



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	60W	120V	E26 Medium	White	Shatterproof	3000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	200°	No	15,000	4.26" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564022457

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

A19 10W 3000K Non-Dim 60W Replacement

M850255



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	E26 Medium	White	Shatterproof	3000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	No	15,000	4.41" x 2.35"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564025953

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

A19 10W 3000K Dimmable Omni-Directional 60W Replacement

M850257



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	E26 Medium	White	Shatterproof	3000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	270°	Yes	15,000	4.41" x 2.35"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564020507

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose

A19 9W 3000K Warm White JA8 60W Replacement

M850380



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	60W	120V	E26 Medium	White	Shatterproof	3000K	810lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	200°	Yes	15,000	4.26" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564028060

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

A19 12W 3000K Warm White 75W Replacement

M850309



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
12W	75W	120V	E26 Medium	White	Shatterproof	3000K	1100lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	25,000	4.43" x 2.36"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564025816

\$1.44 Estimated Yearly Energy Cost (3 Hours/day)

A21 15W 3000K Warm White 100W Replacement

M850308



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
15W	100W	120V	E26 Medium	White	Shatterproof	3000K	1600lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	15,000	5.30" x 2.73"	1PK Box	6-Unit Pack	8 Packs

UPC 00818564025793

\$1.81 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose

A19 9W 5000K Daylight Non-Dim 60W Replacement

M850203



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	60W	120V	E26 Medium	White	Shatterproof	5000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	200°	No	15,000	4.26" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564021986

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

A19 12W 5000K Daylight 75W Replacement

M850310



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
12W	75W	120V	E26 Medium	White	Shatterproof	5000K	1100lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	25,000	4.43" x 2.36"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564025830

\$1.44 Estimated Yearly Energy Cost (3 Hours/day)

A21 15W 5000K Daylight 100W Replacement

M850208



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
15W	100W	120V	E26 Medium	White	Shatterproof	5000K	1600lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	Yes	15,000	5.30" x 2.73"	1PK Box	6-Unit Pack	8 Packs

UPC 00818564022082

\$1.81 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose Twist-Lock

A19 9W GU24 3000K Non-Dim

60W Replacement

M850188



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	60W	120V	GU24 Twist-Lock	White	Shatterproof	3000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	230°	No	15,000	4.37" x 2.39"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564021764

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

A19 9W GU24 5000K Dimmable

60W Replacement

M850365



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	60W	120V	GU24 Twist-Lock	White	Shatterproof	5000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	230°	Yes	25,000	4.37" x 2.39"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026790

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

LED General Purpose Twist-Lock

A19 10W GU24 2700K Dimmable JA8
60W Replacement

M850320



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	GU24 Twist-Lock	White	Shatterproof	2700K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	230°	Yes	25,000	4.37" x 2.39"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564026042

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

A19 10W GU24 3000K Dimmable JA8
60W Replacement

M850321



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	GU24 Twist-Lock	White	Shatterproof	3000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	230°	Yes	25,000	4.37" x 2.39"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564026059

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

A19 10W GU24 4000K Dimmable JA8
60W Replacement

M850322



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	GU24 Twist-Lock	White	Shatterproof	4000K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	230°	Yes	25,000	4.37" x 2.39"	1PK Box	10-Unit Pack	5 Packs

UPC 00818564026066

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)



LED CANDLES

Filament Decorative

Decorative Shatterproof

Filament Low Voltage

INDOOR FIXTURES

Chandeliers
Decorative Fixtures
Wall Sconces
Ceiling Fans
Pendants

APPLICATIONS

Household Décor
Decorative Lighting
Restaurant Décor
Patio Lighting

LED Filament Decorative

Torpedo 4W European 2700K JA8

40W Replacement

M850407



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS	
4W	40W	120V	E14 European	Clear	Glass	2700K	350lm	
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING	
90+	360°	Yes	20,000	3.89" x 1.25"	2PK Box Peggable	10-Unit Tray	8 Trays	

UPC 00818564029821

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

Torpedo 4W Medium 2700K JA8

40W Replacement

M850404



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS	
4W	40W	120V	E26 Medium	Clear	Glass	2700K	350lm	
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING	
90+	360°	Yes	20,000	3.59" x 1.38"	2PK Box Peggable	10-Unit Tray	8 Trays	

UPC 00818564029791

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

Torpedo 2.5W Candelabra 2700K JA8 25W Replacement

M850400



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2.5W	25W	120V	E12 Candelabra	Clear	Glass	2700K	220lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.75" x 1.36"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029739

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

Torpedo 4W Candelabra 2700K JA8 40W Replacement

M850408



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E12 Candelabra	Clear	Glass	2700K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.75" x 1.36"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029838

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

Torpedo 5.5W Candelabra 2700K JA8 60W Replacement

M850371



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
5.5W	60W	120V	E12 Candelabra	Clear	Glass	2700K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.75" x 1.36"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564026950

\$0.66 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

Flame Tip 2.5W Candelabra 2700K JA8 25W Replacement

M850313



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2.5W	25W	120V	E12 Candelabra	Clear	Glass	2700K	180lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.04" x 1.38"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564025892

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

Flame Tip 4W Candelabra 2700K JA8 40W Replacement

M850403



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E12 Candelabra	Clear	Glass	2700K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.04" x 1.38"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029777

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

Torpedo 4W 2700K Inner-Frosted JA8

40W Replacement

M850290



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E12 Candelabra	Frosted	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.83" x 1.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564023645

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

Flame Tip 4W 2700K Outer-Frosted JA8

40W Replacement

M850314



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E12 Candelabra	Frosted	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.11" x 1.37"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564027698

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Decorative Shatterproof

Torpedo 4.5W Candelabra 3000K Energy Star 40W Replacement

M850189



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4.5W	40W	120V	E12 Candelabra	Clear	Shatterproof	3000K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	260°	Yes	15,000	3.87" x 1.42"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564020972

\$0.54 Estimated Yearly Energy Cost (3 Hours/day)

Flame Tip 4.5W Candelabra 3000K Energy Star 40W Replacement

M850190



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4.5W	40W	120V	E12 Candelabra	Clear	Shatterproof	3000K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	260°	Yes	15,000	4.00" x 1.42"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564020996

\$0.54 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Low Voltage

Torpedo 2W 12V Candelabra 2700K Non-Dim 20W Replacement

M850311



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	20W	12V	E12 Candelabra	Clear	Glass	2700K	160lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	3.79" x 1.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564025892

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

Torpedo 4W 12V Candelabra 2700K Non-Dim **Wet-Rated** 40W Replacement

M850342



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	12V	E12 Candelabra	Clear	Glass	2700K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	3.74" x 1.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026295

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

Torpedo 4W 12V **Medium** 2700K Non-Dim 40W Replacement

M850281



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	12V	E26 Medium	Clear	Glass	2700K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	3.63" x 1.38"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564022631

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Low Voltage

Flame Tip 2W 12V Candelabra 2700K Non-Dim 20W Replacement

M850312



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	20W	12V	E12 Candelabra	Clear	Glass	2700K	160lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	4.11" x 1.38"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564025878

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

Flame Tip 4W 12V Candelabra 2700K Non-Dim **Wet-Rated** 40W Replacement

M850343



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	12V	E12 Candelabra	Clear	Glass	2700K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	4.11" x 1.38"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026325

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

Extended Flame Tip 4W 12V Candelabra 2700K Non-Dim 40W Replacement

M850198-L



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	12V	E12 Candelabra	Clear	Glass	2700K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	25,000	4.66" x 1.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564021894

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)



LED GLOBES

Filament Decorative

Filament Vintage

Shatterproof

INDOOR FIXTURES

Chandeliers
Table Lamps
Decorative Fixtures
Hanging Chandeliers
Ceiling Fans
Pendants
Vanities

APPLICATIONS

Common Household
Desk/Table Lighting
Decorative Lighting
Restaurant Décor
Patio Lighting

LED Decorative Shatterproof

G16.5 5W Medium 3000K Energy Star 40W Replacement

M850250



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
5W	40W	120V	E26 Medium	Clear	Shatterproof	3000K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	260°	Yes	25,000	2.88" x 1.92"	1PK Box	10-Unit Pack	10 Trays

UPC 00818564020934

\$0.60 Estimated Yearly Energy Cost (3 Hours/day)

G25 7W Medium 3000K Energy Star 60W Replacement

M850251



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	60W	120V	E26 Medium	Clear	Shatterproof	3000K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	260°	Yes	25,000	4.43" x 3.14"	1PK Box	5-Unit Pack	4 Packs

UPC 00818564020958

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

G16.5 4W Candelabra 2700K Clear JA8

40W Replacement

M850279



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E12 Candelabra	Clear	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.21" x 1.94"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564022594

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

G16.5 4W Medium 2700K Clear JA8

40W Replacement

M850336



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	Clear	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.21" x 1.94"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026202

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

G25 4W Medium 2700K **Clear** JA8

40W Replacement

M850280



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	Clear	Glass	2700K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.74" x 3.14"	1PK Box	5 unit Pack	20 Packs

UPC 00818564022617

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

G25 4W Medium 2700K **White** JA8

40W Replacement

M850317



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	White	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.72" x 3.13"	1PK Box Peggable	5-Unit Tray	8 Trays

UPC 00818564020590

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)



LED ST-SHAPES

Filament Decorative

Filament Vintage

INDOOR FIXTURES

APPLICATIONS

Desk Lamps
Table Lamps
Decorative Fixtures
Hanging Chandeliers
Pendants
Wall Sconces

Common Household
Desk/Table Lighting
Decorative Lighting
Restaurant Décor

LED Filament Decorative

ST19 6W 2700K Clear JA8

40W Replacement

M850276



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	40W	120V	E26 Medium	Clear	Glass	2700K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	5.13" x 2.35"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564022532

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)

ST19 7W 2700K Clear JA8

60W Replacement

M850372



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	60W	120V	E26 Medium	Clear	Glass	2700K	800lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	5.13" x 2.35"	1PK Box Peggable	10-Unit Tray	6 Trays

UPC 00818564026967

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

ST19 6W 2200K Amber

40W Replacement

M850366



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	40W	120V	E26 Medium	Amber	Glass	2200K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	20,000	5.03" x 2.34"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026806

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)



LED TUBULARS

Filament Decorative

Filament Vintage

INDOOR FIXTURES

Chandeliers
Ceiling Fans
Decorative Fixtures
Pendants
Wall Sconces

APPLICATIONS

Kitchens
Bedrooms
Bathrooms
Living Rooms
Restaurant Décor

LED Filament Decorative

T10 Linear 12" 6W 2700K Clear JA8

60W Replacement

M850405



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	60W	120V	E26 Medium	Clear	Glass	2700K	600lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	11.60" x 1.17"	1PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564029814

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

T6 2W Candelabra 2700K Clear JA8 25W Replacement

M850277



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	25W	120V	E12 Candelabra	Clear	Glass	2700K	180lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.15" x 0.78"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564022556

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

T6 3.5W Candelabra 2700K Clear JA8 40W Replacement

M850370



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
3.5W	40W	120V	E12 Candelabra	Clear	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	3.50" x 0.78"	2PK Box Peggable	10-Unit Tray	10 Trays

UPC 00818564026943

\$0.42 Estimated Yearly Energy Cost (3 Hours/day)

T6 2W Candelabra 2200K Amber 25W Replacement

M850218



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	25W	120V	E12 Candelabra	Amber	Glass	2200K	160lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	20,000	3.18" x 0.79"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564020682

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

LED Filament Decorative

T10 4W Medium 2700K Clear JA8 40W Replacement

M850278



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40	120V	E26 Medium	Clear	Glass	2700K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.88" x 1.22"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564022556

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)

T10 5.5W Medium 2700K Clear JA8 60W Replacement

M850370



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
5.5W	60W	120V	E26 Medium	Clear	Glass	2700K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	20,000	4.88" x 1.20"	2PK Box Peggable	10-Unit Tray	8 Trays

UPC 00818564026943

\$0.66 Estimated Yearly Energy Cost (3 Hours/day)

T10 4W Medium 2200K Amber 40W Replacement

M850367



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
4W	40W	120V	E26 Medium	Amber	Glass	2200K	300lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	20,000	4.86" x 1.21"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564020682

\$0.48 Estimated Yearly Energy Cost (3 Hours/day)



LED MR SERIES

Bi-Pin

CEC Title 24

INDOOR FIXTURES

Recessed Ceiling Fixtures
Track Fixtures
Display Fixtures

APPLICATIONS

Accent Lighting
Stage/Theatrical Lighting
Retail Display Lighting
Spotlight

LED Spotlight

MR16 5W 12V Bi-Pin 3000K Flood JA8 35W Replacement

M850337



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
5W	35W	12V	GU5.3 Bi-Pin	White	Shatterproof	3000K	365lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	40°	Yes	20,000	1.98" x 1.96"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564026219

\$0.60 Estimated Yearly Energy Cost (3 Hours/day)

MR16 7W 12V Bi-Pin 3000K Flood JA8 50W Replacement

M850289



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	50W	12V	GU5.3 Bi-Pin	White	Shatterproof	3000K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	40°	Yes	20,000	1.98" x 1.96"	1PK Box	10-Unit Pack	10 Packs

UPC 00818564023584

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)



LED PAR SERIES

Short Neck
Long Neck
Flood Lights

INDOOR FIXTURES

Recessed Ceiling Cans
Track Fixtures

APPLICATIONS

Accent Lighting
Stage/Theatrical Lighting
Hall Lighting
Recessed Lighting

LED Spotlight

PAR30-Short 12W 3000K Flood 75W Replacement

M850244



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
12W	75W	120V	E26 Medium	White	Shatterproof	3000K	850lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	35°	Yes	25,000	3.44" x 3.74"	1PK Box	5 unit Pack	4 Packs

UPC 00818564020811

\$1.45 Estimated Yearly Energy Cost (3 Hours/day)

PAR30-Long 12W 3000K Flood 75W Replacement

M850246



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
12W	75W	120V	E26 Medium	White	Shatterproof	3000K	850lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	35°	Yes	25,000	3.44" x 3.74"	1PK Box	5 unit Pack	4 Packs

UPC 00818564020811

\$1.45 Estimated Yearly Energy Cost (3 Hours/day)

LED Spotlight

PAR30-Long 10W 3000K Flood

75W Replacement

M850318



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	75W	120V	E26 Medium	White	Shatterproof	3000K	850lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	35°	Yes	25,000	4.38" x 3.72"	1PK Box	5-Unit Pack	4 Packs

UPC 00818564025779

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

2700K
PAR20
Flood
JA8
M850327



UPC
00818564026110

3000K
PAR20
Flood
JA8
M850328



UPC
00818564026127

4000K
PAR20
Flood
JA8
M850329



UPC
00818564026134



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	50W	120V	E26 Medium	White	Shatterproof	27K/30K/40K	500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	40°	Yes	25,000	3.33" x 2.49"	1PK Box	10-Unit Pack	5 Packs

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

LED Spotlight

2700K

PAR30
Short
Flood
JA8

M850330

UPC
00818564026141



3000K

PAR30
Short
Flood
JA8

M850331

UPC
00818564026158



4000K

PAR30
Short
Flood
JA8

M850332

UPC
00818564026165



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	75W	120V	E26 Medium	White	Shatterproof	27K/30K/40K	750lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	40°	Yes	25,000	3.45" x 3.73"	1PK Box	5-Unit Pack	4 Packs

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

2700K

PAR30
Long
Flood
JA8

M850333

UPC
00818564026172



3000K

PAR30
Long
Flood
JA8

M850334

UPC
00818564026189



4000K

PAR30
Long
Flood
JA8

M850335

UPC
00818564026196



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	75W	120V	E26 Medium	White	Shatterproof	27K/30K/40K	750lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	40°	Yes	25,000	4.38" x 3.73"	1PK Box	5-Unit Pack	4 Packs

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)



LED REFLECTORS

R & BR
Flood Lights

INDOOR FIXTURES

Track Fixtures
Display Fixtures
Recessed Ceiling Fixtures

OUTDOOR FIXTURES

Landscape Fixtures

APPLICATIONS

Accent Lighting
Stage/Theatrical Lighting
Retail Display Lighting
Landscape Lighting
Signage

LED Floodlight

2700K

R20

JA8

M850324



UPC
00818564026141

3000K

R20

JA8

M850325



UPC
00818564026158

4000K

R20

JA8

M850326



UPC
00818564026165



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
7W	50W	120V	E26 Medium	White	Shatterproof	27K/30K/40K	525lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	105°	Yes	25,000	3.92" x 2.47"	1PK Box	10-Unit Pack	5 Packs

\$0.84 Estimated Yearly Energy Cost (3 Hours/day)

BR30 9W 3000K Energy Star JA8

65W Replacement

M850270



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	65W	120V	E26 Medium	White	Shatterproof	3000K	650lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	105°	Yes	25,000	5.32" x 3.73"	1PK Box	4-Unit Pack	6 Packs

UPC 00818564022419

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)



LED MINIATURES

Low Voltage

Bayonet

Wedge

Bi-Pin

G9

INDOOR FIXTURES

Chandeliers
Under Cabinet Fixtures
Decorative Fixtures
Wall Sconces

OUTDOOR FIXTURES

Landscape Fixtures

APPLICATIONS

Under Cabinet Lighting
RV/Camper/Automotive
Marine Boats
Landscape Lighting

LED Miniature Low Voltage

Bayonet Single Contact 2W 12V 3000K

25W Replacement

M850293



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	25W	12V	BA15s Bayonet	Clear	Shatterproof	3000K	180lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	300°	No	10,000	1.86" x 0.68"	1PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564023683

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

Wedge 2.5W 12V 3000K

25W Replacement

M850262



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2.5W	25W	12V	Wedge	White	Shatterproof	3000K	200lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	15,000	1.65" x 0.74"	1PK Blister Peggable	10-Unit Pack	6 Packs

UPC 00818564021092

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

G4 Bi-Pin 2.5W 12V 3000K

25W Replacement

M850193



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2.5W	25W	12V	G4 Bi-Pin	White	Shatterproof	3000K	200lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	15,000	1.51" x 0.78"	1PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564021122

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

LED Miniature Line Voltage

GY6.35 Bi-Pin 2.5W 120V 3000K

25W Replacement

M850265



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS	
2.5W	25W	120V	GY6.35 Bi-Pin	White	Shatterproof	3000K	200lm	
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING	
80+	150°	No	15,000	1.88" x 0.74"	1PK Blister Peggable	10-Unit Pack	6 Packs	

UPC 00818564021214

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

GY8.6 Bi-Pin 2.5W 120V 3000K

25W Replacement

M850263



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS	
2.5W	25W	120V	GY8.6 Bi-Pin	White	Shatterproof	3000K	200lm	
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING	
80+	150°	No	15,000	1.88" x 0.74"	1PK Blister Peggable	10-Unit Pack	6 Packs	

UPC 00818564021153

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

G8 Bi-Pin 2.5W 120V 3000K

25W Replacement

M850264



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS	
2.5W	25W	120V	G8 Bi-Pin	White	Shatterproof	3000K	200lm	
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING	
80+	150°	No	15,000	1.44" x 0.78"	1PK Blister Peggable	10-Unit Pack	6 Packs	

UPC 00818564021184

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

LED Miniature Bi-Pin

G9 Bi-Pin 2.5W 120V 3000K Dimmable 25W Replacement

M850362



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2.5W	25W	120V	G9 Bi-Pin	Frosted	Ceramic	3000K	250lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	10,000	1.98" x 0.78"	1PK Blister Peggable	10-Unit Pack	6 Packs

UPC 00818564026769

\$0.30 Estimated Yearly Energy Cost (3 Hours/day)

G9 Bi-Pin 3.5W 120V 3000K Dimmable 40W Replacement

M850363



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
3.5W	40W	120V	G9 Bi-Pin	Clear	Shatterproof	3000K	350lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	360°	Yes	10,000	2.25" x 0.69"	1PK Blister Peggable	10-Unit Pack	6 Packs

UPC 00818564026776

\$0.42 Estimated Yearly Energy Cost (3 Hours/day)

G9 Bi-Pin 4.5W 120V 3000K Dimmable 60W Replacement

M850294



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
3.5W	40W	120V	G9 Bi-Pin	Clear	Shatterproof	3000K	450lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	10,000	2.17" x 0.65"	1PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564023669

\$0.54 Estimated Yearly Energy Cost (3 Hours/day)

G9 Bi-Pin 6W 120V 3000K Dimmable 75W Replacement

M850364



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
6W	75W	120V	G9 Bi-Pin	Frosted	Ceramic	3000K	650lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	10,000	2.90" x 0.74"	1PK Blister Peggable	10-Unit Pack	6 Packs

UPC 00818564026783

\$0.72 Estimated Yearly Energy Cost (3 Hours/day)



LED SPECIALTY / COLOR / STRING

	INDOOR FIXTURES	OUTDOOR FIXTURES	APPLICATIONS
Candelabra			
Intermediate			
Medium	Cabinet Light Fixtures	String Lights	Holiday Lighting
Flame Effect	Sign Fixtures	Outdoor Fixtures	Decorative Lighting
Colored			Patio Lighting
Filament			Signage
String Lighting			

LED Appliance & Night Light

C7 1W Candelabra 2700K

10W Replacement

M850227



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E12 Candelabra	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	1.99" x 0.89"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 0081856402002

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

T5 1W Candelabra 2700K

10W Replacement

M850303



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E12 Candelabra	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	1.74" x 0.62"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564025106

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

T6 1W Candelabra 2700K

10W Replacement

M850304



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E12 Candelabra	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	1.80" x 0.73"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564025137

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

LED Appliance & Night Light

S6 1W Candelabra 2700K

10W Replacement

M850298



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E12 Candelabra	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	1.84" x 0.74"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564024956

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

S11 1W Intermediate 2700K

10W Replacement

M850232



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E17 Intermediate	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	2.10" x 1.06"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564020156

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

S14 1W Medium 2700K

10W Replacement

M850211



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E26 Medium	Clear	Shatterproof	2700K	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	3.19" x 1.74"	2PK Blister Peggable	10-Unit Pack	10 Packs

UPC 00818564020248

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

LED Flame Effect


T60 2W Orange Flickering Flame

M850357

- **Three Modes** – Flame Effect, Full Light, and Fade In/Out
- Live Flickering Flame Effect
- Select Modes by Turning **On-Off-On**
- Auto-Adjusts Flame Orientation
- Instant On
- Realistic Ambient Flame Emulation



THREE LIGHT MODES



WATTAGE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	120V	E26 Medium	White	Shatterproof	Yellow Orange	280lm
SHAPE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
T60	No	15,000	5.86" x 2.34"	2PK Box	10-Unit Tray	2 Trays

UPC 00818564026240

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)



LED Color

C7 1W Candelabra

White

M850228



UPC
00818564026240

Red

M850229



UPC
00818564020040

Yellow

M850295



UPC
00818564024864

Blue

M850296



UPC
00818564024895

Green

M850297



UPC
00818564024925



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E12 Candelabra	Transparent	Shatterproof	Color	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	1.99" x 0.89"	2PK Blister Peggable	10-Unit Pack	10 Packs

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

S11 1W Medium

White

M850234



UPC
00818564020217

Red

M850299



UPC
00818564024987

Yellow

M850300



UPC
00818564025014

Blue

M850301



UPC
00818564025045

Green

M850302



UPC
00818564025076



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E26 Medium	Opaque	Shatterproof	Color	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	2.08" x 1.34"	2PK Blister Peggable	10-Unit Pack	10 Packs

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

S14 1W Medium

White

M850235



UPC
00818564020279

Red

M850238



UPC
00818564020361

Yellow

M850236



UPC
00818564020309

Blue

M850237



UPC
00818564020330

Green

M850239



UPC
00818564020392



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E26 Medium	Opaque	Shatterproof	Color	50lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	150°	No	10,000	3.19" x 1.74"	2PK Blister Peggable	10-Unit Pack	10 Packs

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

LED String Filament

S14 1W 2200K Clear

10W Replacement

M850201



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
1W	10W	120V	E26 Medium	Clear	Shatterproof	2200K	60lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	No	10,000	3.22" x 1.74"	25PK Box	-	8 Boxes

UPC 00818564022594

\$0.12 Estimated Yearly Energy Cost (3 Hours/day)

S14 2W 2200K Clear Dimmable

25W Replacement

M850369



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
2W	25W	120V	E26 Medium	Clear	Shatterproof	2200K	150lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	360°	Yes	10,000	3.22" x 1.74"	25PK Box	-	8 Boxes

UPC 00818564026912

\$0.24 Estimated Yearly Energy Cost (3 Hours/day)

LED String Lights

M630222



**18 Gauge
Weather Resistant
Linkable Cord**




**High Quality
Pure Copper
E26 Sockets**



**Connect 45 Sets
When Using
1W Bulbs**



**LED S14 1W
Filament Bulbs
Included**



LENGTH	SPACING	VOLTAGE	CONSTRUCTION	POWER SOURCE	MAX WATTAGE	CCT
48 Feet	2 Feet	120V AC	18 Gauge AWG Cord	Plug-In	1080W	2200K
SOCKET BASE	SOCKET TYPE	IP RATING	SUITABLE	WEATHERPROOF	PER UNIT	CASE PACKING
E26	Suspended	IP44	Indoor / Outdoor	Yes	1PK Set Box	4 Units

UPC 00818564026226



LED TUBES

- 2FT / 4FT / 8FT
- Bi-Pin / Single Pin
- 18W to 59W Fluorescent Replacements
- Hybrid (A+B) / Ballast Compatible (A) / Bypass (B)
- Warm White / Cool White / Daylight
- Double-Ended Power
- Long Life Expectancy 50,000 Hours



LED Tubes

2FT T8 9W A+B Hybrid 3000K

18W Replacement

M850390



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	18W	120-277V	G13 Bi-Pin	Frosted	AL+PC	3000K	1170lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120°	No	50,000	24.00" x 1.27"	1PK	-	25 Units

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

2FT T8 9W A+B Hybrid 4000K

18W Replacement

M850375



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	18W	120-277V	G13 Bi-Pin	Frosted	AL+PC	4000K	1170lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120°	No	50,000	24.00" x 1.27"	1PK	-	25 Units

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

2FT T8 9W A+B Hybrid 5000K

18W Replacement

M850391



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
9W	18W	120-277V	G13 Bi-Pin	Frosted	AL+PC	5000K	1170lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120°	No	50,000	24.00" x 1.27"	1PK	-	25 Units

\$1.08 Estimated Yearly Energy Cost (3 Hours/day)

LED Tubes

4FT T8 Type-B Bypass 15W 5000K **Omni-Directional** 30W Replacement

M850224



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
15W	30W	120-277V	G13 Bi-Pin	Frosted	Nano	5000K	1500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	300°	No	50,000	48.00" x 1.27"	1PK Box	5-Unit Pack	5 Packs

UPC 00818564020446

\$1.81 Estimated Yearly Energy Cost (3 Hours/day)

LED Tube Tunable

4FT T8 A+B Hybrid Selectable 4WTT 4CCT

24/30/36/40W Replacement

M850406



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
12W/15W 18W/20W	24W/30W 36W/40W	120-277V	G13 Bi-Pin	Frosted	AL+PC	3500K/4000K 5000K/6500K	1560lm/1950lm 2340lm/2600lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120°	No	50,000	48.00" x 1.27"	1PK	-	25 Units

\$1.45/1.81/2.17/2.41 Estimated Yearly Energy Cost (3 Hours/day)

8FT T8 A+B Hybrid Selectable 4WTT 4CCT

65/70/75/80W Replacement

M850412



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
28W/32W 36W/40W	65W/70W 75W/80W	120-277V	FA8 Single Pin	Frosted	AL+PC	3500K/4000K 5000K/6500K	3640lm/4160lm 4680lm/5200lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120°	No	50,000	96.00" x 1.27"	1PK	-	15 Units

\$3.37/3.85/4.34/4.82 Estimated Yearly Energy Cost (3 Hours/day)



LED CORN SERIES

Medium Base

Mogul Base

Universal Retrofits

Folding Retrofits

70W to 220W HID Replacements

APPLICATIONS

Industrial

Commercial

Warehouse

LED Corn HID

Corn 20W Medium 5000K 70W Replacement

M410138



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
20W	70W	120-277V	E26 Medium	Clear	Shatterproof	5000K	2500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	320°	No	50,000	6.50" x 2.36"	1PK Box	5-Unit Pack	8 Packs

\$2.41 Estimated Yearly Energy Cost (3 Hours/day)

Corn 60W Medium 5000K 220W Replacement

M410125



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
60W	220W	120-277V	E26 Medium	Clear	Shatterproof	5000K	78000lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	320°	No	50,000	10.50" x 3.23"	1PK Box	4-Unit Pack	8 Packs

\$7.23 Estimated Yearly Energy Cost (3 Hours/day)

Corn 50W Mogul 4000K 200W Replacement

M410137



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
50W	200W	120-277V	E39 Mogul	Clear	Shatterproof	4000K	7500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	320°	No	50,000	9.92" x 3.94"	1PK Box	4-Unit Pack	8 Packs

\$6.02 Estimated Yearly Energy Cost (3 Hours/day)



LED CORN FOLDING RETROFITS

High / Low Bay

- Five Folding Light Panels
- Adjustable 0-90° Omni-Directional Light Distribution
- Integrated Cooling System
- Samsung 2835 LED Chips
- Mogul Base EX39
- Overvoltage Protection 4KV
- Suitable for Enclosed Fixtures
- Rated for Damp Locations
- 320W Replacement for HPS and Metal Halides
- Motion Sensor Adapter Available

APPLICATIONS

Industrial
Commercial
Warehouse
Security Light

LED Retrofit High/Low Bay



3000K

M850282

UPC00818564022754



4000K

M850283

UPC00818564022754



5000K

M850284

UPC00818564022754



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
75W	320W	120-277V	EX39 Mogul	Clear	AL+PC	30K/40K/50K	10500lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120-320°	Integrated	50,000	10.47" x 5.50"	1PK Box	2-Unit Pack	3 Packs


\$9.03 Estimated Yearly Energy Cost (3 Hours/day)

Motion Sensor Adapter

High / Low Bay

M850285

- Microwave Motion Sensor
- 120° Scope
- Detects Up To 50 Feet Away
- Auto-Dims to 30% When No Motion
- Recommended Heights
 - ◇ 50FT for High Bay
 - ◇ 20FT for Low Bay





LED CORN FOLDING RETROFITS

Post Top

- Four Folding Light Panels
- Adjustable 0-90° Omni-Directional Light Distribution
- Integrated Cooling System
- Samsung 2835 LED Chips
- Mogul Base EX39
- Overvoltage Protection 4KV
- Suitable for Enclosed Fixtures
- Rated for Damp Locations
- 175W Replacement for HPS and Metal Halides
- Ideal for Acorn Fixtures

APPLICATIONS

Industrial

Common Pathways

Acorn Fixtures



LED Retrofit Acorn/Post Top



3000K

M850286

UPC00818564022822

4000K

M850287

UPC00818564022846

5000K

M850288

UPC00818564022860



WATTAGE	EQUIVALENCE	VOLTAGE	BASE	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
54W	175W	120-277V	EX39 Mogul	Clear	AL+PC	30K/40K/50K	7560lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	120-320°	No	50,000	9.95" x 4.94"	1PK Box	2-Unit Pack	3 Packs

\$6.50 Estimated Yearly Energy Cost (3 Hours/day)



LED DOWNLIGHTS

Surface Mount

- Low Profile Modern Designs with Optimal Performance
- Included Mounting Hardware
- Junction Box, Recessed Can, and Canless Installations
- Insulation Contact (IC) Rated
- TRIAC Dimming
- Suitable for Wet Locations
- Long Life Expectancy

LED Surface Mounts

5.5" Round Disc 10W 3000K

100W Replacement

M630202



WATTAGE	EQUIVALENCE	VOLTAGE	INSTALLATION	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
10W	60W	120V	Junction Box	White	Die-Cast Aluminum	3000K	600lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	105°	TRIAC	50,000	5.75" x 0.83"	1PK Box	4-Unit Pack	5 Packs

UPC 00818564022693

\$1.20 Estimated Yearly Energy Cost (3 Hours/day)

7" Round Disc 15W 3000K JA8

100W Replacement

M630203



WATTAGE	EQUIVALENCE	VOLTAGE	INSTALLATION	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
15W	100W	120V	Junction Box Recessed Can	White	Die-Cast Aluminum	3000K	1050lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
90+	105°	TRIAC	50,000	7.21" x 0.83"	1PK Box	4-Unit Pack	5 Packs

UPC 00818564022716

\$1.81 Estimated Yearly Energy Cost (3 Hours/day)

LED Surface Mount

8" Round Dome 30W 3000K
200W Replacement

M630201



WATTAGE	EQUIVALENCE	VOLTAGE	INSTALLATION	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
30W	200W	120V	Junction Box Recessed Can	White	Die-Cast Aluminum	3000K	2200lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	110°	TRIAC	50,000	5.75" x 0.83"	1PK Box	4-Unit Pack	2 Packs

UPC 00818564022679

\$3.61 Estimated Yearly Energy Cost (3 Hours/day)

LED Canless Flush Mount

6" Round Ultra-Thin 14W Selectable 3CCT

100W Replacement

M630259



WATTAGE	EQUIVALENCE	VOLTAGE	INSTALLATION	FINISH	CONSTRUCTION	CCT	BRIGHTNESS
14W	100W	120V	Canless	White	Die-Cast Aluminum	30K/40K/50K	1100lm
CRI	BEAM ANGLE	DIMMABLE	RATED HOURS	DIMENSION	PER UNIT	INNER PACKING	CASE PACKING
80+	110°	TRIAC	30,000	6.60" x 0.45"	1PK Box	-	6 Units

\$1.69 Estimated Yearly Energy Cost (3 Hours/day)



DIMMER SWITCHES

- Leading-Edge TRIAC Dimming
- Designed for Dimmable Bulbs
- LED, Incandescent, CFL, and Halogen
- White Wall Plate Included
- Overload And Overheat Protection
- Single Pole, 3-Way, and Multi-Location
- Patent-Proof
- Intended for Residential Use

Dimmer Switches

Slider

M520138



DIMMING	VOLTAGE	OPERATION	FINISH	WALL PLATE	MAX WATTAGE
TRIAC	120V	Single Pole / 3-Way	White	Included	200W LED/CFL 600W INC/HAL
ON/OFF	DIMMING	SMART ENABLED	PER UNIT	INNER PACK	CASE PACKING
Preset Switch	Large Slider	No	1PK Box Peggable	5-Unit Pack	20 Packs

UPC 00818564023706

Push Button

M520140



DIMMING	VOLTAGE	OPERATION	FINISH	WALL PLATE	MAX WATTAGE
TRIAC	120V	Single Pole / 3-Way / Multi	White	Included	300W LED/CFL 300W INC/HAL
ON/OFF	DIMMING	SMART ENABLED	PER UNIT	INNER PACK	CASE PACKING
Middle Button	Up / Down Buttons	No	1PK Box Peggable	5-Unit Pack	20 Packs

UPC 00818564025724


Dimmer Switch SMART




Push Button Wi-Fi

Designed for Smart Homes


M520141



- Leading-edge TRIAC dimming
- Operations: Single Pole / 3-Way / Multi-Way
- Load Rating:
 - ◇ 300W LED / CFL
 - ◇ 300W Incandescent / Halogen
- Center button is preset on/off
- Up/Down buttons for dimming
- Easy installation to replace existing unit (no neutral wire required)
- ETL Listed
- Featuring maximum light level modification for energy savings
- Overload and overheat protection
- Full range dimming



Dimmer Switch SMART




DOWNLOAD SMART LIFE APP

Use SMART LIFE to connect with SMART Homes



SCAN ME



DIMMING	VOLTAGE	OPERATION	FINISH	WALL PLATE	MAX WATTAGE
TRIAC	120V	Single Pole / 3-Way / Multi	White	Included	300W LED/CFL 300W INC/HAL
ON/OFF	DIMMING	SMART ENABLED	PER UNIT	INNER PACK	CASE PACKING
Middle Button	Up / Down Buttons	Yes	1PK Box Peggable	5-Unit Pack	20 Packs

UPC 00818564025748

M410125.....P. 56	M850246.....P. 34	M850301.....P. 48	M850343.....P. 20
M410137.....P. 56	M850250.....P. 22	M850302.....P. 48	M850357.....P. 46
M410138.....P. 56	M850251.....P. 22	M850303.....P. 44	M850362.....P. 42
M520138.....P. 66	M850255.....P. 8	M850304.....P. 44	M850363.....P. 42
M520140.....P. 66	M850257.....P. 8	M850308.....P. 9	M850364.....P. 42
M520141.....P. 68	M850262.....P. 40	M850309.....P. 9	M850365.....P. 11
M630201.....P. 62	M850263.....P. 41	M850310.....P. 10	M850366.....P. 26
M630202.....P. 62	M850264.....P. 41	M850311.....P. 19	M850367.....P. 30
M630203.....P. 62	M850265.....P. 41	M850312.....P. 20	M850369.....P. 49
M630222.....P. 50	M850267.....P. 8	M850313.....P. 16	M850370.....P. 29
M630259.....P. 64	M850270.....P. 38	M850314.....P. 17	M850371.....P. 15
M850188.....P. 11	M850276.....P. 26	M850315.....P. 5	M850372.....P. 26
M850189.....P. 18	M850277.....P. 29	M850316.....P. 4	M850373.....P. 30
M850190.....P. 18	M850278.....P. 30	M850317.....P. 24	M850375.....P. 52
M850193.....P. 40	M850279.....P. 23	M850318.....P. 35	M850380.....P. 9
M850198-L.....P. 20	M850280.....P. 24	M850320.....P. 12	M850390.....P. 52
M850201.....P. 49	M850281.....P. 19	M850321.....P. 12	M850391.....P. 52
M850202.....P. 7	M850282.....P. 58	M850322.....P. 12	M850394.....P. 53
M850203.....P. 10	M850283.....P. 58	M850324.....P. 38	M850397.....P. 54
M850208.....P. 10	M850284.....P. 58	M850325.....P. 38	M850398.....P. 54
M850211.....P. 45	M850285.....P. 58	M850326.....P. 38	M850399.....P. 4
M850212.....P. 4	M850286.....P. 60	M850327.....P. 35	M850400.....P. 15
M850218.....P. 29	M850287.....P. 60	M850328.....P. 35	M850401.....P. 6
M850224.....P. 53	M850288.....P. 60	M850329.....P. 35	M850402.....P. 5
M850227.....P. 44	M850289.....P. 32	M850330.....P. 36	M850403.....P. 16
M850228.....P. 47	M850290.....P. 17	M850331.....P. 36	M850404.....P. 14
M850229.....P. 47	M850293.....P. 40	M850332.....P. 36	M850405.....P. 28
M850232.....P. 45	M850294.....P. 42	M850333.....P. 36	M850406.....P. 53
M850235.....P. 48	M850295.....P. 47	M850334.....P. 36	M850407.....P. 14
M850236.....P. 48	M850296.....P. 47	M850335.....P. 36	M850408.....P. 15
M850237.....P. 48	M850297.....P. 47	M850336.....P. 23	M850409.....P. 6
M850238.....P. 48	M850298.....P. 45	M850337.....P. 32	
M850239.....P. 48	M850299.....P. 48	M850338.....P. 7	
M850244.....P. 34	M850300.....P. 48	M850342.....P. 19	



COSMIC COLLECTION

— LED BULBS —






by **CANDEX**[®]

CANDEX[®]

HEADQUARTER

Orange County
California, USA

SOCIAL

 @candex_lighting
 @candexlighting
 Candex Lighting

CONTACT

info@candexlighting.com
1(800) 223-3055