

Lanner Horizontal

PANEL RADIATORS

Heat up your living space with these powerful and reliable radiators. Easy to install with a highly versatile body providing excellent quality. Lanner Horizontal includes a wide selection of sizes.

White
Model shown 6LSS800

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT ΔT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
3LSS500	300	500	52	590 - 50	33-44	70-81	1.3	7.4	H	15	888	260	£104.56
3LSS800	300	800	52	890 - 50	33-44	70-81	2.1	10.9	H	24	1419	415	£147.23
3LSS1000	300	1000	52	1090 - 50	33-44	70-81	2.6	13.2	H	30	1774	519	£176.12
3LSS1200	300	1200	52	1290 - 50	33-44	70-81	3.1	15.5	H	36	2129	623	£206.38
3LSS1400	300	1400	52	1490 - 50	33-44	70-81	3.6	17.9	H	42	2484	727	£235.28
3LSS2000	300	2000	52	2090 - 50	33-44	70-81	5.2	25.0	H	60	3548	1039	£326.08
4LSS400	400	400	52	490 - 50	33-44	70-81	1.1	7.9	H	12	914	268	£100.50
4LSS500	400	500	52	590 - 50	33-44	70-81	1.4	9.4	H	15	1143	335	£115.88
4LSS600	400	600	52	690 - 50	33-44	70-81	1.6	10.9	H	18	1372	401	£133.65
4LSS700	400	700	52	790 - 50	33-44	70-81	1.9	12.4	H	21	1600	468	£151.41
4LSS800	400	800	52	890 - 50	33-44	70-81	2.2	14.0	H	24	1829	535	£168.94
4LSS900	400	900	52	990 - 50	33-44	70-81	2.5	15.5	H	27	2057	602	£186.55
4LSS1000	400	1000	52	1090 - 50	33-44	70-81	2.7	17.0	H	30	2286	669	£204.59
4LSS1100	400	1100	52	1190 - 50	33-44	70-81	3.0	18.1	H	33	2515	736	£221.84
4LSS1200	400	1200	52	1290 - 50	33-44	70-81	3.3	20.0	H	36	2743	803	£239.62
4LSS1400	400	1400	52	1490 - 50	33-44	70-81	3.8	23.1	H	42	3200	937	£274.99
4LSS1600	400	1600	52	1690 - 50	33-44	70-81	4.4	26.1	H	48	3658	1070	£310.37
4LSS1800	400	1800	52	1890 - 50	33-44	70-81	4.9	29.3	H	54	4115	1204	£345.19
4LSS2000	400	2000	52	2090 - 50	33-44	70-81	5.5	32.4	H	60	4572	1338	£380.80

See Page 84 For Colours & Finishes

RECOMMENDED ACCESSORIES
See Page 87 For More Valves & Accessories



INTERAXIAL Swivel 50 Valve Pair
Complete with 15 Tube
Connectors & Domignon Sensor
UDW927



Cylindrical-25 Angle Manual Rad.
Valve + L/S set
CYL850C

MS MATERIAL
 9016 FINISH
 6.9 WORKING PRESSURE
 95 °C WORKING TEMP.
 C CLOSED SYSTEM
 V MOUNTING POS.
 5 YEARS WARRANTY

LANNER SINGLE LSS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
5LSS400	500	400	52	490 - 50	33-44	70-81	1.1	9.6	H	12	1099	322	£122.94
5LSS500	500	500	52	590 - 50	33-44	70-81	1.4	11.5	H	15	1374	402	£137.54
5LSS600	500	600	52	690 - 50	33-44	70-81	1.7	13.4	H	18	1649	482	£159.37
5LSS700	500	700	52	790 - 50	33-44	70-81	2.0	15.3	H	21	1924	563	£181.32
5LSS800	500	800	52	890 - 50	33-44	70-81	2.3	17.2	H	24	2198	643	£202.90
5LSS900	500	900	52	990 - 50	33-44	70-81	2.6	19.0	H	27	2473	724	£225.43
5LSS1000	500	1000	52	1090 - 50	33-44	70-81	2.9	20.9	H	30	2748	804	£246.60
5LSS1100	500	1100	52	1190 - 50	33-44	70-81	3.2	22.3	H	33	3023	884	£268.88
5LSS1200	500	1200	52	1290 - 50	33-44	70-81	3.4	24.7	H	36	3298	965	£290.69
5LSS1400	500	1400	52	1490 - 50	33-44	70-81	4.0	28.5	H	42	3847	1126	£334.48
5LSS1600	500	1600	52	1690 - 50	33-44	70-81	4.6	32.2	H	48	4397	1286	£378.18
5LSS1800	500	1800	52	1890 - 50	33-44	70-81	5.2	36.3	H	54	4946	1447	£426.16
5LSS2000	500	2000	52	2090 - 50	33-44	70-81	5.7	40.0	H	60	5496	1608	£469.75
6LSS400	600	400	52	490 - 50	33-44	70-81	1.2	11.3	H	12	1272	372	£140.62
6LSS500	600	500	52	590 - 50	33-44	70-81	1.5	13.6	H	15	1591	466	£146.12
6LSS600	600	600	52	690 - 50	33-44	70-81	1.8	15.8	H	18	1909	559	£183.24
6LSS700	600	700	52	790 - 50	33-44	70-81	2.1	18.1	H	21	2227	652	£209.33
6LSS800	600	800	52	890 - 50	33-44	70-81	2.4	20.3	H	24	2545	745	£235.09
6LSS900	600	900	52	990 - 50	33-44	70-81	2.7	22.6	H	27	2863	838	£261.26
6LSS1000	600	1000	52	1090 - 50	33-44	70-81	3.0	24.8	H	30	3181	931	£287.28
6LSS1100	600	1100	52	1190 - 50	33-44	70-81	3.3	27.1	H	33	3499	1024	£313.14
6LSS1200	600	1200	52	1290 - 50	33-44	70-81	3.6	29.3	H	36	3817	1117	£339.24
6LSS1400	600	1400	52	1490 - 50	33-44	70-81	4.2	33.8	H	42	4453	1303	£391.19
6LSS1600	600	1600	52	1690 - 50	33-44	70-81	4.8	38.3	H	48	5090	1490	£442.98
6LSS1800	600	1800	52	1890 - 50	33-44	70-81	5.4	43.1	H	54	5726	1676	£495.06
6LSS2000	600	2000	52	2090 - 50	33-44	70-81	6.0	47.6	H	60	6362	1862	£548.51
7LSS400	700	400	52	490 - 50	33-44	70-81	1.3	12.9	H	12	1434	420	£162.08
7LSS500	700	500	52	590 - 50	33-44	70-81	1.7	15.5	H	15	1792	525	£178.78
7LSS600	700	600	52	690 - 50	33-44	70-81	2.0	18.1	H	18	2150	629	£213.05
7LSS700	700	700	52	790 - 50	33-44	70-81	2.3	20.7	H	21	2509	734	£243.77
7LSS800	700	800	52	890 - 50	33-44	70-81	2.6	22.7	H	24	2867	839	£274.97
7LSS900	700	900	52	990 - 50	33-44	70-81	3.0	25.9	H	27	3226	944	£305.44
7LSS1000	700	1000	52	1090 - 50	33-44	70-81	3.3	28.5	H	30	3584	1049	£336.24
7LSS1100	700	1100	52	1190 - 50	33-44	70-81	3.6	31.1	H	33	3942	1154	£367.20
7LSS1200	700	1200	52	1290 - 50	33-44	70-81	4.0	33.2	H	36	4301	1259	£397.99
7LSS1400	700	1400	52	1490 - 50	33-44	70-81	4.6	38.8	H	42	5018	1469	£459.83
9LSS400	900	400	52	490 - 50	33-44	70-81	1.6	16.2	H	12	1720	503	£247.66
9LSS500	900	500	52	590 - 50	33-44	70-81	2.0	19.5	H	15	2150	629	£276.71
9LSS600	900	600	52	690 - 50	33-44	70-81	2.3	22.7	H	18	2580	755	£311.87
9LSS700	900	700	52	790 - 50	33-44	70-81	2.7	26.0	H	21	3010	881	£359.26

See Page 84 For Colours & Finishes

RECOMMENDED ACCESSORIES
See Page 87 For More Valves & Accessories



Corner Thermostatic Valve & TRV Head UAW853CT



INTERAXIAL Swivel 50 Valve Pair Complete with 15 Tube Connectors & Domignon Sensor UDW927

45 - PREMIER RANGE

 MATERIAL
  FINISH
  WORKING PRESSURE
  WORKING TEMP.
  CLOSED SYSTEM
  MOUNTING POS.
  WARRANTY

LANNER SINGLE PLUS LHS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
4LHS400	400	400	71	490 - 50	56-67	93-104	1.7	10.8	H	12	1370	401	£133.10
4LHS500	400	500	71	590 - 50	56-67	93-104	2.1	13.0	H	15	1714	502	£153.71
4LHS600	400	600	71	690 - 50	56-67	93-104	2.6	15.2	H	18	2056	602	£178.81
4LHS700	400	700	71	790 - 50	56-67	93-104	3.0	17.4	H	21	2399	702	£204.13
4LHS800	400	800	71	890 - 50	56-67	93-104	3.4	19.7	H	24	2742	802	£230.68
4LHS900	400	900	71	990 - 50	56-67	93-104	3.8	21.9	H	27	3084	903	£255.17
4LHS1000	400	1000	71	1090 - 50	56-67	93-104	4.3	24.1	H	30	3427	1003	£280.25
4LHS1100	400	1100	71	1190 - 50	56-67	93-104	4.7	26.3	H	33	3770	1103	£305.73
4LHS1200	400	1200	71	1290 - 50	56-67	93-104	5.1	28.6	H	36	4112	1204	£331.06
4LHS1400	400	1400	71	1490 - 50	56-67	93-104	6.0	33.0	H	42	4798	1404	£381.54
4LHS1600	400	1600	71	1690 - 50	56-67	93-104	6.8	37.5	H	48	5483	1605	£432.19
4LHS1800	400	1800	71	1890 - 50	56-67	93-104	7.7	42.1	H	54	6169	1805	£482.77
4LHS2000	400	2000	71	2090 - 50	56-67	93-104	8.5	46.5	H	60	6854	2006	£533.57
5LHS400	500	400	71	490 - 50	56-67	93-104	2.0	13.0	H	12	1649	483	£158.04
5LHS500	500	500	71	590 - 50	56-67	93-104	2.5	15.7	H	15	2061	604	£181.48
5LHS600	500	600	71	690 - 50	56-67	93-104	3.0	18.5	H	18	2473	724	£212.55
5LHS700	500	700	71	790 - 50	56-67	93-104	3.5	21.2	H	21	2885	845	£243.62
5LHS800	500	800	71	890 - 50	56-67	93-104	4.0	23.9	H	24	3298	966	£274.76
5LHS900	500	900	71	990 - 50	56-67	93-104	4.5	26.6	H	27	3710	1086	£305.84
5LHS1000	500	1000	71	1090 - 50	56-67	93-104	5.0	29.3	H	30	4122	1207	£336.50
5LHS1100	500	1100	71	1190 - 50	56-67	93-104	5.5	32.0	H	33	4534	1328	£367.84
5LHS1200	500	1200	71	1290 - 50	56-67	93-104	6.0	34.8	H	36	4946	1448	£398.84
5LHS1400	500	1400	71	1490 - 50	56-67	93-104	7.0	40.2	H	42	5771	1690	£460.91
5LHS1600	500	1600	71	1690 - 50	56-67	93-104	8.0	45.6	H	48	6595	1931	£522.60
5LHS1800	500	1800	71	1890 - 50	56-67	93-104	9.0	51.3	H	54	7420	2173	£600.02
5LHS2000	500	2000	71	2090 - 50	56-67	93-104	10.0	56.8	H	60	8244	2414	£666.67
6LHS400	600	400	71	490 - 50	56-67	93-104	2.3	15.5	H	12	1911	560	£179.49
6LHS500	600	500	71	590 - 50	56-67	93-104	2.9	18.8	H	15	2389	700	£209.80
6LHS600	600	600	71	690 - 50	56-67	93-104	3.5	22.1	H	18	2867	839	£246.61
6LHS700	600	700	71	790 - 50	56-67	93-104	4.1	25.3	H	21	3345	979	£283.34
6LHS800	600	800	71	890 - 50	56-67	93-104	4.6	28.6	H	24	3822	1119	£320.20
6LHS900	600	900	71	990 - 50	56-67	93-104	5.2	31.9	H	27	4300	1259	£356.77
6LHS1000	600	1000	71	1090 - 50	56-67	93-104	5.8	35.2	H	30	4778	1399	£393.49
6LHS1100	600	1100	71	1190 - 50	56-67	93-104	6.4	38.4	H	33	5256	1539	£429.99
6LHS1200	600	1200	71	1290 - 50	56-67	93-104	6.9	41.7	H	36	5734	1679	£466.58
6LHS1400	600	1400	71	1490 - 50	56-67	93-104	8.1	48.3	H	42	6689	1959	£540.31
6LHS1600	600	1600	71	1690 - 50	56-67	93-104	9.3	54.8	H	48	7645	2238	£613.63
6LHS1800	600	1800	71	1890 - 50	56-67	93-104	10.4	61.7	H	54	8600	2518	£700.81
6LHS2000	600	2000	71	2090 - 50	56-67	93-104	11.6	68.2	H	60	9556	2798	£772.58
7LHS400	700	400	71	490 - 50	56-67	93-104	2.6	16.4	H	12	2229	653	£210.69
7LHS500	700	500	71	590 - 50	56-67	93-104	3.2	21.6	H	15	2787	816	£250.67
7LHS600	700	600	71	690 - 50	56-67	93-104	3.9	24.0	H	18	3344	979	£295.80
7LHS700	700	700	71	790 - 50	56-67	93-104	4.5	27.8	H	21	3901	1142	£340.58
7LHS800	700	800	71	890 - 50	56-67	93-104	5.1	31.6	H	24	4459	1306	£385.62
7LHS900	700	900	71	990 - 50	56-67	93-104	5.8	35.4	H	27	5016	1469	£430.20
7LHS1000	700	1000	71	1090 - 50	56-67	93-104	6.4	39.1	H	30	5573	1632	£475.62
7LHS1200	700	1200	71	1190 - 50	56-67	93-104	7.7	46.7	H	36	6688	1958	£564.09



46 - PREMIER RANGE

 MATERIAL
  FINISH
  WORKING PRESSURE
  WORKING TEMP.
  CLOSED SYSTEM
  MOUNTING POS.
  WARRANTY

LANNER DOUBLE LDS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES	WALL TO PIPE CENTRE	WALL TO FACE	WATER CONTENT	GROSS WEIGHT	FUEL OPTIONS	PIPES OR SECTIONS	HEAT OUTPUT AT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								mm	mm	
3LDS500	300	500	104	590 - 50	72-83	126-137	1.8	11.5	H	15	1725	505	£139.29
3LDS800	300	800	104	890 - 50	72-83	126-137	2.8	17.2	H	24	2760	808	£198.99
3LDS1000	300	1000	104	1090 - 50	72-83	126-137	3.5	21.0	H	30	3450	1010	£241.23
3LDS1200	300	1200	104	1290 - 50	72-83	126-137	4.2	24.8	H	36	4140	1212	£283.64
3LDS1400	300	1400	104	1490 - 50	72-83	126-137	4.9	28.6	H	42	4830	1414	£326.45
3LDS1800	300	1800	104	2090 - 50	72-83	126-137	7.0	36.0	H	54	6210	1818	£409.90
3LDS2000	300	2000	104	2090 - 50	72-83	126-137	7.0	40.0	H	60	6900	2020	£453.72
4LDS400	400	400	104	490 - 50	72-83	126-137	1.7	12.3	H	12	1767	517	£149.58
4LDS500	400	500	104	590 - 50	72-83	126-137	2.1	14.8	H	15	2209	647	£164.57
4LDS600	400	600	104	690 - 50	72-83	126-137	2.6	17.3	H	18	2650	776	£191.95
4LDS700	400	700	104	790 - 50	72-83	126-137	3.0	19.8	H	21	3092	905	£219.24
4LDS800	400	800	104	890 - 50	72-83	126-137	3.4	22.3	H	24	3534	1034	£246.69
4LDS900	400	900	104	990 - 50	72-83	126-137	3.8	24.8	H	27	3975	1164	£274.31
4LDS1000	400	1000	104	1090 - 50	72-83	126-137	4.3	27.3	H	30	4417	1293	£301.68
4LDS1100	400	1100	104	1190 - 50	72-83	126-137	4.7	28.8	H	33	4859	1422	£328.74
4LDS1200	400	1200	104	1290 - 50	72-83	126-137	5.1	32.2	H	36	5300	1552	£356.43
4LDS1400	400	1400	104	1490 - 50	72-83	126-137	6.0	37.2	H	42	6184	1810	£418.29
4LDS1600	400	1600	104	1690 - 50	72-83	126-137	6.8	42.2	H	48	7067	2069	£466.33
4LDS1800	400	1800	104	1890 - 50	72-83	126-137	7.7	47.4	H	54	7951	2327	£517.01
4LDS2000	400	2000	104	2090 - 50	72-83	126-137	8.5	52.4	H	60	8834	2586	£572.80
5LDS400	500	400	104	490 - 50	72-83	126-137	2.0	14.8	H	12	2124	622	£169.46
5LDS500	500	500	104	590 - 50	72-83	126-137	2.5	17.8	H	15	2655	777	£197.86
5LDS600	500	600	104	690 - 50	72-83	126-137	3.0	20.9	H	18	3185	932	£231.95
5LDS700	500	700	104	790 - 50	72-83	126-137	3.5	24.0	H	21	3716	1088	£265.79
5LDS800	500	800	104	890 - 50	72-83	126-137	4.0	27.0	H	24	4247	1243	£300.10
5LDS900	500	900	104	990 - 50	72-83	126-137	4.5	30.1	H	27	4778	1399	£334.19
5LDS1000	500	1000	104	1090 - 50	72-83	126-137	5.0	33.2	H	30	5309	1554	£368.03
5LDS1100	500	1100	104	1190 - 50	72-83	126-137	5.5	35.8	H	33	5840	1709	£402.42
5LDS1200	500	1200	104	1290 - 50	72-83	126-137	6.0	39.3	H	36	6371	1865	£436.66
5LDS1400	500	1400	104	1490 - 50	72-83	126-137	7.0	45.4	H	42	7433	2176	£504.51
5LDS1600	500	1600	104	1690 - 50	72-83	126-137	8.0	51.5	H	48	8494	2486	£572.51
5LDS1800	500	1800	104	1890 - 50	72-83	126-137	9.1	57.9	H	54	9556	2797	£628.59
5LDS2000	500	2000	104	2090 - 50	72-83	126-137	10.1	64.0	H	60	10618	3108	£697.98
6LDS400	600	400	104	490 - 50	72-83	126-137	2.3	17.7	H	12	2452	718	£198.65
6LDS500	600	500	104	590 - 50	72-83	126-137	2.9	21.3	H	15	3065	897	£232.45
6LDS600	600	600	104	690 - 50	72-83	126-137	3.5	25.0	H	18	3677	1076	£273.64
6LDS700	600	700	104	790 - 50	72-83	126-137	4.1	28.7	H	21	4290	1256	£314.64
6LDS800	600	800	104	890 - 50	72-83	126-137	4.6	32.4	H	24	4903	1435	£355.57
6LDS900	600	900	104	990 - 50	72-83	126-137	5.2	36.1	H	27	5516	1615	£396.32
6LDS1000	600	1000	104	1090 - 50	72-83	126-137	5.8	39.8	H	30	6129	1794	£437.46
6LDS1100	600	1100	104	1190 - 50	72-83	126-137	6.4	43.5	H	33	6742	1973	£478.24
6LDS1200	600	1200	104	1290 - 50	72-83	126-137	7.0	47.2	H	36	7355	2153	£519.19
6LDS1400	600	1400	104	1490 - 50	72-83	126-137	8.1	54.6	H	42	8581	2512	£601.63
6LDS1600	600	1600	104	1690 - 50	72-83	126-137	9.3	62.0	H	48	9806	2870	£683.60
6LDS1800	600	1800	104	1890 - 50	72-83	126-137	10.4	69.7	H	54	11032	3229	£757.84
6LDS2000	600	2000	104	2090 - 50	72-83	126-137	11.6	77.1	H	60	12258	3588	£832.66

47 - PREMIER RANGE

MS MATERIAL
 9016 FINISH
 6.9 WORKING PRESSURE
 95 °C WORKING TEMP.
 C CLOSED SYSTEM
 V MOUNTING POS.
 5 YEARS WARRANTY

LANNER DOUBLE LDS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	HEAT OUTPUT AT ΔT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm							BTU	Watts	
7LDS400	700	400	104	490 - 50	72-83	126-137	2.6	20.3	H	12	2755 806	£225.22
7LDS500	700	500	104	590 - 50	72-83	126-137	3.2	24.6	H	15	3444 1008	£271.35
7LDS600	700	600	104	690 - 50	72-83	126-137	3.9	28.9	H	18	4132 1210	£320.48
7LDS700	700	700	104	790 - 50	72-83	126-137	4.5	33.2	H	21	4821 1411	£368.71
7LDS800	700	800	104	890 - 50	72-83	126-137	5.1	37.5	H	24	5510 1613	£417.60
7LDS900	700	900	104	990 - 50	72-83	126-137	5.8	41.8	H	27	6198 1814	£466.08
7LDS1000	700	1000	104	1090 - 50	72-83	126-137	6.4	46.1	H	30	6887 2016	£514.64
7LDS1100	700	1100	104	1190 - 50	72-83	126-137	7.1	48.7	H	33	7576 2218	£563.76
7LDS1200	700	1200	104	1290 - 50	72-83	126-137	7.7	54.6	H	36	8264 2419	£612.25
7LDS1400	700	1400	104	1490 - 50	72-83	126-137	9.0	63.2	H	42	9642 2822	£709.77
9LDS400	900	400	104	490 - 50	72-83	126-137	3.1	25.7	H	12	3289 963	£344.48
9LDS500	900	500	104	590 - 50	72-83	126-137	3.9	31.2	H	15	4111 1203	£403.80
9LDS600	900	600	104	690 - 50	72-83	126-137	4.6	36.7	H	18	4933 1444	£446.91
9LDS700	900	700	104	790 - 50	72-83	126-137	5.4	42.1	H	21	5755 1685	£515.89

MS MATERIAL
 9016 FINISH
 6.9 WORKING PRESSURE
 95 °C WORKING TEMP.
 C CLOSED SYSTEM
 V MOUNTING POS.
 5 YEARS WARRANTY

LANNER TRIPLE LTS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	HEAT OUTPUT AT ΔT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm							BTU	Watts	
2LTS600	200	600	164	690 - 50	72-83	186-197	2.1	12.9	H	18	1738 509	£286.92
2LTS800	200	800	164	890 - 50	72-83	186-197	2.8	17.1	H	24	2322 680	£316.46
2LTS1000	200	1000	164	1090 - 50	72-83	186-197	3.5	21.4	H	30	2903 850	£386.78
2LTS1400	200	1400	164	1490 - 50	72-83	186-197	4.9	30.0	H	42	4064 1190	£533.05
2LTS2000	200	2000	164	2090 - 50	72-83	186-197	7.0	42.9	H	60	5802 1699	£751.03
2LTS2400	200	2400	164	2490 - 50	72-83	186-197	8.4	51.4	H	72	6963 2039	£946.53
3LTS500	300	500	164	590 - 50	72-83	186-197	2.6	15.2	H	15	2104 616	£215.19
3LTS600	300	600	164	690 - 50	72-83	186-197	3.1	17.8	H	18	2534 742	£247.54
3LTS800	300	800	164	890 - 50	72-83	186-197	4.2	23.1	H	24	3374 988	£310.82
3LTS1000	300	1000	164	1090 - 50	72-83	186-197	5.2	28.4	H	30	4221 1236	£379.74
3LTS1200	300	1200	164	1290 - 50	72-83	186-197	6.2	33.7	H	36	5064 1483	£448.66
3LTS1400	300	1400	164	1490 - 50	72-83	186-197	7.3	39.1	H	42	5908 1730	£517.56
3LTS1600	300	1600	164	1690 - 50	72-83	186-197	8.3	44.4	H	48	6758 1979	£586.48
3LTS1800	300	1800	164	1890 - 50	72-83	186-197	9.4	49.7	H	54	7595 2224	£656.80
3LTS2000	300	2000	164	2090 - 50	72-83	186-197	10.4	55.0	H	60	8442 2472	£725.71
4LTS500	400	500	164	590 - 50	72-83	186-197	3.2	19.6	H	15	2697 790	£288.32
4LTS600	400	600	164	690 - 50	72-83	186-197	3.8	23.1	H	18	3248 951	£338.96
4LTS800	400	800	164	890 - 50	72-83	186-197	5.1	30.1	H	24	4327 1267	£440.22
4LTS1000	400	1000	164	1090 - 50	72-83	186-197	6.4	37.1	H	30	5409 1584	£541.48
4LTS1200	400	1200	164	1290 - 50	72-83	186-197	7.7	44.1	H	36	6495 1902	£644.14
4LTS1400	400	1400	164	1490 - 50	72-83	186-197	8.9	51.1	H	42	7574 2218	£745.41
4LTS1600	400	1600	164	1690 - 50	72-83	186-197	10.2	58.1	H	48	8657 2535	£846.67
4LTS1800	400	1800	164	1890 - 50	72-83	186-197	11.5	65.1	H	54	9740 2852	£947.94
4LTS2000	400	2000	164	2090 - 50	72-83	186-197	12.8	72.1	H	60	10822 3169	£1049.19





White
Model shown 6LDS1200

MS MATERIAL
 RAL 9016 FINISH
 6.9 WORKING PRESSURE
 95 °C WORKING TEMP.
 C CLOSED SYSTEM
 V MOUNTING POS.
 5 YEARS WARRANTY

LANNER TRIPLE LTS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lit	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS		HEAT OUTPUT AT 50		RETAIL PRICE £ White RAL 9016
	Height mm	Length mm	Depth mm							BTU	Watts			
5LTS400	500	400	164	490 - 50	72-83	186-197	3.0	19.5	H	12	3254	953	£300.97	
5LTS500	500	500	164	590 - 50	72-83	186-197	3.8	23.8	H	15	3887	1138	£350.21	
5LTS600	500	600	164	690 - 50	72-83	186-197	4.6	28.1	H	18	3900	1142	£412.09	
5LTS800	500	800	164	890 - 50	72-83	186-197	6.1	36.7	H	24	5201	1523	£538.67	
5LTS1000	500	1000	164	1090 - 50	72-83	186-197	7.6	45.3	H	30	6502	1904	£665.25	
5LTS1200	500	1200	164	1290 - 50	72-83	186-197	9.1	53.9	H	36	7803	2285	£791.83	
5LTS1400	500	1400	164	1490 - 50	72-83	186-197	10.6	62.5	H	42	9104	2666	£916.99	
5LTS1600	500	1600	164	1690 - 50	72-83	186-197	12.1	71.1	H	48	10402	3046	£1,043.57	
5LTS1800	500	1800	164	1890 - 50	72-83	186-197	13.7	79.7	H	54	11707	3428	£1,168.75	
5LTS2000	500	2000	164	2090 - 50	72-83	186-197	15.2	88.3	H	60	13008	3809	£1,295.32	
6LTS400	600	400	164	490 - 50	72-83	186-197	3.5	23.3	H	12	3002	879	£345.98	
6LTS500	600	500	164	590 - 50	72-83	186-197	4.4	28.4	H	15	3739	1095	£413.50	
6LTS600	600	600	164	690 - 50	72-83	186-197	5.3	33.6	H	18	4501	1318	£489.44	
6LTS800	600	800	164	890 - 50	72-83	186-197	7.0	44.0	H	24	6004	1758	£641.33	
6LTS900	600	900	164	990 - 50	72-83	186-197	7.9	49.2	H	27	6732	1971	£717.28	
6LTS1000	600	1000	164	1090 - 50	72-83	186-197	8.8	54.4	H	30	7506	2198	£793.22	
6LTS1200	600	1200	164	1290 - 50	72-83	186-197	10.5	64.7	H	36	9005	2637	£940.41	
6LTS1400	600	1400	164	1490 - 50	72-83	186-197	12.3	75.1	H	42	10508	3077	£1,097.02	
6LTS1600	600	1600	164	1690 - 50	72-83	186-197	14.0	85.5	H	48	12007	3516	£1,248.91	
6LTS1800	600	1800	164	1890 - 50	72-83	186-197	15.8	95.9	H	54	13510	3956	£1,400.80	
6LTS2000	600	2000	164	2090 - 50	72-83	186-197	17.6	106.2	H	60	15009	4395	£1,552.70	
7LTS400	700	400	164	490 - 50	72-83	186-197	3.9	26.8	H	12	3357	983	£402.37	
7LTS500	700	500	164	590 - 50	72-83	186-197	4.8	32.9	H	15	4196	1229	£485.70	
7LTS600	700	600	164	690 - 50	72-83	186-197	5.8	38.9	H	18	5033	1474	£574.81	
7LTS800	700	800	164	890 - 50	72-83	186-197	7.8	51.0	H	24	6711	1965	£755.87	
7LTS1000	700	1000	164	1090 - 50	72-83	186-197	9.7	63.0	H	30	8390	2457	£935.50	
9LTS400	900	400	164	490 - 50	72-83	186-197	4.6	33.9	H	12	3991	1169	£521.00	
9LTS500	900	500	164	590 - 50	72-83	186-197	5.8	41.6	H	15	4989	1461	£634.00	
9LTS600	900	600	164	690 - 50	72-83	186-197	6.9	49.3	H	18	5988	1753	£752.88	
9LTS800	900	800	164	890 - 50	72-83	186-197	9.2	64.7	H	24	7982	2337	£993.56	
9LTS1000	900	1000	164	1090 - 50	72-83	186-197	11.5	80.1	H	30	9979	2922	£1,181.82	

See Page 84 For Colours & Finishes

RECOMMENDED ACCESSORIES
See Page 87 For More Valves & Accessories



Cylindrical-30 Straight Manual Rad. Valve + L/S set
CYH851C



Straight Thermostatic Valve & TRV Head/LS Twin Pack
UAW851NL