

# Planal Vertical

## PANEL RADIATORS

Modern and impressive. The ultimate modern statement for your room, Planal Vertical radiators provide a discrete, sophisticated new look, while efficiently heating your room.

White  
Model shown 16VPH500



PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
12VPS200	1200	200	52	150 - 50	33-55	70-92	1.2	9.3	H	36	778	228	£241.00
14VPS200	1400	200	52	150 - 50	33-55	70-92	1.4	10.7	H	42	898	263	£265.69
16VPS200	1600	200	52	150 - 50	33-55	70-92	1.6	12.1	H	48	1020	299	£307.78
18VPS200	1800	200	52	150 - 50	33-55	70-92	1.8	13.5	H	54	1150	337	£323.75
20VPS200	2000	200	52	150 - 50	33-55	70-92	2.0	15.0	H	60	1277	374	£354.24



MATERIAL

FINISH

WORKING PRESSURE

WORKING TEMP.

CLOSED SYSTEM

MOUNTING POS.

WARRANTY

### PLANAL SINGLE VPS

61 - PREMIER RANGE

MS MATERIAL    9016 FINISH    6 Working Pressure    95 °C Working Temp.    C Closed System    V Mounting Pos.    5 YEARS WARRANTY

PLANAL SINGLE VPS

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
12VPS300	1200	300	52	250 - 50	33-55	70-92	3.1	15.6	H	36	1359	398	£251.73
14VPS300	1400	300	52	250 - 50	33-55	70-92	3.6	17.2	H	42	1567	459	£280.78
16VPS300	1600	300	52	250 - 50	33-55	70-92	4.2	19.5	H	48	1696	497	£313.98
18VPS300	1800	300	52	250 - 50	33-55	70-92	4.7	21.9	H	54	1822	533	£333.35
20VPS300	2000	300	52	250 - 50	33-55	70-92	5.2	24.3	H	60	1965	575	£363.77
12VPS400	1200	400	52	350 - 50	33-55	70-92	3.3	19.2	H	36	1662	487	£340.25
14VPS400	1400	400	52	350 - 50	33-55	70-92	3.8	22.3	H	42	1929	565	£373.45
16VPS400	1600	400	52	350 - 50	33-55	70-92	4.4	25.3	H	48	2103	616	£413.56
18VPS400	1800	400	52	350 - 50	33-55	70-92	4.9	28.4	H	54	2287	670	£439.84
20VPS400	2000	400	52	350 - 50	33-55	70-92	5.5	31.5	H	60	2455	719	£478.56
12VPS500	1200	500	52	450 - 50	33-55	70-92	3.4	23.2	H	36	1972	578	£369.30
14VPS500	1400	500	52	450 - 50	33-55	70-92	4.0	27.1	H	42	2288	670	£405.26
16VPS500	1600	500	52	450 - 50	33-55	70-92	4.6	30.8	H	48	2521	738	£445.28
18VPS500	1800	500	52	450 - 50	33-55	70-92	5.2	34.2	H	54	2754	806	£484.09
20VPS500	2000	500	52	450 - 50	33-55	70-92	5.7	38.0	H	60	2951	864	£518.55
12VPS600	1200	600	52	550 - 50	33-55	70-92	3.6	28.0	H	36	2284	669	£410.79
14VPS600	1400	600	52	550 - 50	33-55	70-92	4.2	32.6	H	42	2646	775	£453.67
16VPS600	1600	600	52	550 - 50	33-55	70-92	4.8	37.1	H	48	2937	860	£495.16
18VPS600	1800	600	52	550 - 50	33-55	70-92	5.4	41.7	H	54	3220	943	£542.19
20VPS600	2000	600	52	550 - 50	33-55	70-92	6.0	46.3	H	60	3446	1009	£578.15
12VPS700	1200	700	52	650 - 50	33-55	70-92	4.0	32.4	H	36	2592	759	£451.46
14VPS700	1400	700	52	650 - 50	33-55	70-92	4.6	37.8	H	42	3005	880	£496.19
16VPS700	1600	700	52	650 - 50	33-55	70-92	5.3	43.0	H	48	3347	980	£552.10
18VPS700	1800	700	52	650 - 50	33-55	70-92	5.9	48.3	H	54	3681	1078	£603.81
20VPS700	2000	700	52	650 - 50	33-55	70-92	6.6	53.6	H	60	3941	1154	£656.91
12VPS900	1200	900	52	850 - 50	33-55	70-92	4.7	41.0	H	36	3333	976	£568.87
14VPS900	1400	900	52	850 - 50	33-55	70-92	5.5	47.7	H	42	3862	1131	£634.55
16VPS900	1600	900	52	850 - 50	33-55	70-92	6.2	54.3	H	48	4303	1260	£701.64
18VPS900	1800	900	52	850 - 50	33-55	70-92	7.0	61.1	H	54	4733	1386	£767.34
20VPS900	2000	900	52	850 - 50	33-55	70-92	7.8	67.8	H	60	5068	1484	£833.02

MS MATERIAL    9016 FINISH    6 Working Pressure    95 °C Working Temp.    C Closed System    V Mounting Pos.    5 YEARS WARRANTY

PLANAL SINGLE PLUS VPH

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lt	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
12VPH200	1200	200	71	150 - 50	56-78	93-115	2.8	14.5	H	36	1748	512	£323.90
14VPH200	1400	200	71	150 - 50	56-78	93-115	3.3	16.9	H	42	2022	592	£360.99
16VPH200	1600	200	71	150 - 50	56-78	93-115	3.7	19.1	H	48	2315	678	£396.65
18VPH200	1800	200	71	150 - 50	56-78	93-115	4.2	21.5	H	54	2599	761	£419.49
20VPH200	2000	200	71	150 - 50	56-78	93-115	4.7	23.9	H	60	2889	846	£465.15



62 - PREMIER RANGE

 MATERIAL  
  FINISH  
  WORKING PRESSURE  
  WORKING TEMP.  
  CLOSED SYSTEM  
  MOUNTING POS.  
  WARRANTY

PLANAL SINGLE PLUS VPH

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lit	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT AT 50		RETAIL PRICE £ White RAL 9016
	Height mm	Length mm	Depth mm								BTU	Watts	
12VPH300	1200	300	71	250 - 50	56-78	93-115	4.2	21.1	H	36	2250	659	£329.19
14VPH300	1400	300	71	250 - 50	56-78	93-115	4.9	24.5	H	42	2609	764	£376.21
16VPH300	1600	300	71	250 - 50	56-78	93-115	5.6	27.9	H	48	2889	846	£423.24
18VPH300	1800	300	71	250 - 50	56-78	93-115	6.3	31.4	H	54	3149	922	£450.91
20VPH300	2000	300	71	250 - 50	56-78	93-115	7.0	34.8	H	60	3401	996	£517.29
12VPH400	1200	400	71	350 - 50	56-78	93-115	5.1	27.4	H	36	2899	849	£428.78
14VPH400	1400	400	71	350 - 50	56-78	93-115	6.0	32.0	H	42	3360	984	£477.18
16VPH400	1600	400	71	350 - 50	56-78	93-115	6.8	36.4	H	48	3716	1088	£528.35
18VPH400	1800	400	71	350 - 50	56-78	93-115	7.7	41.0	H	54	4054	1187	£587.84
20VPH400	2000	400	71	350 - 50	56-78	93-115	8.5	45.5	H	60	4381	1283	£627.94
12VPH500	1200	500	71	450 - 50	56-78	93-115	6.0	33.0	H	36	3528	1033	£477.64
14VPH500	1400	500	71	450 - 50	56-78	93-115	7.0	38.5	H	42	4091	1198	£536.48
16VPH500	1600	500	71	450 - 50	56-78	93-115	8.0	44.0	H	48	4518	1323	£588.48
18VPH500	1800	500	71	450 - 50	56-78	93-115	9.1	49.0	H	54	4935	1445	£645.96
20VPH500	2000	500	71	450 - 50	56-78	93-115	10.1	54.6	H	60	5331	1561	£710.30
12VPH600	1200	600	71	550 - 50	56-78	93-115	7.0	40.2	H	36	4142	1213	£528.27
14VPH600	1400	600	71	550 - 50	56-78	93-115	8.1	46.9	H	42	4801	1406	£602.17
16VPH600	1600	600	71	550 - 50	56-78	93-115	9.3	53.5	H	48	5307	1554	£673.34
18VPH600	1800	600	71	550 - 50	56-78	93-115	10.4	60.2	H	54	5795	1697	£723.99
20VPH600	2000	600	71	550 - 50	56-78	93-115	11.6	66.9	H	60	6261	1833	£789.68
12VPH700	1200	700	71	650 - 50	56-78	93-115	7.7	47.7	H	36	4518	1323	£615.74
14VPH700	1400	700	71	650 - 50	56-78	93-115	9.0	54.3	H	42	5498	1610	£718.84
16VPH700	1600	700	71	650 - 50	56-78	93-115	10.3	61.9	H	48	6075	1779	£813.46
18VPH700	1800	700	71	650 - 50	56-78	93-115	11.6	69.7	H	54	6632	1942	£909.49
20VPH700	2000	700	71	650 - 50	56-78	93-115	12.9	77.5	H	60	7168	2099	£989.99
12VPH900	1200	900	71	850 - 50	56-78	93-115	9.2	59.2	H	36	5809	1701	£769.05
14VPH900	1400	900	71	850 - 50	56-78	93-115	10.8	69.2	H	42	7069	2070	£863.23
16VPH900	1600	900	71	850 - 50	56-78	93-115	12.3	78.9	H	48	7810	2287	£963.10
18VPH900	1800	900	71	850 - 50	56-78	93-115	13.9	88.8	H	54	8527	2497	£1,061.54
20VPH900	2000	900	71	850 - 50	56-78	93-115	15.4	98.8	H	60	9217	2699	£1,161.43

 MATERIAL  
  FINISH  
  WORKING PRESSURE  
  WORKING TEMP.  
  CLOSED SYSTEM  
  MOUNTING POS.  
  WARRANTY

PLANAL DOUBLE VPD

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lit	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT AT 50		RETAIL PRICE £ White RAL 9016
	Height mm	Length mm	Depth mm								BTU	Watts	
16VPD300	1600	300	104	250 - 50	72-94	126-148	5.6	31.0	H	48	3811	1116	£490.07
18VPD300	1800	300	104	250 - 50	72-94	126-148	6.3	34.9	H	54	3985	1167	£528.07
20VPD300	2000	300	104	250 - 50	72-94	126-148	7.0	38.6	H	60	4299	1259	£588.34
14VPD400	1400	400	104	350 - 50	72-94	126-148	6.0	35.9	H	42	4552	1333	£562.14
16VPD400	1600	400	104	350 - 50	72-94	126-148	6.8	40.8	H	48	4856	1422	£615.86
18VPD400	1800	400	104	350 - 50	72-94	126-148	7.7	45.9	H	54	5160	1511	£623.73
20VPD400	2000	400	104	350 - 50	72-94	126-148	8.5	51.0	H	60	5560	1628	£715.44

63 - PREMIER RANGE

White  
Model shown 12VPH200

MS MATERIAL    RAL 9016 FINISH    6 BAR WORKING PRESSURE    95 °C WORKING TEMP.    C CLOSED SYSTEM    V MOUNTING POS.    5 YEARS WARRANTY

PLANAL DOUBLE VPD

PRODUCT NAME	DIMENSIONS			PIPE CENTRES mm	WALL TO PIPE CENTRE mm	WALL TO FACE mm	WATER CONTENT lit	GROSS WEIGHT kg	FUEL OPTIONS E/H/D	PIPES OR SECTIONS	HEAT OUTPUT AT 50		RETAIL PRICE £
	Height mm	Length mm	Depth mm								BTU	Watts	
12VPD500	1200	500	104	450 - 50	72-94	126-148	6.0	37.2	H	36	4713	1380	£572.63
14VPD500	1400	500	104	450 - 50	72-94	126-148	7.0	43.4	H	42	5467	1601	£639.44
16VPD500	1600	500	104	450 - 50	72-94	126-148	8.0	49.5	H	48	5901	1728	£704.96
18VPD500	1800	500	104	450 - 50	72-94	126-148	9.1	55.3	H	54	6335	1855	£774.42
20VPD500	2000	500	104	450 - 50	72-94	126-148	10.1	61.5	H	60	6827	1999	£842.55
12VPD600	1200	600	104	550 - 50	72-94	126-148	7.0	45.3	H	36	5505	1612	£640.76
14VPD600	1400	600	104	550 - 50	72-94	126-148	8.1	52.9	H	42	6383	1869	£730.02
16VPD600	1600	600	104	550 - 50	72-94	126-148	9.3	60.3	H	48	6946	2034	£805.53
18VPD600	1800	600	104	550 - 50	72-94	126-148	10.4	67.8	H	54	7503	2197	£880.54
20VPD600	2000	600	104	550 - 50	72-94	126-148	11.6	75.3	H	60	8094	2370	£967.03
12VPD700	1200	700	104	650 - 50	72-94	126-148	7.7	52.5	H	36	6424	1881	£736.41
14VPD700	1400	700	104	650 - 50	72-94	126-148	9.0	61.3	H	42	7448	2181	£829.13
16VPD700	1600	700	104	650 - 50	72-94	126-148	10.3	69.9	H	48	8104	2373	£921.17
18VPD700	1800	700	104	650 - 50	72-94	126-148	11.6	78.6	H	54	8756	2564	£1,044.34
20VPD700	2000	700	104	650 - 50	72-94	126-148	12.9	87.4	H	60	9442	2765	£1,149.25
12VPD900	1200	900	104	850 - 50	72-94	126-148	9.2	67.0	H	36	8257	2418	£911.49
14VPD900	1400	900	104	850 - 50	72-94	126-148	10.8	78.3	H	42	9576	2804	£1,002.78
16VPD900	1600	900	104	850 - 50	72-94	126-148	12.3	89.2	H	48	10419	3051	£1,139.70
18VPD900	1800	900	104	850 - 50	72-94	126-148	13.9	100.4	H	54	11256	3296	£1,291.85
20VPD900	2000	900	104	850 - 50	72-94	126-148	15.4	111.6	H	60	12137	3554	£1,390.05

See Page 84 For Colours & Finishes

RECOMMENDED ACCESSORIES  
See Page 87 For More Valves & Accessories



Straight Thermostatic Valve & TRV Head/LS Twin Pack  
UAW851NL



Corner Thermostatic Valve & TRV Head  
UAW853CT