



ZENITH

This tactile towel rail may give you ideas above your station as it gently warms your towels to keep out the cold. Simply designed; superbly engineered.

T Model shown: ZEN105-S (brushed matt)

ZENITH



MATERIAL



WORKING PRESSURE




WORKING TEMP.



OPEN/CLOSED SYSTEM



MOUNT POSITION



WARRANTY

Product Name	Height (mm)	Length (mm)	Depth (mm)	Fuel Options (E/H/D)	Towel Gaps	Pipes or Sections	Heat Output (BTU/w) ΔT 50		E: Electric only Choice of Elements (Watts)		Finish S: Brushed Matt P: Polished
ZEN64	560	380	40	E/H/D	2	9	502	147	90	150	S,P
ZEN104	1000	380	40	E/H/D	4	15	837	245	150	300	S,P
ZEN124	1200	380	40	E/H/D	4	18	1004	294	300	400	S,P
ZEN154	1500	380	40	E/H/D	5	21	1171	343	300	400	S,P
ZEN65	560	480	40	E/H/D	2	9	611	179	150	300	S,P
ZEN105	1000	480	40	E/H/D	4	15	1018	298	300	400	S,P
ZEN125	1200	480	40	E/H/D	4	18	1223	358	300	400	S,P
ZEN155	1500	480	40	E/H/D	5	21	1424	417	400	600	S,P

We recommend the 3 Bar Safety Valve for all ELECTRIC ONLY (E) products. Dual Fuel is possible either by use of "T" piece and radiator valve or by use of ONE850 or ONE851 (4 way valve)

