



Plant's Power Inc
3-2700 St.Clair Ave west
Toronto, Ontario, M6N 1M2
Contact: 1-416-766-1254

MATERIAL SAFETY DATA SHEET D-Limonene Oil

Section 1: Product and Company Identification

Product Name: D-Limonene

Botanical Name: *D-Limonene*

INCI Name: D-Limonene (Citrus Terpenes) Oil

EINECS No.: 227-813-5

CAS No.: 5989-27-5

Contact information:

Plant's Power Inc 3-2700 St.Clair Ave west Toronto, Ontario M6N 1M2 Contact: 1-416-766-1254 http://www.PlantPower.ca contactus@plantpower.ca	24 HOUR EMERGENCY TELEPHONE NUMBER: (647)-427-4480
--	---

Section 2: Composition and Information on Ingredients

Composition

Name: D-Limonene

CAS No.: 5989-27-5

% by Weight: 100

Toxicological Data on Ingredients: D-Limonene: ORAL (LD50): Acute: 4400 mg/kg [Rat]. 5600 mg/kg [Mouse]. DERMAL(LD50): Acute: >5000 mg/kg [Rabbit].

Section 3: Hazards Identification

Potential Acute Health Effects: Hazardous in case of skin contact (irritant, sensitizer), of eye contact (irritant), of inhalation (lung irritant). Slightly hazardous in case of skin contact (permeator), of ingestion.

Potential Chronic Health Effects: Carcinogenic Effects: 3 (Not classifiable for human.) by Iarc. Mutagenic Effects: Not available.
Teratogenic Effects: Not available.
Developmental Toxicity: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5: Fire and Explosive

Flammability of the Product: Flammable.

Flash Points: CLOSED CUP: 45°C (113°F). OPEN CUP: 53°C (127.4°F).

Flammable Limits: LOWER: 0.7% UPPER: 6.1%

Products of Combustion: These products are carbon oxides (CO, CO₂).

Fire Hazards in Presence of Various Substances: Flammable in presence of open flames and sparks, of heat.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available.
Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media
and Instructions:

Flammable liquid, insoluble in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards: When heated to decomposition it emits acrid smoke and irritating fumes.

Section 6: Accidental Release Measures

Small Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal.

Large Spill: Flammable liquid, insoluble in water. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions: Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage: Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

Section 8: Exposure Controls/Personal Protection Engineering

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Gloves (impervious).

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: TWA: 30 from AIHA TWA: 165.5 (mg/m³) from AIHA Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance:	Liquid.
Odor:	Citrus
Taste:	Citrus
Molecular Weight:	136.23 g/mole
Color:	Clear. almost Colorless.
pH (1% soln/water):	Not applicable.
Boiling Point:	175°C (347°F) - 176 C
Melting Point:	-40°C (-40°F)
Critical Temperature:	Not available.
Vapor Pressure:	0.2 kPa (@ 20°C)
Vapor Density:	4.7 (Air = 1)
Dispersion Properties:	See solubility in water, diethyl ether.
Solubility:	Easily soluble in diethyl ether. Insoluble in cold water, hot water. Soluble in all proportions in alcohol.

Section 10: Stability and Reactivity

Stability:	The product is stable.
Instability Temperature:	Not available.
Conditions of Instability:	Heat, ignition sources (flame, sparks), prolonged exposure to air, incompatible materials
Incompatibility with various substances:	Reactive with oxidizing agents.
Corrosivity:	Not considered to be corrosive for metals and glass.
Special Remarks on Reactivity:	Air sensitive. Oxidizes to a film when exposed to air. Reacts with a combination of iodine tetrafluoride and tetrafluoroethylene. Limonene reacts with dry hydrogen chloride or hydrogen bromide to form monohalides
Special Remarks on Corrosivity:	Not available.
Polymerization:	Will not occur.

Section 11: Toxicological Information

Routes of Entry:	Absorbed through skin. Eye contact. Inhalation. Ingestion.
Toxicity to Animals:	Acute oral toxicity (LD50): 4400 mg/kg [Rat]. Acute dermal toxicity (LD50): >5000 mg/kg [Rabbit].
Chronic Effects on Humans:	CARCINOGENIC EFFECTS: 3 (Not classifiable for human.) by IARC.
Other Toxic Effects on Humans:	Hazardous in case of skin contact (irritant, sensitizer), of inhalation (lung irritant). Slightly hazardous in case of skin contact (permeator), of ingestion.

Special Remarks on Toxicity

to Animals: Not available.

Special Remarks on Chronic

Effects on Humans: May cause adverse reproductive effects and birth defects (teratogenic)

Special Remarks on other

Toxic Effects on Humans: Acute Potential Health Effects: Skin: Causes skin irritation. It can be absorbed through intact skin. However, it is generally regarded to have low toxicity by dermal route.

Eyes: Causes eye irritation. Inhalation: Aspiration of large doses may produce pulmonary edema and chemical pneumonitis. May cause dizziness and suffocation. No nasal or pharyngeal irritation has been reported.

Ingestion: It is generally regarded to have low toxicity by oral route. It may produce burning pain in the mouth and throat, abdominal pain, nausea, vomiting, and diarrhea. There may an odor of terpenes in the vomitus or breath. It may affect behavior/central nervous and peripheral nervous system. Central nervous system effects may include excitement, somnolence, delirium, ataxia, convulsions, and stupor while peripheral system effects may include spastic paralysis. It may affect respiration (respiratory depression, choking, coughing, dyspnea, cyanosis). Other symptoms may include cyanosis, fever, and tachycardia. Systemic absorption of large doses may produce pulmonary edema and chemical pneumonitis. The urine may smell like violets.

Chronic Potential Health Effects:

Ingestion: Prolonged or repeated ingestion may produce nausea, lowered blood sugar and cholesterol, and kidney damage (hematuria, albuminuria, tubular necrosis), and may also affect the liver.

Skin: It may be a weak sensitizer and responsible for some rare allergic responses (dermatitis)

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products

of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the

Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal Methods: Dispose of according to local, state and federal regulations.

Section 14: Transport Information

DOT Classification: CLASS 3: Flammable liquid.
Identification: Dipentene UNNA: 2052 PG: III
Special Provisions for Transport: Marine pollutant

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: DLimonene

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:
WHMIS (Canada): CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

DSCL (EEC): R10- Flammable. R38- Irritating to skin. R43- May cause sensitization by skin contact. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S24- Avoid contact with skin. S37- Wear suitable gloves. S60- This material and its container must be disposed of as hazardous waste. S61- Avoid release to the environment.
Refer to special instructions/Safety data sheets.

HMIS (U.S.A.): Health Hazard: 2
Fire Hazard: 2
Reactivity: 0
Personal Protection: h

National Fire Protection Association (U.S.A.):
Health: 2
Flammability: 2
Reactivity: 0
Specific hazard:

Protective Equipment: Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16: Other Information

Disclaimer:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Plant's Power be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Plant's Power has been advised of the possibility of such damages.
