



BH6G

Optional flame resistant foam gasket for Stinger® styles
*Optional see below

BH6FBG

Optional flame resistant foam brow gasket for Stinger® styles

LENS Clear Performance Fog Technology

FRAME Shiny Pearl Gray

DESCRIPTION

The rugged design of the Stinger® safety glasses features rigid TPR flared temple ends, soft nose pieces, and properly placed ventilation ports to reduce fogging. With a single 9 base curve lens, it is designed for maximum impact resistance and superior side coverage. The BH691PFT also features a PFT lens. Thanks to its chemical and physical properties, Performance Fog Technology is a permanent coating that prevents the formation of condensation on the lenses by absorbing the humidity drops.

BH6G - Optional flame-resistant foam gasket for all Stinger® styles.

BH6FBG - Optional flame resistant foam brow gasket for all Stinger® styles

FEATURES

- Meets ANSI Z87.1-2020 anti-fog properties standard

SPECIFICATIONS

LENS	LIGHT TRANSMITTANCE	FRAME TYPE	FRAME COLOR	WEIGHT	BASE CURVE	FRAME WIDTH	TEMPLE LENGTH	END OF TIPS WIDTH
Clear PFT	89%	Vented Half Frame	Shiny Pearl Gray	30 Grams	9	142 mm	120 mm	90 mm

PACKAGING

	EACH	INNER PACK	CASE
QUANTITY	1	12/box	12 boxes/case
UPC/GTIN	816368026282	10816368026289	20816368026286

TECHNOLOGY

All Bullhead Safety® Eyewear is made from 100% virgin materials.



EXCEEDS ANSI Z87.1 2020 STANDARDS



ANTI-SCRATCH HARD COAT TREATED LENS



FILTERS 99.9% UVA/UVB/UV C LIGHT RAYS



TAPERED LENS ELIMINATES DISTORTION



ERGONOMIC FIT RELIEVES PRESSURE



MEETS ANSI ANTI-FOG STANDARD



MEETS MILITARY SPECS FOR BALLISTICS



PERMANENT HYDROPHILIC COATING



ARC FLASH TEST PASSED TO 25 CAL/CM2



HYDOPHILIC COATING REDUCES FOG



PROVIDES SEAL AGAINST DEBRIS AND IMPACT

*Optional