

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : AQUAFINESSE SPACLEAN  
Product code : SWE-SC

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC35 Cleaning agent.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Special Water Europe BV  
Plesmanstraat 50  
3905 KZ VEENENDAAL, The Netherlands  
Telephone : +31 318 525 311  
Fax : +31 318 551 836  
E-mail : msds@aquafinesse.com  
Website : www.aquafinesse.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : +31 318 525 311 (During office hours only)  
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):  
National Poisons Information Service +44-844 892 0111 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

CLP classification : Corrosive to metals, hazard category 1. Skin corrosive, category 1B. Serious eye damage, category 1. Specific target organ toxicity after single exposure, category 3.  
Human health hazards : Causes severe skin burns and eye damage. May cause respiratory irritation.  
Physical/chemical hazards : Reacts vigorously in contact with acids. Strong heat development possible. May be corrosive to metals.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

**2.2. Label elements**

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P260 dust Do not breathe dust.  
P271 Use only outdoors or in a well-ventilated area.

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P234	Keep only in original container.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling

: Contains: Disodium metasilicate .

Other information

: According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

**2.3. Other hazards**

Other information

: Does not contain PBT or vPvB substances.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

Product description

: Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Aluminium potassium bis(sulphate) dodecahydrate	10 - < 20	7784-24-9	616-521-7	MAC	
Disodium metasilicate	20 - < 25	6834-92-0	229-912-9		01-2119449811-37
Sodium carbonate	25 - < 50	497-19-8	207-838-8		01-2119485498-19

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms
Aluminium potassium bis(sulphate) dodecahydrate	-----	-----	-----
Disodium metasilicate	Met. Corr. 1; Eye Dam. 1; Skin Corr. 1B; STOT SE 3	H290; H318; H314; H335	GHS05; GHS07
Sodium carbonate	Eye Irrit. 2	H319	GHS07

Reference is made to chapter 16 for full text of each relevant H phrase.

**SECTION 4 FIRST-AID MEASURES**

**4.1. Description of first aid measures**

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor.

- Skin contact : Immediately take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor in case burns or irritation occur.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Transport to a hospital immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Transport to a hospital immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Effects and symptoms

- Inhalation : Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.
- Skin contact : Corrosive. May cause redness, pain and severe burns (blisters).
- Eye contact : Corrosive. May cause redness and severe pain. Tears.
- Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known. Non flammable product.
- Hazardous thermal decomposition products : None known.

#### 5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Not applicable.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe dust.

#### 6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

#### 6.4. Reference to other sections

- Reference to other sections : See also section 8.

**SECTION 7 HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C).  
 Recommended packaging : Keep only in the original container.  
 Non recommended packaging : Steel and aluminium.

**7.3. Specific end use(s)**

Use : Use only as directed. Do not mix with other products.

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION** \*

**8.1. Control parameters**

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments
Aluminium potassium bis(sulphate) dodecahydrate	GB	2	-	-
Aluminium potassium bis(sulphate) dodecahydrate		1	-	MAC: DA, SE
Sodium carbonate		1	3	MAC RO

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Disodium metasilicate	Dermal Inhalation				1,49 mg/kg bw/day 6,22 mg/m <sup>3</sup>
Sodium carbonate	Inhalation			10 mg/m <sup>3</sup>	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Disodium metasilicate	Dermal Inhalation				0,74 mg/kg bw/day 1,55 mg/m <sup>3</sup>
Sodium carbonate	Oral Inhalation	10 mg/m <sup>3</sup>			0,74 mg/kg bw/day

Predicted no-effect concentration (PNEC):


Chemical name	Route of exposure	Fresh water	Marine water	
Disodium metasilicate	Water Intermittent water STP	7,5 mg/l	1 mg/l	7,5 mg/l 1000 mg/l

## 8.2. Exposure controls

- Engineering measures : Comply with standard precautionary measures for working with chemicals.  
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: PVC. Indication of permeation breakthrough time: 6 hours.  
Respiratory protection : Wear appropriate respiratory protection in case of large scale exposure. Suitable: dust mask type FFPI or higher, in accordance with EN 149.  
Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: PVC. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.  
Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES \*

### 9.1. Information on basic physical and chemical properties

Appearance	: Solid.	
Colour	: White.	
Odour	: Odourless.	
Odour threshold	: Not applicable.	
pH	: 12,5	10% solution.
Alkali reserve (g NaOH/100 ml)	: Not known.	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not known.	
Flash point	: Not relevant.	Solid.
Flammability (solid, gas)	: Not flammable.	
Auto ignition temperature	: Not known.	Does not contain substances with a known auto ignition temperature.
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: Not known.	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not applicable.	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not known.	
Viscosity (20°C)	: Not applicable.	Solid.
Viscosity (40°C)	: Not applicable.	Solid.
Vapour pressure (20°C)	: Very low.	Solid.
Vapour density (20°C)	: Not applicable.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1 g/ml	
Evaporation rate	: Very low.	Solid.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from acids.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Not known.

**SECTION 11 TOXICOLOGICAL INFORMATION** \*

**11.1. Information on toxicological effects**

No toxicological research has been carried out on this product.

**Inhalation**

- Acute toxicity : Calculated LC50: 7,207 mg/l. Ingredients of unknown toxicity: 26 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Respiratory system. Effect(s): May cause irritation to respiratory airways and coughing.
- Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours. May cause irritation to respiratory airways and coughing.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Corrosive. Causes severe burns.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Corrosive. Risk of serious damage to eyes.

**Ingestion**

- Acute toxicity : Calculated LD50: > 1737 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Disodium metasilicate	LD50 (oral)	662 mg/kg bw	----	Mouse
	Eye irritation - estimate	Corrosive.		Rabbit
	LD50 (oral) - estimate	> 2000 mg/kg bw	----	----
	LC50 (inhalation) - estimate	> 5000 mg/m3	----	----
	NOAEL (oral)	127 mg/kg bw/d	----	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	----	Rat
	Skin sensitisation	Not sensitizing	OECD 429	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Corrosive.	OECD 404	Rabbit

**SECTION 12 ECOLOGICAL INFORMATION** \*

**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 285 mg/l. Calculated EC50 (waterflea): 677 mg/l. Contains 13 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Persistence – degradability : No specific information known.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : No specific information known.

**12.4. Mobility in soil**

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

**12.5. Results of PBT and vPvB ass**

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

**12.6. Other adverse effects**

Other information : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.  
European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.  
Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION** \***14.1. UN number**

UN nr. : UN 3253

**14.2. UN proper shipping name**

Transport name : DISODIUM TRIOXOSILICATE MIXTURE  
Transport name (IMDG, IATA) : DISODIUM TRIOXOSILICATE MIXTURE

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

Class : 8  
Classification code : C6  
Packaging group : III  
Danger label : 8



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8  
Packaging group : III  
EmS (fire / spill) : F - A / S - B  
Marine pollutant : No

IATA (air)

Class : 8

**14.6. Special precautions for user**

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.



## 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

## SECTION 16 OTHER INFORMATION \*

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Full text of hazard classes mentioned in section 3:

Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Met. Corr. 1	: Corrosive to metals, hazard category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Number format : ", " used as decimal separator.

History

Date of first issue : 17-03-2010  
Date of second issue : 23-02-2011  
Date of third issue : 14-01-2014  
Date of fourth issue : 25-09-2014  
Date of fifth issue : 15-11-2015  
Date of sixth issue : 06-04-2016