


CLOCKWISE TOOLS INC. CATALOG



Clockwise Tools Inc.

28396 Constellation Rd, Valencia, CA 91355

661-888-1209

info@clockwisetools.com

www.clockwisetools.com

ABOUT US

Clockwise Tools, established in 2016 and domiciled in Los Angeles, California, is a trading company engaged in both import and export trade, with a focus on wholesale and retail of all types of measuring tools. The company maintains robust relationships with numerous high-quality production suppliers within China and Southeast Asia, such as "Youfound Precision Co.; Ltd." residing in Mainland China, and "Hoopex Co.; Ltd." based in Thailand. These are high-tech enterprises specializing in the development, design, production, sales, and service of precision measuring tools. They have accumulated more than 30 years of development history, acting as invaluable partners in our market expansion and service operations.


The company operates under the auspices of two brands - "Clockwise" and "VINCA". At present, our product range encompasses an extensive range of calipers, indicators, depth gauges, scale series, micrometer series, angle measurement series, woodworking and construction measuring tools, measuring tool accessories, and auxiliary measurement tools, etc.

Clockwise Tools is committed to providing high-quality products with a strong competitive advantage, providing comprehensive and friendly pre-sales and after-sales services for every need. Clockwise Tools has gradually taken an important position in the international measuring tool industry. Expanding more cost-effective products to serve our customers has always been our pursuit.



DIGITAL CALIPER

DCIA-0605



Category	Model	Size	Brand Name
Digital Caliper	DCIA-0605	0-6"/150mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, Metal Case, with Backlight			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DCLA-0405



Category	Model	Size	Brand Name
Digital Caliper	DCLA-0405	0-4"/100mm	VINCA
Features			
Auto Off, Inch/mm Conversion			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.001"/0.03mm	0.0005"/0.01mm	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
11.5	42.5	21	29


DIGITAL CALIPER

DCLA-0605



Category	Model	Size	Brand Name
Digital Caliper	DCLA-0605	0-6"/150mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included)			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DCLA-0805



Category	Model	Size	Brand Name
Digital Caliper	DCLA-0805	0-8"/200mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included)			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.5	49.5	34.5	31.5

DIGITAL CALIPER

DCLA-1205



Category	Model	Size	Brand Name
Digital Caliper	DCLA-1205	0-12"/300mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included)			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.0015"/0.04mm	0.0005"/0.01mm, 1/128"	20
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
15.2	46.3	30.4	36.2

DCLA-2405



Category	Model	Size	Brand Name
Digital Caliper	DCLA-2405	0-24"/600mm	VINCA
Features			
Auto Off, Inch/mm Conversion			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.0027"/0.07mm	0.0005"/0.01mm	6
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
15.2	90	46	21.5

DIGITAL CALIPER

DCLA-4005



Category	Model	Size	Brand Name
Digital Caliper	DCLA-4005	0-40"/1000mm	VINCA
Features			
Inch/mm Conversion, ABS/INC, Tolerance Setting			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.05mm	0.0005"/0.01mm	1
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
6.6	132	25.5	7.6


DCRA-0605



Category	Model	Size	Brand Name
Digital Caliper	DCRA-0605	0-6"/150mm	VINCA
Features			
Inch/mm Conversion, ABS/INC			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DIGITAL CALIPER

DIPA-0605



Category	Model	Size	Brand Name
Digital Caliper	DIPA-0605	0-6"/150mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, IP67 Grade, ABS/INC			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DIPA-0605B



Category	Model	Size	Brand Name
Digital Caliper	DIPA-0605B	0-6"/150mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, IP67 Grade, ABS/INC, Built-in Bluetooth Data Transfer			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DIGITAL CALIPER

DRGA-0605



Category	Model	Size	Brand Name
Brake Disc Rotor Gauge	DRGA-0605	0-6"/150mm	VINCA
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included)			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	20
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
14	61.5	34.5	23.5

DIGITAL MICROMETER

DMCA-0605



Category	Model	Size	Brand Name
Digital Micrometer	DMCA-0105	0-1"/0-25mm	VINCA
Features			
Auto Off, Inch/mm Conversion, HOLD/Freeze Measurement, Tolerance Setting,			
Battery	Accuracy	Resolution	MOQ
1.5V LR44	±0.002mm	0.00005"/0.001mm	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
20.1	42	40.5	22


SQUARE

ARLS-07



Category	Model	Size	Brand Name
Square	ARLS-07	7x7Inch	VINCA
Features			
Durable deep stampings, Yellow markings on black			
Material	Accuracy	MOQ	
Aluminum	±7" x 0.001	48	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13.5	43.2	27.9	22.9

ARLS-12



Category	Model	Size	Brand Name
Square	ARLS-12	12x12Inch	VINCA
Features			
Durable deep stampings, Yellow markings on black			
Material	Accuracy	MOQ	
Aluminum	±12" x 0.001	24	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
15.6	38.1	38.1	25.4

SQUARE

SCLS-1208



Category	Model	Size	Brand Name	
L Square	SCLS-1208	8" x 12"	VINCA	
Features				
Durable Punching Press Finished, Front and Back in Inch, Rust Prevention Treatment				
Material	Accuracy	Graduation	Thickness	MOQ
1cr13 hardened steel	±0.0573°	1/8"	0.09"	48
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
14.3	33	15.2	22.8	

SCLS-1208BK



Category	Model	Size	Brand Name	
L Square	SCLS-1208BK	8" x 12"	VINCA	
Features				
Front and Back screen printed design, Anti-Rust Coating				
Material	Accuracy	Graduation	Thickness	MOQ
Carbon Steel	±0.0573°	1/16"	0.1"	48
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
14.3	33	15.2	22.8	

SQUARE

SCLS-2416



Category	Model	Size	Brand Name
L Square	SCLS-2416	16" x 24"	VINCA
Features			
Durable Punching Press Finished, Front and Back in Inch, Rust Prevention Treatment			
Material	Accuracy	Graduation	Thickness
1cr13 hardened steel	±0.0573°	1/8"	0.09"
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
21.3	63.5	53.3	6

SCLS-2416BK



Category	Model	Size	Brand Name
L Square	SCLS-2416BK	16" x 24"	VINCA
Features			
Front and Back screen printed design, Anti-Rust Coating			
Material	Accuracy	Graduation	Thickness
Carbon Steel	±0.0573°	1/16"	0.1"
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
21.3	63.5	53.3	6

TAPE

TPMA-10



Category	Model	Size	Brand Name
Tape Measure	TPMA-10	10ft	VINCA
Features			
Inch and Fraction Readings, NylonCoated and Matte Finished Blade, 5 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button			
Blade Width	Blade Thickness	MOQ	
5/8"	0.14mm	100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
14.3	33	15.2	22.8

TPMA-16



Category	Model	Size	Brand Name
Tape Measure	TPMA-16	16ft	VINCA
Features			
Inch and Fraction Readings, NylonCoated and Matte Finished Blade, 8 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button			
Blade Width	Blade Thickness	MOQ	
0.89"	0.14mm	50	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.4	43.2	28	15.2

TAPE

TPMA-25



Category	Model	Size	Brand Name	
Tape Measure	TPMA-25	25ft	VINCA	
Features				
Inch and Fraction Readings, NylonCoated and Matte Finished Blade, 8 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button				
Blade Width	Blade Thickness	MOQ		
0.89"	0.14mm	36		
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
18.5	35.5	31.5	20.3	

TPMA-33



Category	Model	Size	Brand Name	
Tape Measure	TPMA-33	33ft	VINCA	
Features				
Inch and Fraction Readings, NylonCoated and Matte Finished Blade, 8 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button				
Blade Width	Blade Thickness	MOQ		
0.89"	0.14mm	24		
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
15.1	35.5	22.8	22.8	

TAPE

TPMB-10



Category	Model	Size	Brand Name	
Tape Measure	TPMB-10	10ft/300cm	VINCA	
Features				
Inch and cm Readings, NylonCoated and Matte Finished Blade, 5 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button				
Blade Width	Blade Thickness	MOQ		
5/8"	0.14mm	100		
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
15.5	40.6	30.4	20.3	

TPMB-16



Category	Model	Size	Brand Name	
Tape Measure	TPMB-16	16ft/500cm	VINCA	
Features				
Inch and cm Readings, NylonCoated and Matte Finished Blade, 8 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button				
Blade Width	Blade Thickness	MOQ		
0.89"	0.14mm	50		
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
17.4	43.2	28	15.2	

TAPE


TPMB-25



Category	Model	Size	Brand Name
Tape Measure	TPMB-25	25ft/750cm	VINCA
Features			
Inch and cm Readings, NylonCoated and Matte Finished Blade, 8 feet Stand Out, Anti Shock Rubber Cover, Fast STOP Button			
Blade Width	Blade Thickness	MOQ	
0.89"	0.14mm	36	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.5	35.5	31.5	20.3


RULER

SSRA-06



Category	Model	Size	Brand Name
Ruler	SSRA-06	0-6"/150mm	VINCA
Features			
Inch/mm Readings, Etched finished, Back side has conversion table			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
2.8	28	10.2	10.2


SSRA-12



Category	Model	Size	Brand Name
Ruler	SSRA-12	0-12"/300mm	VINCA
Features			
Inch/mm, Etched finished, Back side has conversion table			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
7.4	38.1	10.2	10.2

RULER

SSRA-20



Category	Model	Size	Brand Name
Ruler	SSRA-20	0-20"/500mm	VINCA
Features			
Inch/mm, Etched finished, Back side has conversion table			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
16.3	58.4	10.2	10.2

SSRN-12



Category	Model	Size	Brand Name
Ruler	SSRN-12	0-12"/300mm	VINCA
Features			
Inch/mm, Etched finished, Back side has non-slip cork base			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
6	38.1	15.2	12.7


RULER

SSRN-15



Category	Model	Size	Brand Name
Ruler	SSRN-15	0-15"/380mm	VINCA
Features			
Inch/mm, Etched finished, Back side has non-slip cork base			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
7	45.7	12.7	10.2

SSRN-18



Category	Model	Size	Brand Name
Ruler	SSRN-18	0-18"/460mm	VINCA
Features			
Inch/mm, Etched finished, Back side has non-slip cork base			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
8.7	53.3	28	7.6

RULER

SSRN-24



Category	Model	Size	Brand Name
Ruler	SSRN-24	0-24"/610mm	VINCA
Features			
Inch/mm, Etched finished, Back side has non-slip cork base			
Material		MOQ	
0Cr13 Stainless Steel		100	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
11.8	63.5	25.4	17.8

LEVEL

DLBA-01



Category	Model	Size	Brand Name
Level	DLBA-01	2 x 180°	VINCA
Features			
Auto Off, HOLD/Freeze Measurement, ABS/INC, Built in Magnet			
Battery	Accuracy	Resolution	MOQ
1.5V AAA	±0.2°	0.1°	100
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13.4	53.3	45.7	22.8

SCREWDRIVER SET

PSDA-01



Category	Model	Brand Name	MOQ
Screwdriver	PSDA-01	VINCA	50
Features			
63 in 1 Precision Screwdriver Kit with 57 Bits, Magnetic Driver			
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
19.3	47.7	35.5	28

DATA CABLE


DTCR



Brand Name	Cable Length:		
VINCA	87.5" + 25.5"		
Features			
Compatible with VINCA and Clockwise Tools RS232 Digital Calipers, Gauges, and Digital Indicators, Does not work with macOS system			
MOQ			
50			
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
15.2	46.3	30.4	36.2


DIGITAL CALIPER

DCLR-0605



Category	Model	Size	Brand Name
Digital Caliper	DCLR-0605	0-6"/150mm	Clockwise Tools
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included), IP54 Grade			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32


DCLR-0805



Category	Model	Size	Brand Name
Digital Caliper	DCLR-0805	0-8"/200mm	Clockwise Tools
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included), IP54 Grade			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.5	49.5	34.5	31.5


DIGITAL CALIPER

DCLR-1205



Category	Model	Size	Brand Name
Digital Caliper	DCLR-1205	0-12"/300mm	Clockwise Tools
Features			
Auto Off, Inch/mm/Fraction Conversion, RS232 Data Transfer Port (Data Cable is Not Included), IP54 Grade			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.0015"/0.04mm	0.0005"/0.01mm, 1/128"	20
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
15.2	46.3	30.4	36.2

DCPR-0605



Category	Model	Size	Brand Name
Digital Caliper	DCPR-0605	0-6"/150mm	Clockwise Tools
Features			
Auto Off, Inch/mm/Fraction Conversion, IP67 Grade, ABS/INC			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32

DIGITAL CALIPER


DCPR-0605B



Category	Model	Size	Brand Name
Digital Caliper	DCPR-0605B	0-6"/150mm	Clockwise Tools
Features			
Auto Off, Inch/mm/Fraction Conversion, IP67 Grade, ABS/INC, Built-in Bluetooth Data Transfer			
Battery	Accuracy	Resolution	MOQ
3V CR2032	±0.001"/0.03mm	0.0005"/0.01mm, 1/128"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.8	51.3	26.8	32


VERNIER CALIPER

DVLR-0605



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-0605	0-6"/150mm	Clockwise Tools
Features			
Inch (Fraction) and mm Reading			
Accuracy	Resolution	MOQ	
±0.001"/0.03mm	1/128"; 0.05mm	50	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.7	53.8	26.4	26

DVLR-0605D



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-0605D	0-6"/150mm	Clockwise Tools
Features			
Inch and mm Reading			
Accuracy	Resolution	MOQ	
±0.001"/0.03mm	0.001"/0.02mm	50	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.7	53.8	26.4	26


VERNIER CALIPER

DVLR-0805



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-0805	0-8"/200mm	Clockwise Tools
Features			
Inch (Fraction) and mm Reading			
Accuracy	Resolution	MOQ	
±0.001"/0.03mm	1/128"; 0.05mm	40	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.2	47.7	32.7	26

DVLR-0805D



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-0805D	0-8"/200mm	Clockwise Tools
Features			
Inch and mm Reading			
Accuracy	Resolution	MOQ	
±0.001"/0.03mm	0.001"; 0.02mm	40	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.2	47.7	32.7	26


VERNIER CALIPER

DVLR-1205



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-1205	0-12"/300mm	Clockwise Tools
Features			
Inch (Fraction) and mm Reading			
Accuracy	Resolution	MOQ	
±0.0015"/0.04mm	1/128"; 0.05mm	20	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
16.7	45.7	30.5	33.7


DVLR-1205D



Category	Model	Size	Brand Name
Vernier Caliper	DVLR-1205D	0-12"/300mm	Clockwise Tools
Features			
Inch and mm Reading			
Accuracy	Resolution	MOQ	
±0.0015"/0.04mm	0.001"; 0.05mm	20	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
16.7	45.7	30.5	33.7

DIAL CALIPER

DDL-0605



Category	Model	Size	Brand Name
Dial Caliper	DDL-0605	0-6"	Clockwise Tools
Features			
Dial Diameter: 1.5", Inch reading Only, Double Shock Proof			
Accuracy	Division	Repeatability	MOQ
±0.001"	0.001"	0.0005"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.7	51.3	27	33.3


DDL-0605D



Category	Model	Size	Brand Name
Dial Caliper	DDL-0605D	0-6"	Clockwise Tools
Features			
Dial Diameter: 1.5", Inch and Fraction Reading, Double Shock Proof			
Accuracy	Division	Repeatability	MOQ
±0.001"	0.01"; 1/64"	0.0005"	50
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
18.7	51.3	27	33.3


DIAL CALIPER

DDL-0805



Category	Model	Size	Brand Name
Dial Caliper	DDL-0805	0-8"	Clockwise Tools
Features			
Dial Diameter: 1.5", Inch reading Only, Double Shock Proof			
Accuracy	Division	Repeatability	MOQ
±0.001"	0.001"	0.0005"	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
19	50.8	34.3	31.5

DDL-0805D



Category	Model	Size	Brand Name
Dial Caliper	DDL-0805D	0-8"	Clockwise Tools
Features			
Dial Diameter: 1.5", Inch and Fraction reading , Double Shock Proof			
Accuracy	Division	Repeatability	MOQ
±0.001"	0.01"; 1/64"	0.0005"	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
19	50.8	34.3	31.5

DIAL CALIPER

DDLR-1205



Category	Model	Size	Brand Name
Dial Caliper	DDLR-1205	0-12"	Clockwise Tools
Features			
Dial Diameter: 1.7", Inch reading Only, Double Shock Proof			
Accuracy	Division	Repeatability	MOQ
±0.0015"	0.001"	0.0005"	20
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17.3	45.7	30.4	36.5

DIGITAL INDICATOR

DIGR-0055



Category	Model	Size	Brand Name		
Digital Indicator	DIGR-0055	0-0.5"/12.7mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included)					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	3/8"	UNF4-48	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
20	50	34.2	34.2		

DIGITAL INDICATOR

DIGR-0105



Category	Model	Size	Brand Name		
Digital Indicator	DIGR-0105	0-1"/25.4mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included)					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	3/8"	UNF4-48	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
20	50	34.2	34.2		

DIGR-0205



Category	Model	Size	Brand Name		
Digital Indicator	DIGR-0205	0-2"/25.4mm	Clockwise Tools		
Features					
Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included)					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	3/8"	UNF4-48	32
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
17.9	43.5	29	52.5		

DIGITAL INDICATOR

DITR-0055



Category	Model	Size	Brand Name		
Digital Indicator	DITR-0055	0-0.5"/12.7mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included)					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.0002"/0.005mm	0.00005"/0.001mm	3V CR2032	3/8"	UNF4-48	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
20	50	34.2	34.2		

DITR-0105



Category	Model	Size	Brand Name		
Digital Indicator	DITR-0105	0-1"/25.4mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included)					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.0002"/0.005mm	0.00005"/0.001mm	3V CR2032	3/8"	UNF4-48	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
20	50	34.2	34.2		

DIGITAL INDICATOR

DPIR-0105



Category	Model	Size	Brand Name		
Digital Indicator	DPIR-0105	0-1"/25.4mm	Clockwise Tools		
Features					
IP65 Grade, Manually Turn Off, NO Zero Position Memory, Inch and mm Reading, 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included),					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V RS232	3/8"	UNF4-48	40
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
17.5	48	46	34.5		

DIAL INDICATOR

DICR-0105



Category	Model	Size	Brand Name		
Dial Indicator	DICR-0105	0-1"	Clockwise Tools		
Features					
Twist and locked bezel, 1 Extra Lug Back (Hole size 6.5mm),					
Resolution	Stem Diameter	Dial Diameter	Thread Size	MOQ	
0.001"	3/8"	2"	UNF4-48	30	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
17.9	43.5	29	52.5		

DIAL INDICATOR

DICR-0205



Category	Model	Size	Brand Name	
Dial Indicator	DICR-0205	0-2"	Clockwise Tools	
Features				
Twist and locked bezel, 1 Extra Lug Back (Hole size 6.5mm),				
Resolution	Stem Diameter	Dial Diameter	Thread Size	MOQ
0.001"	3/8"	2"	UNF4-48	30
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
18.6	56.5	36	27.5	

DITR-0305



Category	Model	Size	Brand Name
Dia Test Indicator	DITR-0305	0-0.3"	Clockwise Tools
Features			
6 Jewels Bearing, Contact Point adjustable 230 Degx, Two dovetail clamps (3/8" & 5/32")			
Resolution	MOQ		
0.0005"	100		
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13.5	46.2	30.2	36

DIGITAL THICKNESS GAUGE

DTGR-0055



Category	Model	Size	Brand Name	
Digital Thickness Gauge	DTGR-0055	0-0.4"/10mm	Clockwise Tools	
Features				
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", RS232 Data Transfer Port (Data Cable is Not Included)				
Resolution	Stem Diameter	Dial Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	UNF4-48	30
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
15.2	47	40	26	

DTNR-0055



Category	Model	Size	Brand Name	
Digital Thickness Gauge	DTNR-0055	0-0.4"/10mm	Clockwise Tools	
Features				
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", RS232 Data Transfer Port (Data Cable is Not Included)				
Resolution	Stem Diameter	Dial Diameter	Thread Size	MOQ
±0.0004"/0.01mm	0.00005"/0.001mm	3V CR2032	UNF4-48	30
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
15.2	47	40	26	

DIAL DEPTH GAUGE

DDGR-0105



Category	Model	Size	Brand Name			
Dial Depth Gauge	DDGR-0105	0-1"	Clockwise Tools			
Features						
Twist and locked bezel, 6 Extensions (1"-2", 2"-3", 3"-4", 4"-5", 5"-6", and 6"-7"), 2 Extra Tips						
Resolution	Stem Diameter	Dial Diameter	Extension Diameter	Thread Size	Base Width	MOQ
0.001"	3/8"	2"	11/64"	UNF4-48	4"	20
Gross Weight (kg)	L (cm)		W (cm)		H (cm)	
14.3	40.6		30.4		30.4	

DIAL INDICATOR AND MAGNETIC BASE

DIMR-0105



Category	Model	Size	Brand Name	
Dial Indicator	DIMR-0105	0-1"	Clockwise Tools	
Features				
Twist and locked bezel, 1 Extra Lug Back (Hole size 6.5mm), 2 Magnetic Faces, Max Pull 176lbs				
Resolution	Stem Diameter	Dial Diameter	Thread Size	MOQ
0.001"	3/8"	2"	UNF4-48	9
Gross Weight (kg)	L (cm)	W (cm)	H (cm)	
18.1	59	31.5	21.3	

DIGITAL INDICATOR AND MAGNETIC BASE

DIBR-0055



Category	Model	Size	Brand Name		
Digital Indicator	DIBR-0055	0-0.5"/12.7mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included), 2 Magnetic Faces, Max Pull 176lbs					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	3/8"	UNF4-48	9
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
18.1	59	31.5	21.3		


DIBR-0105



Category	Model	Size	Brand Name		
Digital Indicator	DIBR-0105	0-1"/25.4mm	Clockwise Tools		
Features					
Auto Off, Inch and mm Reading, Screen: 1.6" x 0.7", 1 Extra Lug Back (Hole size 6.5mm), RS232 Data Transfer Port (Data Cable is Not Included), 2 Magnetic Faces, Max Pull 176lbs					
Accuracy	Resolution	Battery	Stem Diameter	Thread Size	MOQ
±0.001"/0.03mm	0.0005"/0.01mm	3V CR2032	3/8"	UNF4-48	9
Gross Weight (kg)	L (cm)	W (cm)	H (cm)		
18.1	59	31.5	21.3		

DIAL BORE GAUGE

DBGR-01



Category	Model	Size	Brand Name
Dial Bore Gauge	DBGR-01	2-6"	Clockwise Tools
Features			
Stem diameter: 9.5mm, Measuring depth: 9.5"			
Accuracy		Resolution	MOQ
±0.0007"		0.0005"	20
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
19.8	62	39.5	32

INDICATOR TIPS

DIPR-01



Category	Model	Brand Name	
Indicator Tips	DIPR-01	Clockwise Tools	
Features			
22 pcs of UNF 4-48 Threaded Tips			
Resolution		Gross Weight (kg)	MOQ
0.001"		11	100
L (cm)	W (cm)	H (cm)	
44	26	20.8	

MAGNETIC BASE

MGBR-01



Category	Model	Brand Name	
Magnetic Base	MGBR-01	Clockwise Tools	
Features			
Lower arm 4.5", Upper arm 4", Total Height 14.1", Max Pull 176lbs, 2 Magnetic Faces,			
Clamping Hole Diameter	Clamp Adjustment	MOQ	
9.5mm	Yes	10	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13.3	47.7	27	15.2

MGBR-02



Category	Model	Brand Name	
Magnetic Base	MGBR-02	Clockwise Tools	
Features			
Lower arm 6.75"; Upper arm 6", Max Pull 176lbs, 2 Magnetic Faces,			
Clamping Hole Diameter	Clamp Adjustment	MOQ	
9.5mm	Yes	10	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13.3	47.7	27	15.2

MAGNETIC BASE

MGBR-03



Category	Model	Brand Name	
Magnetic Base	MGBR-03	Clockwise Tools	
Features			
Lower arm 2.38"; Upper arm 2.25"; Total Height 6.5", Max Pull 88lbs, 2 Magnetic Faces,			
Clamping Hole Diameter	Clamp Adjustment	MOQ	
9.5mm	No	20	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
9.1	31.7	29.2	17.7

MICROMETER

MMSR-01



Category	Model	Size	Brand Name
Micrometer	MMSR-01	0-1", 1-2", 2-3"	Clockwise Tools
Features			
Hard Carbide Tips, Single Hand Ratchet Handle Design			
Accuracy	Graduation	MOQ	
±0.00015"	0.0001"	8	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
12.3	48.2	33	25.4

MMTR-01



Category	Model	Size	Brand Name
Micrometer	MMTR-01	0-1"	Clockwise Tools
Features			
Hard Carbide Tips, Single Hand Ratchet Handle Design			
Accuracy	Graduation	MOQ	
±0.00015"	0.0001"	50	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
13	39	30.4	17

MICROMETER

MMTR-02



Category	Model	Size	Brand Name
Micrometer	MMTR-02	1-2"	Clockwise Tools
Features			
Hard Carbide Tips, Single Hand Ratchet Handle Design			
Accuracy	Graduation	MOQ	
±0.00015"	0.0001"	50	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17	47	36.3	17.3

MMTR-03



Category	Model	Size	Brand Name
Micrometer	MMTR-03	2-3"	Clockwise Tools
Features			
Hard Carbide Tips, Single Hand Ratchet Handle Design			
Accuracy	Graduation	MOQ	
±0.00015"	0.0001"	40	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17	45.7	21.8	31.5

MICROMETER

MMTR-04



Category	Model	Size	Brand Name
Micrometer	MMTR-04	3-4"	Clockwise Tools
Features			
Hard Carbide Tips, Single Hand Ratchet Handle Design			
Accuracy	Graduation	MOQ	
±0.0002"	0.0001"	30	
Gross Weight (kg)	L (cm)	W (cm)	H (cm)
17	40.8	24.3	31.5