1 Identification

- · Product identifier
- · Product Name: <u>Malathion</u>
- · Part Number: S-2355-AC
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- acetone
- malathion (ISO)
- Hazard statements H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 3 Reactivity = 0 Reviewed on 08/18/2016

Page 1/7

(Contd. on page 2)

99.9%

0.1%

Safety Data Sheet acc. to OSHA HCS

Printing date 08/18/2016

Product Name: Malathion

Reviewed on 08/18/2016

HMIS-ratings (scale 0 - 4)	(Contd. of page 1)
HEALTH1FIRE3FIRE3REACTIVITY0	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 67-64-1 acetone
- 121-75-5 malathion (ISO)

4 First-aid measures

- \cdot Description of first aid measures
- $\cdot \textit{After inhalation: Supply fresh air; consult doctor in case of complaints.}$
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. • Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- \cdot Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/18/2016

Product Name: Malathion

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No further relevant information available.
- Specific end use(s) no further relevant information availab

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

- REL Long-term value: 590 mg/m³, 250 ppm
- TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. of page 2)

Reviewed on 08/18/2016

(Contd. on page 4)

[·] Control parameters

Printing date 08/18/2016

Product Name: Malathion

Reviewed on 08/18/2016

(Contd. of page 3)

9 Physical and chemical propertie	S
• Information on basic physical and c • General Information • Appearance:	hemical properties
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55 °C (131 °F)
· Flash point:	-17 °C (1 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C (869 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (175 mm Hg)
· Density at 20 °C (68 °F)	0.79042 g/cm³ (6.596 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

 \cdot LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

121-75-5 malathion (ISO)

Oral LD50 885 mg/kg (rat)

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/18/2016

Reviewed on 08/18/2016

Product Name: Malathio	n
------------------------	---

	(Contd. of page 4)
• Primary irritant effect:	
• on the skin: No irritant effect. • on the eye: Irritating effect.	
• Sensitization: No sensitizing effects known.	
• Additional toxicological information:	
The product shows the following dangers according to internally approved calculation methods for preparations:	
Irritant	
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
121-75-5 malathion (ISO)	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil \hat{No} further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · UN-Number · DOT, ADR, IMDG, IATA UN1090 · UN proper shipping name $\cdot DOT$ Acetone $\cdot ADR$ 1090 Acetone, ENVIRONMENTALLY HAZARDOUS ACETONE, MARINE POLLUTANT · IMDG $\cdot IATA$ ACETONE · Transport hazard class(es) $\cdot DOT$ · Class 3 Flammable liquids (Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/18/2016

Reviewed on 08/18/2016

Product Name: Malathion

	(Contd. of page
· Label	3
ADR, IMDG	
Class	3 Flammable liquids
Label	3
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	11
Environmental hazards: Marine pollutant: Special marking (ADR):	Product contains environmentally hazardous substances: malathion (ISO) Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E,S-D E
Transport in bulk according to Annex II of MARP Code	<i>OL73/78 and the IBC</i> Not applicable.
Transport/Additional information:	**
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1090 ACETONE, 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

None of the ingredients is listed. • Section 313 (Specific toxic chemical listings): 121-75-5 malathion (ISO) • TSCA (Toxic Substances Control Act): 67-64-1 acetone • Proposition 65 • Chemicals known to cause cancer: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.	• Section 355 (extremely hazardous substances):	
121-75-5 malathion (ISO) • TSCA (Toxic Substances Control Act): 67-64-1 acetone • Proposition 65 • Chemicals known to cause cancer: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.	None of the ingredients is listed.	
 • TSCA (Toxic Substances Control Act): • TSCA (Toxic Substances Control Act): • 67-64-1 acetone • Proposition 65 • Chemicals known to cause cancer: • None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: • None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males: • Chemicals known to cause reproductive toxicity for males: 	· Section 313 (Specific toxic chemical listings):	
67-64-1 acetone • Proposition 65 • Chemicals known to cause cancer: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males:	121-75-5 malathion (ISO)	
 Proposition 65 Chemicals known to cause cancer: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: 	· TSCA (Toxic Substances Control Act):	
Chemicals known to cause cancer: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males:	67-64-1 acetone	
None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males:	Proposition 65	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males:	· Chemicals known to cause cancer:	
None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for males:	None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	Chemicals known to cause reproductive toxicity for females:	
	None of the ingredients is listed.	
None of the ingredients is listed.	• Chemicals known to cause reproductive toxicity for males:	
	None of the ingredients is listed.	

US

Printing date 08/18/2016

Product Name: Malathion

	(Contd. of page 6)
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	I
· TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	A4
121-75-5 malathion (ISO)	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

acetone

malathion (ISO)

· Hazard statements H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

SPEX CertiPrep, LLC.

- 1-732-549-7144
- · Date of preparation / last revision 08/18/2016 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3