Latest Revision: 2/1/2024



SDHQ Motorsports 190 S McQueen Rd Ste 109 Gilbert, AZ 85233 www.SDHQoffroad.com

Product Packing List

<u>Product:</u> <u>SDHQ-02-1103-ARB-SP</u> <u>Description:</u> SDHQ Built ARB Twin Trigger		
Inspected and Packaged By:	Date:	



SDHQ Motorsports www.SDHQoffroad.com

INSTALLATION INSTRUCTIONS

Product: SDHQ-02-1103-ARB-SP

Description: SDHQ Built ARB Twin Trigger



<u>Parts List</u>	<u>Hardware List</u>	Required Tools
(1) SDHQ Built ARB Twin Trigger/Switch Harness SDHQ-02-1103-ARB-SP	(1) 15' Length of 1/4" Flexo Braided Loom (2) 1" Long 1/4" Dual Wall Heat Shrink Tubing (1) 16-14 Ga Non-Insulated Butt Connector	Heat Gun Open Barrel Crimpers Wire Strippers

Tech Notes

* Not Compatible with ARB Air Locker Wiring Harness

Approx. Install Time: 1 Hour

<u>Switch Pros Trigger Install Instructions:</u>

- 1. Place braided loom over the purple wire and secure using heat shrink. Connect the 3 Way connector to the ARB Twin Compressor.
- 2. Route the wire from the ARB Twin Compressor to your Switch Pros module and trim the wire and loom to length and secure using heat shrink. Connect the wire to the desired switch pro output using a butt connector.
- **3.** Install is complete, Test and Troubleshoot if needed. Enjoy your SDHQ Built ARB Twin Trigger Harness.

Double check all hardware is installed correctly and tight

Re-torque ALL bolts after 100 miles



190 S McQueen Rd Ste 109 Gilbert, AZ 85233

www.sdlngoffroad.com

Follow us on:



