Latest Revision: 11/17/2023



SDHQ Motorsports
190 S McQueen Rd
Ste 109 Gilbert, AZ 85233
www.SDHQoffroad.com

Product Packing List		
Product: <u>SDHQ-56-1131-150</u>		
Description: 2010–2023 Lexus GX460	Switch Pros 9100	
Overhead 3D Printed Keypad Moun	†	
(1) SDHQ GX460 Switch Pros 9100 OH Keypad	Mount SDHQ-56-1131-150	
(1) Hardware Package	SDHQ-56-1131-150-HP	
(4) #10- 24 x 3/4" S.S. Button Head Bolts		
(4) #10-24 S.S. Square Nuts		
(4) #10 S.S. Washers		



SDHQ Motorsports 190 S McQueen Rd www.SDHQoffroad.com

INSTALLATION INSTRUCTIONS

Product: SDHQ-56-1131-150

Description: 2010-2023 Lexus GX460 Switch Pros 9100

Overhead 3D Printed Keypad Mount




<u>Parts List</u>	<u>Hardware List</u>	Required Tools	
(1) SDHQ GX460 Switch Pros OH Keypad Mount SDHQ-56-1131-150 (1) Hardware Package	(4) #10- 24 x 3/4" S.S. Button Head Bolts (4) #10-24 S.S. Square Nuts (4) #10 S.S. Washers	Plastic Panel Remover 5/64" Hex Drive Small Phillips Screwdriver Pick	
SDHQ-56-1131-150-HP	(4) #10 3.3. Washers	Stepper Drill Bit Thread Locker (Medium)	

Tech Notes

Replaces OEM sunglasses holder, does not require any panel modification. **Approx install time = 1hr (not including wiring)**

***READ ALL INSTRUCTIONS THOROUGHLY FROM START TO FINISH BEFORE BEGINNING INSTALLATION! ***




- 1. Unbox your SDHQ GX460 Switch Pros 9100 Overhead Keypad Mount and hardware.
- 2. Remove the factory overhead panel. Using a plastic panel removal tool, remove the entire overhead assembly. Pry along the rear edges of the panel, being careful not to scratch the plastic. Unhook the front of the panel from the roof and disconnect the harness.







- 3. Prepping 3D Printed panel. Place the 9100 Keypad into the SDHQ 3D Printed Panel. Secure the Keypad with the Switch Pros supplied hardware by placing the (2) mounting brackets into the back side of the panel as shown above. Thread in the studs to the keypad and tighten down with nylock nuts.
- **4.** Place the (4) #10-24 square nuts in the slots as shown on Page 4, make sure the holes line up with the threads of the nuts.



5. Prepping overhead panel. Take the panel you removed from the vehicle and use your Phillips Head screwdriver to remove the (2) stops and black gear. Use a pick to unhook and remove the spring. See pictures below.





- 6. Open the sunglasses holder and use your pick to depress the small white tab holding the gear in place. Remove the gear once free, then remove and discard the sunglasses holder. Use your Stepper Drill Bit to drill a 3/4" hole on the inside of the opening.
- 7. Place the assembled keypad mount into the panel, feed the wire harness though the hole and install the (4) #10-24 button head bolts with washers.



- **8.** Pause install now and wire your Switch Pros.
- 9. Once finished and wiring has been ran, install the panel in the reverse order as removed. Enjoy your new SDHQ Built Switch Pros 9100 Overhead Console Mount!





Double check all hardware is installed correctly and tight

Re-torque ALL bolts after 100 miles



190 S McQueen Rd Ste 109 Gilbert, AZ 85233

www.sdlngoffroad.com

Follow us on:



