
MATERIALS GUIDE








WOOD











RUGS





PATTERNS SELLECTION








Composition: 68% WO 19% CO 13% PL Width: 136cm RUB TEST: 40.000 Type: Textured Weave








GILA FABRIC

TECHNICAL DETAILS

Composition: 32% Wool, 31% Polyacrylic, 28% Cotton, 9% Polyester Width: 137 cm RUB TEST: 40.000 Type: Weave, Suede / Faux









Composition: 42%WO 33%CV 24%CO 1%PA Width: 130cm RUB TEST: 40.000 Type: Textured Weave





COLLECTOR





SAFFIRE FABRIC





COLLECTOR



Composition: 100%C0 Width: 140cm Martindale: 33000 Type: Basket dyed, Solid



YP13003	YP13004	YP13005	YP13006
YP13007	YP13009	YP13010	YP13011
YP13012	YP13013	YP13014	YP13015
YP13016	YP13017	YP13019	

COLLECTOR



Composition: 84% PL + 16% AC Width: 140cm Weight: 900 g/ml Martindale: > 45.000 CC






COLLECTOR

BETREND FABRIC

TECHNICAL DETAILS

Composition: 53.3% AC + 46.7% PL Width: 140cm Weight: 653,8 g/m Martindale: >50.000





COLLECTOR

FAMIGLIA FABRIC

TECHNICAL DETAILS

Composition: 85%PES + 15%CO Width: 140cm Weight: 700 g/ml Martindale: 30.000





COLLECTOR

SIEGE FABRIC

TECHNICAL DETAILS

Composition: 100% CO Width: 140cm Weight: 560 g/m Martindale: 40.000 Lightfastness: 4



Ivory	Pure yellow	Taupe	Linen
Biege	Hot Coral	Rubi	Syrah
Chocolat	Navy Blue	Safary Green	Black Forest
Horizon Blue	Steal	Aquarelle	Cobalt

COLLECTOR

SIEGE FABRIC

TECHNICAL DETAILS

Composition: 100% CO Width: 140cm Weight: 560 g/m Martindale: 40.000 Lightfastness: 4





LINEA LEATHER

TECHNICAL DETAILS

Pattern: No Anti-fire: BS EN 1021-1-2:2006 Dimensions: 4,8/5,0m2 Average Thickness: 0,8/1,0mm Composition: Genuine leather

Crema	Testamoro	Mattone	Bordeaux
Giallino	Nero	Azzurro	Burgundy
Green	Verdone	Gesso	Avorio
Antracite	Moretto	Rosso Antico	Fondo Tinta

COLLECTOR

LINEA LEATHER

TECHNICAL DETAILS

Pattern: No Anti-fire: BS EN 1021-1-2:2006 Dimensions: 4,8/5,0m2 Average Thickness: 0,8/1,0mm Composition: Genuine leather






NABUK Leather

TECHNICAL DETAILS

Pattern: No Anti-fire: BS EN 1021-1-2:2006 Dimensions: 4,8/5,0m2 Average Thickness: 0,8/1,0mm Composition: Genuine leather



COLLECTOR

www.collectorgroup.pt

The right to discontinue and make changes is reserved. The colors shown here are merely representative, they may suffer variations.

NABUK Leather

• Bovine hides • Origin: European • Average size: 4.80/5.00 m ³ • Thickness: 1.1-1.3 mm • Tanning: Mineral	 Peaux des Bovins Origine: Européen Superficie moyenne: 4.80/5.00 m³ Epaisseur: 1.1-1.3 mm Bronzage : minéral 	 Cueros de Bovinos Origen: Europeo Tamaño promedio: 4.80/5.00 m² Espesor:1.1-1.3 mm Curtido: mineral
· Available in 21 colours	Disponible en 21 coulours	· Disponible en 21 colores
Natural grain aniline bovine of European origin, with flat look and typical velvet feel Pure aniline with waterproof treatment finished using special anilines and greases Writing effect, with a soft and warm feel	Aniline de grain naturelle bovine d'origine Europée, avec un aspect plat une sensation typique de veburs Aniline pure avec traitement imperméable fini avec anilines et graisses spéciales Effect d'écritere, avec une sensation douce et chaude	Anline de grana natural bovina de origen eu- ropeo, con aspecto plano y sensación tipica de terciopeto Anlina pura con tratamiento impermeable acabado con anilinas especiales y grasas Efecto de escritura, con una sensación suave y cálida

Differences of colour from lot to lot are to be considered normal.	Differences de couleur d'a lot a doivent etre consideres comme normaux.	Diferencias de color de lote a lote son para considerarse normal.
APPLICATION	APLICATION	APLICACION
UPHOLSTERY	TAPICERIE D'AMEUBLEMENT	TAPICERIA

PHYSICAL AND COLOUR FASTNESS CHARACTERISTICS PHYSIQUE ET LES CARACTERISTIQUES DE SOLIDITE DES COULEURS CARACTERÍSTICAS FÍSICAS Y DE SOLIDEZ DEL COLOR

	Dry rubbing Frottement sec Frotamiento seco	100 Cycles Cycles Ciclos	UNI EN ISO 11640	>4 Grey scale Échelle de gris Escala de Grises
	Wet rubbing Mouiller á friction Frotamiento mojado	25 Cycles Cycles Ciclos	UNI EN ISO 11640	>4 Grey scale Échelle de gris Escala de Grises
	Heat resistant Résistante à la chaleur Resistente al calor		UNI EN ISO 17228	>3 Grey scale Échelle de gris Escala de Grises
•**	Colour fastness to light Solidité des teintures à la lumière Solidez del color a la luz		UNI EN ISO 105-B02	> 3 Blue scale Échelle de bleu Escala de Azu
*	Fire Resistance		UNI EN 1021/1	BS5852 Source Fuente 0.1
	Résistance au feu Resistencia al fuego		UNI EN 1021/2	IMO FTP8 Res. A652 California TB117



Protect against excessive sunlight, dryness and heat:

Sunlight will fade and dry out the leather.

Dryness will cause the leather to crack.

Heat will dry out the leather and cause further damage.

How to remove spots and stains:

Blot excess liquid up as quickly as possible with a clean microfibre cloth.

If necessary, use clean lukewarm water only and let dry naturally. Do not dry with hair dryer, etc.

If water is used, clean the entire area where spot occurred seat cushion, arm, etc.

DO NOT RUB.

How to remove butter, oil or grease:

Wipe excess butter, oil or grease off the leather with a clean microfibre cloth. Then leave it alone as the spot should dissipate as musch as possible into the leather in a short period of time.

Do not apply water or try to wash the butter, oil or grease spot.

How to remove chewing gum:

Place ice cubes in a plastic bag and apply on the chewing gum. Wait several minutes, lift the ice bag and remove the chewing gum.

General Care

DO NOT USE CHEMICALS, SADDLE SOAP, CLEANING SOLVENTS, FURNITURE POLISH, OILS, VARNISH, ABRASIVE CLEANNERS, SOAP OR AMMONIA WATER.



SEQUOIA LEATHER

TECHNICAL DETAILS

Pattern: No Anti-fire: BS EN 1021-1-2:2006 Dimensions: 4,8/5,0m2 Average Thickness: 0,9/1,1mm Composition: Genuine leather







Composition: 100% PL Width: 140cm Weight: 812g/m





TEXANO LEATHER

TECHNICAL DETAILS


Pattern: No Anti-fire: BS EN 1021-1-2:2006 Dimensions: 4,8/5,0m2 Average Thickness: 0,9/1,1mm Composition: Vegan leather

















YUKA OUTDOOR











breathable

fade proof







BALDAK OUTDOOR









repellent

đ,



scrylic

breathable

fade proof





spencer interiors www.spencerinteriors.com

COLLECTOR