



KRAMER

VIA Campus²

4K60 Wireless Presentation & Collaboration
for Education, Training or Any Meeting
Environment

| HDMI | Microphone - 3.5/6.5mm | Ethernet - RJ-45 | 4K/30 UHD



VIA Campus² is a wireless presentation and collaboration solution that makes it easier to get actual work done during meetings. With any laptop or mobile device, users can view, edit and comment on documents in real time and record sessions. Meeting participants can display or stream full uninterrupted HD video (up to 1080p60) from their device, and even play YouTube® videos in full frame rate.

VIA Campus² can show up to six user screens on a single main display and 12 on two displays. Users can also view the main display on their own device. VIA Campus² features iOS mirroring for MacBook, iPad, and iPhone, as well as mirroring for Chromebook and Android (Lollipop OS 5.0 or newer).

VIA Campus² supports 3rd party conferencing and office apps, such as Microsoft Office®, SkypeforBusiness®, GoToMeeting®, Team®, and WebEx®. The solution can handle any size collaboration or meeting space

FEATURES

Easy and Effective Wireless Connectivity - Built-in Wi-Fi provides two setup options for enabling meeting participants to wirelessly join the meeting. You can wirelessly connect your VIA device to your Wi-Fi network and participants can connect to VIA through the same network. Or, alternatively, you can create a wired connection from your VIA device to your local corporate LAN and use the built-in VIA Wi-Fi as a guest network for participants to connect to

60fps Streaming Multimedia - Share HD wireless video streaming (using the VIA app Multimedia feature)

One 4K@30 (RGB) HDMI output and one 4K@60 DisplayPort output

Remote Power Control - via a relay port

iOS, Android, Chromebook® and Miracast® Mirroring

Room Calendar Integration - Shows the room occupancy schedule on the main display

Internal Web Browser - Open any browser to display content

DHCP Support

Streaming Input for the Internal Media Player

Cloud-Based File Sharing - Drag and drop files to the internal VIA cloud storage (128GB)

Emergency Messages - Create instant alert messages for immediate push to the main display

Whiteboard Support

Control - Give a participant control over a presenter's PC for true collaboration

Chat - Send an instant message to another user

iCloud®, DropBox®, Google Drive®, OneDrive® Integration

View Main Display - View the main display on your own device

Third-Party App Support - Like Microsoft Office®, SkypeforBusiness®, GoToMeeting® and WebEx®

Icon Shortcuts - On the splash page for 3rd party applications

Integrated YouTube Player - Create playlists, share videos or drag and drop any YouTube clip to your VIA app for seamless video playback

Streaming Output - Stream all collaboration activity from the main display to any H.264 decoder

Recording - Record an entire VIA video and audio session to a local video file

Digital Signage - Display dynamic content on the main display during meeting downtime

Seamless VSM Integration - With VIA Site Management (VSM) software

Multilingual Support - Experience VIA in your language

Warranty - 3 years on hardware



TECHNICAL SPECIFICATIONS

Ports	2 USB 3.1 Gen 1 (blue): On female USB type-A connectors 3 USB 2.0 (black): On female USB type-A connectors 1 LAN: On an RJ-45 connector 2 Wi-Fi Antennas : On threaded Wi-Fi connectors (for future use) 1 Power Toggle :On a 2-pin terminal block
Inputs	1 Microphone: On a 3.5mm jack
Outputs	1 HDMI: On a female HDMI connector 1 DisplayPort: On a female DisplayPort connector 1 Unbalanced Stereo Audio Line Out: On a 3.5mm jack
Video	Max. Resolution HDMI Input: 4K@60 Max. Resolution DisplayPort Output : 4K@60 Max. Resolution HDMI Output: 4K@30 (RGB) Video Streaming Playback (using Kramer VIA app Multimedia feature): 1080p@60fps
Audio	Integrated High Definition Audio : 5.1 channel Processor: 3.60 GHz quad core (8th Generation)
General	Main Memory: 8GB (2 x 4GB DDR4 SDRAM modules) Storage: 128GB, solid-state drive LAN: Gigabit LAN
Power	Source: 120W power adapter (19V, 6.32A) Consumption: 2.9A
Environmental Conditions	Operating Temperature: 0° to +40°C (32° to 104°F) Storage Temperature: -40° to +70°C (-40° to 158°F) Humidity: 10% to 90%, RHL non-condensing
Accessories	Included Power adapter, 2 Wi-Fi antennas
Product Dimension	21.00cm x 19.00cm x 5.00cm (8.27" x 7.48" x 1.97") W, D, H
Product Weight	1.4kg (3.1lbs) approx
Shipping Dimension	40.50cm x 29.70cm x 9.00cm (15.94" x 11.69" x 3.54") W, D, H
Shipping Weight	2.8kg (6.1lbs) approx

