

PAPER PRINTING

Bleed: 2mm on all sides

Safe Zone: 3mm in from all sides

Accepted file types: PDF version 1.4 or higher formats only

Resolution: 300dpi for all images and artwork at full size;
800dpi for all text as image

Colours: CMYK or grey scale only

Fonts: All fonts are embedded or converted to curves
so they print correctly

Trimming: Borders and type must be within safe zone as variations
may occur when trimming

Important: Ensure your artwork matches your order specifications

GENERAL INSTRUCTIONS:

Artwork must be correctly sized with required amounts of bleed

All transparency effects are to be flattened

Overprints must be set correctly for desired result

All colour profiles are to be removed

Ensure all images are at correct resolution

Registration marks, keylines, dielines and other non-printing items must be removed

Crop marks, if required, are to be positioned outside bleed area.

Should we need to contact you regarding your artwork, you will be contacted by email only.


We do not correct, modify or proofread artwork submitted as print ready.

All files are printed as supplied to us.

A4 to DL FLYERS - ROLL FOLD


FOLDED SIZE: 100mm x 210mm

TRIM SIZE: 297mm x 210mm BLEED: 30mm x 214mm SAFE PRINT AREA: 291mm x 204mm



**Brochure artwork needs to be supplied as a two page PDF.
Outside as Page 1 and Inside as Page 2.**

OUTSIDE SUPPLIED AS PAGE 1



INSIDE SUPPLIED AS PAGE 2

