
STIX SERIES FREESTANDING FIRE PITS




ecosmar+[™] Fire



Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), Its affiliates, agents, and employees, and all parsons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclasure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product discribed herein or dany information provided herein to the maximum extent permitted by table type-liability arising out of the use or application of any product discribed herein or dany information provided herein to the maximum extent permitted by tawn for product specifications do not expand or otherwise modify MDS terms and conditions of purchase, including but this document or to y any conduct of MDS. Clastones using or selling MDS products net expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions of purchase.







Awards	0	2011 DesignEx Best New Product (AUS) 2011 IIDA/HD Award for Excellence (USA)		
Application	Indoor & Outdoor	Indoor & Outdoor		
Materials	Brushed Stainless S	Grade 304 Stainless Steel burner, Brushed Stainless Steel, Black Powder Coating		
Weight	14kg [30.8lbs] Weigh	14kg [30.8lbs] Weight includes Burner.		
Colours & SKU's	Stainless Steel Black	ESF.1.O.STX.SS ESF.1.O.STX.BL		

BURNER INFORMATION*

AB3	
e-NRG Bioethanol	
2.5 Litres [0.7 Gallons]	
Over 20 square metres [215 square feet]	
8 - 11 hours (approx)	
40 cubic metres [1413 cubic feet] per fireplace.	
Stainless Steel or Black	

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

This model comes with fixing brackets for permanently locating into a fixed position.


Global Compliance

This model compliance with existing standards in the USA and Australia. UL Listed and ACCC Safety Mandate compliant.

FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGs terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.







Application	Outdoor and Indoor	
Materials	Grade 304 Stainless Steel burner, Brushed Stainless Steel, Black Powder Coating	
Weight (approx)	30.9kg [68.1lbs	3] Weight includes Burner.
Colour & SKU	Black	ESF.1.O.STX8.BL

BURNER INFORMATION*

AB8 Burner	Without Efficiency Ring	With Efficiency Ring (EN Compliant)
Heats on Average (when used indoors)	Over 60m ² [645f ²]	Over 30m ² [322.9f ²]
Burn Time (approx)	7 - 11 hours	9 - 11 hours
Fuel Type	e-NRG Bioethanol	
Fuel Capacity	8 Litres [2.1 Gallons]	
Minimum Room Size	116 cubic metres [4096 cubic feet] per fireplace.	
Colour	Black	

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.

This model comes with fixing brackets for permanently locating into a fixed position.

Global Compliance

This model complies with existing standards in the USA and Australia. UL Listed and ACCC Safety Mandate compliant.

FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDGS terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDE products not expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or applications. Images are indicative only.