



# SIBELCO AUSTRALIA SAFETY DATA SHEET

## AIHAI TALC PRODUCTS

Infosafe No.: LQ20A  
 Version No.: 1.0  
 Issue Date: 06/01/2021  
 ISSUED BY SIBELCO AUSTRALIA  
 LIMITED

### 1. IDENTIFICATION

---

**GHS Product Identifier**

AIHAI TALC PRODUCTS

**Product Code**

**Company Name**

SIBELCO AUSTRALIA LIMITED

**Address**

49-55 Woodlands Drive Braeside  
 Vic 3195 Australia

**Telephone/Fax Number**

Tel: (03)9586 5400

Fax: (03)9586 5413

**Emergency phone number**

1800 638 556

**Recommended use of the chemical and restrictions on use**

In paints, adhesives, plastics and rubber industries.

**Other Names**

Name	Product Code
PV SERIES	
AHP SERIES	

**Additional Information**

Manufacturer:

Haicheng Aihai Minerals Industrial Co Ltd,  
 Fanjiapu, Mafeng, Haicheng, Liaoning 114200, China  
 Phone: +86 (0) 412 326 8999

### 2. HAZARD IDENTIFICATION

---

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

#### Ingredients

Name	CAS	Proportion
Talc	14807- 96- 6	> 95 %
Quartz	14808- 60- 7	<2 %
Chlorite	1318- 59- 8	<3 %

### 4. FIRST-AID MEASURES

---

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

#### First Aid Facilities

Eyewash and normal washroom facilities.

#### Advice to Doctor

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

---

#### Suitable Extinguishing Media

Use extinguishing media that are suitable for the surrounding combustible materials.

#### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes and gases.

#### Specific Hazards Arising From The Chemical

The product is not combustible, however the packaging may burn under fire conditions.

#### Decomposition Temperature

Not available

### Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours, fumes and dusts. Water spray may be used to cool down heat-exposed containers.

## 6. ACCIDENTAL RELEASE MEASURES

---

### Emergency Procedures

Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled plastic containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

---

### Precautions for Safe Handling

Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Avoid inhalation of dust, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in labelled, corrosion-resistant containers. Keep containers tightly closed. Store away from bases, water and other incompatible materials. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:

Safe Work, Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Quartz (respirable dust)	-	0.1	-	-	-
Talc, containing no asbestos fibres	-	2.5	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

**Biological Limit Values**

No biological limits allocated.

**Appropriate Engineering Controls**

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where dusts are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.

**Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

**Eye Protection**

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**Body Protection**

Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**Appearance**

Powder

**Colour**

White or near white

**Odour**

None

**Decomposition Temperature**

Not available

**Melting Point**

1250-1350°C

**Boiling Point**

Not available

**Solubility in Water**

0.2% at 20°C

**Solubility in Organic Solvents**

Not available

**Specific Gravity**

Not available

**pH**

9

**Vapour Pressure**

Not applicable

**Vapour Density (Air=1)**

Not available

**Evaporation Rate**

Not available

**Odour Threshold**

Not available

**Viscosity**

Not available

**Partition Coefficient: n-octanol/water**

Not available

**Density**

2.7gm/cm<sup>3</sup>

**Flash Point**

Not applicable

**Flammability**

Non-combustible solid

**Auto-Ignition Temperature**

Not applicable

**Flammable Limits - Lower**

Not applicable

**Flammable Limits - Upper**

Not applicable

**10. STABILITY AND REACTIVITY**

---

**Reactivity**

Refer to Sec 10: Possibility of hazardous reactions.

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Conditions to Avoid**

Extremes of temperature and direct sunlight. Dust accumulation.

**Incompatible materials**

Not available

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes and gases.

**Possibility of hazardous reactions**

Not available

**Hazardous Polymerization**

Will not occur.

**11. TOXICOLOGICAL INFORMATION**

---

**Toxicology Information**

No toxicity data available for this product.

**Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation**

Inhalation of dusts may irritate the respiratory system.

**Skin**

Skin contact may cause mechanical irritation resulting in redness and itching.

**Eye**

Eye contact may cause mechanical irritation. May result in mild abrasion.

**Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Talc is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ through repeated exposure.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

**Other Information**

Chronic exposure by inhalation may aggravate pre-existing upper respiratory and lung disorders such as bronchitis, emphysema and asthma. Onset and progression are related to dust concentrations and duration of exposure.

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

No ecological data are available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

**14. TRANSPORT INFORMATION**

---

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**15. REGULATORY INFORMATION**

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia  
Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

**16. OTHER INFORMATION**

---

**Date of preparation or last revision of SDS**

SDS Reviewed: January 2014

Supersedes: February 2013

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
Standard for the Uniform Scheduling of Medicines and Poisons.  
Australian Code for the Transport of Dangerous Goods by Road & Rail.  
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.  
Workplace exposure standards for airborne contaminants, Safe work Australia.  
American Conference of Industrial Hygienists (ACGIH).  
Globally Harmonised System of classification and labelling of chemicals.

**Contact Person/Point**

Emergency Advice: ACOHS ERS - 1800 638 556 (24 Hours)

**PLEASE NOTE:**

The information contained herein is based on data available to Sibelco Australia Limited from both our own technical sources and from recognised published references and is believed to be both accurate and reliable. Sibelco Australia Limited has made no effort to censor nor to conceal deleterious aspects of this product. Since we cannot anticipate or control the many different conditions under which this information and our products may be used, each user should review these recommendations in the specific context of the intended application and confirm whether they are appropriate. It is therefore recommended that you undertake your own risk assessment in relation to your method of handling and proposed use of this product. Sibelco Australia Limited accepts no liability whatsoever for damage or injury caused from the use of this information or of suggestions contained herein.

---



## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.