



Kirk Sandall Industrial Estate, Doncaster, South
Yorkshire, DN3 1QR

+44 (0)1302 310 113
enquiries@prosolveproducts.com
www. prosolveproducts.com

ProSolve is trademark of S.T.L Trading Company
Limited
Reg in England No: 5230722
VAT Reg No: 381 3533 58

TECHNICAL DATA SHEET

ProSolve™ Debris Netting

DESCRIPTION

A durable, heavy duty plastic netting for used to protect pedestrians and traffic from falling debris.

DNB2X50R, DNBLA2X50R, DNG2X50R, DNR2X50R and DNW2X50R

FENCING STRUCTURE

Size: 2m x 50m

Colours: Blue, Black, Green, Red and White

Roll Weight: 6kg

Factor: 40% \pm 2%

Fabric Mass: 60gsm

Netting holes: 1mm x 2mm (approx.)

Material: High Density Polyethylene

| | | |
|--|-------------------|------|
| Breaking Strength (X Elongation) By KN/mm | Vertical | 68 |
| | Horizontal | 165 |
| Trapezoidal Tearing Resistance By N | Vertical | 390 |
| | Horizontal | 491 |
| Flammability Property | Temperature | 24°C |
| | Degree of wetness | 60% |

IMPORTANT NOTICE

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, ProSolve expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

BEFORE USE, CONSULT THE SAFETY DATA SHEET OF THE PRODUCT.

