

Coast to Coast RV Services Folding Picnic Table with LED



Note: All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement. Please read this instruction guide carefully before installing and using this product. These are only guides as the installation will be different depending on the vehicle construction. If unsure, please consult the manufacturer of your vehicle. Coast to Coast RV Services will not be responsible or liable for installations or damages caused by the installation of this product.

Please inspect and confirm that there are no marks, scratches or any damage to the product before installation. No warranty claims of this nature will be accepted once fitted.

In this guide we will cover a possible installation.

Tools required: Drill, drill bit, pencil, measuring tape, screwdriver, masking tape, a suitable silicone/sealant (depends on the surface that the table will be mounted to) and a cleaning cloth.



Before starting, ensure you disconnect and isolate 12V and 240V power supplies as well as LP Gas fuel or any other fuel sources to the RV.

Please make sure that the wall thickness of your vehicle is thick enough for the screws provided in this kit. Ensure that the wall you are fitting to is able to carry the added weight of the table as well as the items that will be placed on it when in use.

Note: The folding picnic table has a <u>maximum load of 25kg</u> that can be evenly placed on the table surface when in the open position. Ensure that the wall it is to be fitted to is able to support this weight or additional bracing may be required. If in doubt, please consult your RV manufacturer or a licenced RV repair centre.

Step 1: Check the contents of your picnic table:

Your kit should contain a picnic table and backing plate, screws and keys.



Step 2: Prior to starting the installation, apply some masking tape behind the frame of the picnic table and cover the rivet heads. This will prevent scratching the paintwork on your vehicle as you move and slide the picnic table to choose your preferred location.

Step 3: Choose your preferred position to install the picnic table, ensuring that there are no electrical wires, plumbing lines, gas lines, or any other possible items in the way as you will be drilling and screwing into the wall.

Once your desired position has been chosen, you will need a straight line along the side of the vehicle. In this example we have used the wheel spat and measured from the wheel spat to our preferred height. Mark a series of pencil lines at your desired height. There is no right or wrong height, it comes down to personal choice.

Check that the measurements are true by checking the measurement from the roof line to your pencil lines. You could also use a window or the bottom edge of the vehicle.



Step 4: Position the picnic table at your preferred height making sure the bottom edge or top edge lines up with your pencil marks. Once you are satisfied with the position, open the picnic table and start marking the holes around the perimeter of the frame with a pencil. Ensure to mark a hole where the LED power loom will enter the vehicle wall. Refer to fig 1.



Step 5: Once the holes have been marked with a pencil on the side of your vehicle, you are ready to start drilling small pilot holes.

Note: The pilot holes' size will depend on the material that your vehicle is manufactured from (eg: aluminium cladding, steel cladding, fibreglass, aluminium diamond plate). Each of these materials will require a different size pilot hole for the screws provided in this kit, and in some cases the screws will not be suitable and rivets will have to be used. Rivets are not supplied in this kit. Drill the pilot holes that were marked with pencil, taking care not to drill right through the wall (don't forget your vehicle might have very thin walls).




Figure 1 LED Power Loom Access Hole Location (Not to scale)



Step 6: Apply a suitable silicone/sealant bead all the way around the back of the frame of the picnic table. Make sure you cover the edges of each hole including the LED cable access hole.

Apply some silicone/sealant in the pilot holes you have drilled in the side of the vehicle. This will ensure it is well sealed once you install the picnic table.



Step 7: Position the picnic table on the side of the vehicle and make sure you feed the LED power loom through hole and align each hole in the frame with the pilot holes you drilled previously. Start inserting the screws to hold it in place and continue tightening until firm.



Please note that the silicone/sealant is not only for waterproofing the installation holes. It will also add strength. In most cases you will not screw the picnic table frame into a wall stud, therefore it is vital to use adequate, appropriate silicone/sealant.

Step 8: Wipe off any unwanted silicone/sealant that might have oozed out while you were tightening the picnic table to the wall.

Step 9: You are now ready to install the backing plate. Add some silicone/sealant in strategic locations to add strength (do not place silicone/sealant on double sided tape). Simply align the edges of the backing plate with the internal frame and gently push into position after removing the backing film from the double-sided tape. Please take care in this step as once the double sided tape has adhered, it will be difficult to remove the backing plate to have a second attempt.

Note: Please practise positioning the backing plate within the picnic table frame prior to removing the double-sided tape backing film and the silicone/sealant. This will ensure you get the best possible installation.



Step 10: If required, apply a bead of appropriate silicone/sealant all around the edge of the picnic table to give it an aesthetically pleasing finish.

Step 11: Do not drive or tow the vehicle until the silicone/sealant has cured as vibration could interfere with the final adhesion strength.

Step 12: Connect to a 12V **FUSED** power circuit from the RV.

Red Cable = 12V positive

Black cable = Earth

Step 13: Once the silicone/sealant has dried, open and start using your new picnic table. Please ensure when the RV is under tow that the table is in the closed position. It is recommended that the keys are used to lock it in this position.



Distributed By: Coast to Coast RV Services www.coastrv.com.au





Coast RV Ptv Ltd trading as Coast to Coast RV Services ABN 49 097 104 492 - ACN 101 461 330 PO Box 6287, Silverwater NSW 1811

AUSTRALIA

Ph (02) 9645 7600 - Fax (02) 9645 7699 Email: warranty@coastrv.com.au Web: www.coastrv.com.au

Coast to Coast RV Servic PO Box 58 -054, Botany AUCKLAND

NEW ZEALAND

Ph (09) 274 8700 - Fax (09) 274 8701 Email: enquiry@coastrv.co.nz Web: www.coastrv.co.nz

Warranty Against Defects

WHAT THIS WARRANTY RELATES TO

This warranty covers goods supplied by Coast RV Pty Ltd T/A Coast to Coast RV Services ("Supplier") to the Client 1.1 ("Goods") and relates to any defects in materials and workmanship under normal use and maintenance ("Defect").

WHAT THE SUPPLIER WILL DO TO HONOUR THE WARRANTY 2

- 2.1 The Supplier will:
 - (i) replace or repair the Goods or the defective part of the Goods free of charge;
 - (ii) arrange for the Goods or the defective part of the Goods to be repaired or replaced by a qualified repairer free of charge.
- 2.2 The Supplier reserves the right to replace defective parts of the Goods with parts and components of similar quality, grade or composition where an identical part or component is not available.
- 2.3 Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

3 WHAT THE CLIENT MUST DO TO CLAIM THE WARRANTY

- 3.1 To claim the benefit of the warranty, the Client will need to (sequentially):
 - first contact the Supplier; and
 - (ii) present the defective Goods to the Supplier for inspection, including inspection for defective workmanship, or otherwise provide evidence of the claimed Defect, accompanied by evidence of proof of purchase and date of delivery, and if applicable, evidence of maintenance performed in accordance with the relevant maintenance schedules.
- 3.2 The claim listed in clause 3.1 may be made in person, or the claim may be sent to the address listed on this form, including the particulars required under clauses 3.1(i) and 3.1(ii).
- 3.3 The appropriate form for making a claim for warranty is as attached.

DURATION OF WARRANTY

- 4.1 This warranty will cease:
 - (i) where the Goods are purchased already fitted in or as a component of a vehicle or RV: from the date that is twelve (12) months after the Client takes delivery of the vehicle or RV; and
 - (ii) where the Goods are purchased separately or as an after-market item: from the date that is twelve (12) months from the date of purchase..
- 4.2 If a Defect does not materialise in the Goods prior to the date provided in clause 4.1, the Supplier will have no liability to the Client under this warranty.

5 RESPONSIBILITY FOR COSTS OF CLAIM UNDER THIS WARRANTY

- 5.1 The Supplier is responsible for the costs directly associated with repairing or replacing the Goods in accordance with clause 2.1 only.
- Any works required to be completed in addition to fixing the Defect are the responsibility of the Client. Additional works includes any costs associated with any testing or repair of the Goods or any goods to which they are fitted, undertaken by a third party in relation to any defect without prior authorisation from the Supplier.
- 5.3 Where it is determined that the Goods do not have a Defect, the Client will be charged a GST exclusive inspection fee of forty-five dollars (\$45.00AUD in Australia or \$45.00NZD in New Zealand) plus freight costs for the return of the Goods, this is subject to change without notice.
- 5.4 The cost of delivery and insurance of the Goods to and from the Supplier, travel costs to and from the Supplier, and the cost of inspecting and testing the Goods are the sole responsibility of the Client.

6 WARRANTY LIMITATIONS

- 6.1 The Supplier makes no warranties or representations other than those set out in this warranty document except as is required by law.
- 6.2 The Supplier will not be liable under this warranty:-
 - (i) to the Client or any other person for any consequential, direct or indirect loss, damage or costs incurred or suffered by the Client or any other person, including but not limited to damage to persons, other property, loss of turnover, loss of profits, loss of business or goodwill;
 - (ii) to the Client for transportation or travel costs which are the Client's responsibility;
 - (iii) for damage or defects in any Goods caused by improper transportation, storage or any other misuse, neglect or accident.
 - (iv) for the installation of the Goods. Any fault or defect due to installation should be referred to the installer. The Goods must be installed in accordance with the Manufacturer's instructions and any relevant legislation or code.
- 6.3 This warranty covers the Client only and it is not transferrable if the Goods are sold by the Client during the warranty period.

7 WARRANTY EXCLUSIONS

- 7.1 This warranty will not apply where:
 - (i) the Goods have been improperly modified or repaired or the Good's defect has arisen due to the Client's failure to properly install, fit, maintain, service or use the Goods in accordance with the specifications and instructions provided by the Manufacturer, including a failure to comply with the relevant maintenance schedule (where applicable);
 - (ii) the Supplier cannot establish any Defect in the Goods after testing;
 - (iii) the Goods have been used other than for the purpose for which they were designed;
 - (iv) the Goods have been subject to abnormal conditions, including but not limited to temperature, pressure, stress, load or similar;
 - (v) the Client or installer have used or fitted non-genuine or non-approved parts and accessories to the Goods or have failed to use recommended parts and accessories;
 - (vi) the Good's defect has arisen due to abuse, misuse, neglect or accident;
 - (vii) the Goods have not been installed in accordance with the relevant instructions;
 - (viii) the Good's defect is caused by use or fair wear and tear of the Goods (or expendable parts).

8 RIGHTS AT LAW

- 8.1 The benefits given to the Client under this warranty are in addition to other rights and remedies of the Client at law in relation to the Goods.
- 8.2 In Australia our Goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the Goods repaired or replaced if the Goods fail to be of acceptable quality and the failure does not amount to a major failure.

WARRANTY CLAIM FORM

Warranty Providers Name:	Coast RV Pty Ltd trading as Coast to Coast RV Services		
		ABN	49 097 104 492 - ACN 101 461 330
Warranty Providers Address:	PO Box 6287, Silverwater NSW 1811 Australia OR; PO Box 58-054 Botany AUCKLAND 2163 New Zealand		
Client:			
Contact No.			
Description of Goods provided:			
Receipt enclosed: (tick box)		Yes □	No
Receipt No:			
Description of defects (Give as much detail as possible. Use a			
separate page if required):			
Data of mumbhasa/asmiliasa			
Date of purchase/services provided:			
I hereby declare that the information provi	ded above is	s true and corre	ect and to the best of my knowledge and belief and I have
complied with all the conditions of the war			· · · · ·
Signed:			
Name:			
(please print)			
Datad			
Dated:			and the state of t
[riease note, the issue or completion of t	rus torm by 1	the Client does	not constitute an admission of liability by the Supplier]