## Flasher Kit for Hustler<sup>®</sup> Diesel Z, Super Z, Super Z HD and Super 104 Instruction No. 110470 Part Number 110469

This flasher light kit is designed to be mounted on Hustler<sup>®</sup> Diesel Z, Super Z, Super Z HD and Super 104 mowers.


## **Parts List**

Listed below are parts included in this kit. If any parts are missing or damaged, please contact Hustler<sup>®</sup> Parts Department.

Item	P/N	Description	Qty
1	109680	FLASHER LIGHT BRACKET	2
2	601688	FLASHER LIGHT	2
3	601301	U-BOLT FST/MNZ JAC KIT	4
4	767954	FW .406 X .812 X .060 SAE HRD ZN	4
5	054502	NT .375 - 16 HX G5 ZN	4
6	601553	WIRING HARNESS	1
7	601116	SWITCH, LIGHT KIT	1
8	000430	BLACK TIE CABLE 15" LONG	6
9	047241	FLASHER KD 2590-001	1

## **Assembly**

- 1. Park the mower on a solid, level surface, set park brakes and shut-off engine.
- 2. Attach brackets to lights installing them to be left and right. Fig. 1








Fig. 1

3. Attach light and bracket to ROPS just below the bend. Attach lights to wire harness and route down the right side ROPS post. Tie the wire harness to the ROPS at specified locations. Leave slack in harness at ROPS pivot joint. Fig. 2








Fig. 2

Rev B 1 of 3

4. Remove instrument panel. With a sharp utility knife, cut a slot in instrument panel decal for the switch and insert switch. Make sure that the on "I" position of the switch is facing away from the operator. Fig. 3



Fig. 3

5. Attach flasher to wiring harness (Fig. 4). Locate the accessory plug on the mower wire harness and plug the light harness into the accessory plug. Connect the two remaining leads to the light switch. Reattach the instrument panel. Fig. 5




Fig. 4 Fig. 5

6. Route wire harness through the opening at the lower rear end of the control panel. Make certain that no wires get pinched. Fig. 6




Fig. 6

2 of 3 Rev B

**NOTE:** Should a mower be equipped with more electrical accessories, put the light wire harness at the end of the accessory link since it does not have an extra connector. Fig. 7




Fig. 7



**WARNING:** The wiring system on Hustler<sup>®</sup> Turf equipment is designed for use with Hustler<sup>®</sup> Turf electrical attachments. Use only Hustler<sup>®</sup> Turf electrical attachments with your mower.

Rev B 3 of 3