

HONAR REFRIGERATION AND MACHINERY LIMITED

# THIRD EDITION













Honar Refrigeration is a market leader in providing new refrigeration technologies, adapting innovative individual solutions for its customers, continually updating its models and providing excellent ongoing service.

Established in 1993, Honar has now become a key New Zealand supplier of European Food and Beverage Display Cabinets. A family owned and operated company that places its people and customers first. Honar Refrigeration has expanded its distribution within New Zealand and the South Pacific, providing off the shelf cabinets, modular cool & freezer rooms and now with custom made equipment designed specifically to suit each location.

Honar selects and imports world leading, top quality European refrigeration and cabinetry, in terms of energy efficiency, reliability and style. Honar also provides full installation and follow up support capability. All products are covered by a 2 year parts warranty with extended warranties available.

We supply food display equipment to bars, cafes, supermarkets, restaurants, fishmongers, bakeries, butcheries, hotels, delicatessens, food courts and dairies. This equipment provides visual appeal to help businesses sell the food and beverage within it. Honar Refrigeration works alongside its customers to meet their business needs, providing stylish display equipment which is also cost effective.

We provide storage cooling solutions, including custom built coolstores and freezer rooms designed to match individual space and usage requirements.

In addition to supplying equipment, we also work alongside businesses to provide turnkey solutions. With experience in outfitting complete retail/wholesale premises, we can work with you to get your new premises opened or refurbished. Our industry experience is wide and varied, so speak to us about your individual business requirements.

#### What to think about prior to purchase

Deciding on which equipment is most appropriate for your business can be a complex decision. Honar Refrigeration aims to make this process easier for you by recommending storage or display equipment which will deliver the best solution allowing for budget, end usage, space and key competitive advantages. We will also advise where the equipment should be positioned considering space availability, temperature requirements, and energy efficiency in regards to refrigeration system options.



Modular Polyurethane Rooms



Vertical Chillers	6
Vertical Freezers	
Bar / Kitchen / Prep Cabinets	11
Glass Front Serve Over's	12
Bakery / Café Counter Tops	13
Horizontal Freezers / Chillers	14
Wall Deli / Hi Back Cabinets	17
Scoop Ice Cream Cabinets	19
Sushi / Tapas Counters	19
Juice & Milk Dispensers	20
Chest Freezers	20
Blast Chillers & Freezers	21



Ice machines \_\_

22

\_2



Serve Overs	25
Wall Delis – Full Height	26
Wall Delis – Low Height	27
Chillers / Freezers	27
Wall Freezers	28



REA Shelving System	29
Meat Machinery	31

# **Cool & Freezer Rooms**

#### Misa Modular Polyurethane Rooms


A simplistic modular system of cool and freezer room solutions, with the advantage of quick assembly or disassembly over time.

The Misa system can be utilised for cool and freezer rooms, production rooms, processing plants or any food grade area.


As your business evolves and expands so too can your MISA cool or freezer room be easily expanded or re located within hours not days. The MISA modular system ensures your investment retains more value than an expanded polystyrene (E.P.S) constructed room. Removal of the need for on site cutting with all its associated hazards, improved fire resistance, reduced running costs resulting from superior insulation qualities and rapid on site assembly are key benefits enjoyed by MISA users nationally including; db Breweries, Subway, Nosh Supermarkets, Four Square supermarkets, Pita Pit, Liquor King, Dominos and many other businesses throughout New Zealand.

We can supply any size to suit your requirements. Please contact your representative for a free no obligation quotation.









MISA manufacture modular Reach In rooms with or without Freeblock cassette motors for clients seeking a storage solution larger than a freestanding plug in fridge or freezer but smaller than a cool or freezer room. These rooms are available 800mm deep (internal) or wider in increments of just 400mm. Bakeries, warehouses, pharmaceutical suppliers, caterers, rest homes have all benefited from this design.

Options include; shelving, glass doors, split doors, full height solid doors with or without viewing windows are all available on request.

Panels can be added or taken out at a later date, giving you huge flexibility and major advantages over polystyrene installations.





#### **Misa Features**

High density polyurethane panel system in two thicknesses; enabling better insulation (more energy efficient) and thinner panels than polystyrene to deliver larger internal capacities.

Chiller	S6	60mm
Freezer	S10	100mm

Quick and easy installation and disassembly by means of the Misa 'Fast Fit' twin hook camlock system. Assemble with an allen key within hours. No panel cutting, riveting or glueing.

Various sizes in increments of 400mm to suit individual requirements.




Polyurethane foam insulated internal and external coved corners enabling food grade sanitary sections for easy cleaning.









Floor panels in a high density reinforced polyurethane panel with a finished floor surface comprising of an anti slip plastic coating. (No vinyl required.)

Where a level flat concrete floor is available at ground level a cool room can be constructed directly onto it without a need for MISA floor panels. Our support edging is made from hard wearing PVC and is coved ensuring the same superior food safety. A fully coved finish is delivered on every installation.

Misa high density polyurethane panel system is a fire safe product using non absorbent self extinguishing foam

- HFC & CFC Free
- Uses self extinguishing foam
- More fire retardent than standard EPS panels
- Lower insurance premiums





# **Cool & Freezer Rooms**

Rooms with no floors utilise a coved high density plastic 'u' channel that is fixed to the existing concrete floor enabling a fully sealed and coved finish.

MISA hinged door hardware includes key locks and luminous internal safety release compliant with building codes and in house safety plans.

Freezer door frames come complete with easily renewable heaters and a built in pressure relief port to ensure doors do not blow open on a defrost cycle.


Options

sliding doors




strip curtains








meat rails/hooks















# **Refrigeration Equipment**

The Misa cool and freezer rooms can be fitted with Freeblock (integral) or remote condensing units.

#### Freeblock

A simple 'plug in' condensing unit and evaporator that locks into place in minutes by way of the Misa Camlock system. The Freeblock comes with a hermetic compressor, air condenser, suitable for ambient temperature from 0°c to 43°c, digital controller, light and dissipation tray.





#### Remote

A traditional separate system allowing the condenser to be fitted away from the room. This comes with a condensing unit with hermetic compressor, an air condenser suitable for ambient temperature up to  $+32^{\circ}$ c, digital controller and light.

















# **Vertical Chillers**

# Bench Top / Underbench

#### DW-J85

Model	Width mm	Depth mm	Height mm	Volume litre
DW-J85	506	565	780	85
* Low energy consum	ption	\star Lockał	ole door	
* Forced air ventilation		🗱 LED lig	ght (internal)	
🗱 3 plastic coated adj	ustable shelve	s 🛛 🗱 Curve	d glass door	
* Temperature range	+1°c to +8°c			

### SC125

Model	Width mm	Depth mm	Height mm	Volume litre
SC125	555	520	870	125
* Low energy	consumption	* Temp	erature range +	1°c to + 8°c

- Forced air ventilation
- LED light (internal)helvesLock

\* Black exterior

 2 plastic coated adjustable shelves & the base

#### **HIRON SC80**

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SC80	600	555	760	65
<ul> <li>Glass door chiller</li> <li>With lightbox</li> <li>Internal LED lighting</li> <li>2 adjustable shelves</li> </ul>		<ul><li>White frame</li><li>Lock</li><li>Digital</li></ul>	interior & exter controller	ior with grey



Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SC105	600	580	1020	98
<ul> <li>Glass door chiller</li> <li>With lightbox</li> <li>Internal LED lightin</li> <li>2 adjustable shelve</li> </ul>	0	frame <b>*</b> Lock	interior & exter I controller	ior with grey

#### RT78L (2R)

Model	Width mm	Depth mm	Height mm	Volume litre
RT78L	429	425	980	86
<ul> <li>Doors front &amp; rear</li> <li>Temperature range</li> <li>LED lights (internal</li> <li>3 plastic coated ac</li> </ul>	e + 1°c to + 8°c ) & base (extern	* Douk nal) * Black	ed air ventilation ole glazed glass exterior locks fitted	

#### SC55 Wine Fridge

Model	Width mm	Depth mm	Height mm	Volume litre
SC55	300	570	830	55
<ul> <li>* 15 bottle capacity</li> <li>* Dual zone</li> <li>* 5 shelves (wooden)</li> <li>* Stainless door</li> </ul>			exterior ess door handle erature range +	

### SC120D Wine Fridge

Model	Width mm	Depth mm	Height mm	Volume litre
SC120D	597	550	820	120
<ul> <li>30 bottle capac</li> <li>Barn glass door steel trim</li> </ul>	-	<ul> <li>4 wooden shelves per door</li> <li>Black exterior</li> <li>Lock</li> </ul>		
<ul><li>Split zones</li><li>Red or white wi</li></ul>	ne		ess door handle erature range +	













# **Freestanding Single Door Chillers**

#### HONAR RC300

Model	Width mm	Depth mm	Height mm	Volume litre
RC300	440	730	1850	300
<ul> <li>Slimline "Retro</li> <li>Double glazed</li> <li>Black or white e</li> <li>Stainless handle</li> </ul>	hinge door exterior	<ul><li>LED in</li><li>Forced</li></ul>	adjustable shelv hternal lighting d air ventilation erature range +	5

#### EKO 42CL

Model	Width mm	Depth mm	Height mm	Volume litre
Eko 42CL	620	593	1940	390
<ul> <li>Double glazed hinge door</li> <li>4 adjustable shelves</li> </ul>		<ul> <li>Lockable door</li> <li>1 vertical light</li> </ul>		
🗱 Light box		🗱 Fan as	ssisted	
Temperature range +1°c to +6°c		🗱 Evapo	orator coil	

#### ASIA 42.2 (matches ASIA 45.2 Freezer)

Model	Width mm	Depth mm	Height mm	Volume litre
Asia 42.2	670	637	1957	400
<ul> <li>Double glazed hi</li> <li>4 adjustable shele</li> <li>Light box</li> <li>Evaporator coil</li> </ul>	0	✤ Fan as	erature range + ssisted al vertical light	1°c to +6°c

#### **FM13**

Model	Width mm	Depth mm	Height mm	Volume litre
FM13	740	735	1450	324
<ul> <li>Dial thermometer</li> <li>3 height adjustab</li> </ul>		* Opera in 40°	iting temperatu ambient tempe	re +1°c to +5°c erature

- \* Dial thermometer 3 height adjustable PVC wire coated shelves + stainless steel base
- \* White painted Zincanneal exterior, white colour bond interior Interior vertical LED lighting replaceable without disturbing stock \* Self closing doors
  - \* Low 'E' Argon filled glazed doors
- \* Aluminium framed double glazed door with full length handle

#### FM20

Model	Width mm	Depth mm	Height mm	Volume litre
FM20	740	735	2195/2000	600
<ul> <li>Dial thermom</li> <li>4 height adjust</li> </ul>	eter stable PVC wire coat		painted Zincan colour bond int	neal exterior, erior

\* 4 height adjustable PVC wire coated shelves + stainless steel base

\* Aluminium framed double glazed

door with full length handle

- \* Self closing doors Interior vertical LED lighting replaceable without disturbing stock Removable top light box to reduce height to 2000mm \*
  - \* Low 'E' Argon filled glazed doors
- Operating temperature +1°c to +5°c in 40° ambient temperature

#### **APOLLO TM18**

Model	Width mm	Depth mm	Height mm	Volume litre
Apollo TM18	565	700	2195	440
<ul> <li>Removable cassetter refrigeration system</li> <li>High ambient capal</li> <li>Low 'E' Argon filled</li> <li>Stainless steel floor</li> <li>Low energy ECM fat</li> <li>Temperature range (climate class 5)</li> </ul>	oility glazed doors pan n motors	<ul> <li>Lockal</li> <li>Stainle</li> <li>Revers</li> <li>Non-re</li> </ul>		5











### **APOLLO TM22**

Model	Width mm	Depth mm	Height mm	Volume litre
Apollo 22	740	700	2195	620
<ul> <li>Removable casse refrigeration syste</li> <li>High ambient cap</li> <li>Low 'E' Argon fille</li> <li>Stainless steel flo</li> <li>Low energy EBM</li> <li>Temperature rang (climate class 5)</li> </ul>	em bability ad glazed doors or pan fan motors	<ul> <li>Lockal</li> <li>Stainle</li> <li>Revers</li> <li>Non-re</li> </ul>		-

#### AF07TN

Model	Width mm	Depth mm	Height mm	Volume litre
AF07TN	710	800	2100	700
<ul> <li>Fully Stainless stee</li> <li>Curved interior cor cleaning</li> </ul>		<ul><li>✤ Castor</li><li>✤ Light</li><li>✤ GN co</li></ul>		

\* Digital controller

\* 1 solid door chiller

- \* 5-tier & base
- **\*** Temperature range +2°c to +8°c

# **Two & Three Door Chillers**

#### **GLACIER 800**

Model	Width mm	Depth mm	Height mm	Volume litre
Glacier LC800	1000	738	2150	740
<ul> <li>* Fan assisted</li> <li>* 4 shelves + base p</li> <li>* Lightbox</li> <li>* Sliding doors</li> </ul>	per door			re +1°c to +6°c ient ouble glazed

#### **GLACIER 880**

Model	Width mm	Depth mm	Height mm	Volume litre
Glacier LC880	1080	745	2150	880
<ul> <li>* Fan assisted</li> <li>* 4 shelves + base pe</li> <li>* Lightbox</li> <li>* Practical interior ver replaceable without</li> </ul>	tical lighting	door * Opera operat	plastic framed o ting temperatu ting at 30° amb osing doors	double glazed rre +1°c to +6°c iient

#### FM30

Model	Width mm	Depth mm	Height mm	Volume litre
FM30	1130	735	2195/2000	900
<ul> <li>Dial thermometer</li> <li>4 height adjustable PVC wire coated shelves per door &amp; stainless steel base</li> </ul>			ting temperatu ambient tempe painted Zincan colour bond int	
Practical interior vertical LED lighting replaceable without disturbing stock		ng 🗱 Self cl ck 🗶 Remov	osing doors vable top light l	oox to reduce

- \* Aluminium framed double glazed doors with full length handle
- Removable top ligh height to 2000mm ox to reduce

#### **APOLLO TM34**

Model	Width mm	Depth mm	Height mm	Volume litre
Apollo TM34	1130	700	2195	980
* Removable cassette integral		* LED ir	nside and sign li	ghts

- refrigeration system \* High ambient capability
- \* Low 'E' Argon filled glazed doors
- \* Stainless steel floor pan
- \* Low energy EBM fan motors
- \*
  - Temperature range +1°c to +5°c (climate class 5)
- \* Lockable castors
- \* Stainless steel condensate tray
- ✤ Non-rust fascia
- \* 2 doors
- 5 height adjustable PVC wire coated shelves + base per door











#### FM45

Model	Width mm	Depth mm	Height mm	Volume litre
FM45	1640	730	2195/2000	1355
* 3 Aluminium fram doors with full ler	ned double glaze ngth handle	ed 🗱 Oper in 40	ating temperatu ° ambient tempe	re 0°c to +5°c erature
<ul> <li>Dial thermometer</li> <li>4 height adjustable PVC wire coated</li> </ul>		ed white	e painted Zincan colour bond int	neal exterior, erior
shelves per door base	nelves per door & stainless steel		losing doors wable top light l	box to reduce
<ul> <li>Practical interior replaceable with</li> </ul>	vertical LED light out disturbing sto	ing heigh	it to 2000mm E' Argon filled g	

#### **APOLLO TM48**

Model	Width mm	Depth mm	Height mm	Volume litre
Apollo TM48	1705	700	2195	1535
<ul> <li>Removable cassette integral refrigeration system</li> </ul>		<ul> <li>LED inside and sign lights</li> <li>Lockable castors</li> </ul>		
<ul> <li>High ambient capability</li> </ul>		\star Stainle	ess steel conder	nsate tray
<ul> <li>Low 'E' Argon filled glazed doors</li> </ul>		\star Non-rı	ust fascia	
* Stainless steel floor	pan	🗱 3 dooi	rs	

- \* 3 doors
- 5 height adjustable PVC wire coated shelves + base per door

#### AF14TN

\*

Model	Width mm	Depth mm	Height mm	Volume litre
AF14TN	1420	800	2100	1400
<ul> <li>Fully Stainless steel</li> <li>Curved interior concleaning</li> <li>5-tier &amp; base</li> <li>Temperature range</li> </ul>	ners for easy	🗱 Digita	rs ompatible I controller I door chiller	

# **Vertical Freezers**

\* Low energy EBM fan motors

Temperature range +1°c to +5°c (climate class 5)

# **Bench & Single Door Freezers**

#### SD45

Model	Width mm	Depth mm	Height mm	Volume litre
SD45	570	510	500	42
<ul> <li>Glass door freezer</li> <li>No lightbox</li> <li>2 adjustable shelve</li> </ul>		<ul><li>White</li><li>Self cl</li><li>Intern</li></ul>	osing door	

#### **HIRON SD90**

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD90	595	575	702	75
<ul> <li>Glass door freezer</li> <li>No lightbox</li> <li>3 adjustable shelve</li> </ul>	s & base	<ul><li>White</li><li>Lock</li><li>Self close</li></ul>	exterior osing door	

#### **HIRON SD80**

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD80	600	555	760	65
<ul> <li>Glass door freezer</li> <li>With lightbox</li> <li>Internal LED lightin</li> <li>2 adjustable shelves</li> <li>Auto defrost</li> </ul>	0	door f <b>*</b> Lock	interior & exter rame I controller	ior with grey







Inniniann



Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD105	600	580	1020	98
<ul> <li>Glass door freezer</li> <li>With lightbox</li> <li>Internal LED lightin</li> <li>2 adjustable shelve</li> <li>Auto defrost</li> </ul>	0	door f <b>*</b> Lock <b>*</b> Digita	interior & exter rame I controller erature range -1	

#### **HIRON SD208**

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD208	410	560	1880	190
<ul> <li>Glass door slim line</li> <li>5 tier adjustable sh</li> <li>With lightbox</li> </ul>			erature range -1 rced refrigeration defrost	

#### ASIA 43.2

Model	Width mm	Depth mm	Height mm	Volume litre
Asia 43.2	670	610	1957	400
<ul> <li>Heated double glaz</li> <li>Light box</li> <li>6 fixed shelves + ba</li> <li>Temperature range</li> </ul>	ise	<ul><li>Static re</li><li>Interna</li><li>Manual</li></ul>	5	

#### ASIA 45.2

Model	Width mm	Depth mm	Height mm	Volume litre
Asia 45.2	670	665	1957	400
<ul> <li>Heated double glazed hinge door</li> <li>Auto defrost</li> </ul>		✤ Fan ass ✤ Internal		

\* Light box

- 5 adjustable shelves + base
- Temperature range -18°c to -25°c
- Temperature range 16 c to -z

#### AF07BT

Model	Width mm	Depth mm	Height mm	Volume litre
AF07BT	710	800	2100	700
<ul> <li>Fully stainless steel</li> <li>Curved interior concleaning</li> <li>5 tier &amp; base</li> <li>Temperature range</li> </ul>	ners for easy	🗱 Digita	rs ompatible I controller I door freezer	

# 2 & 3 Door Freezers

#### HIRON G2D 1100

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron G2D 1100	1400	700	2070	1100
<ul> <li>Fan Forced refriger.</li> <li>2 self closing heate</li> <li>Castors</li> <li>4 adjustable shelve:</li> </ul>	d doors	0	controller erature range -1	8°c to -20°c

### HONAR 3D – DF

Model	Width mm	Depth mm	Height mm	Volume litre
Honar 3D	1800	750	2085	1280
<ul> <li>Fan Forced refriger.</li> <li>3 self closing heate</li> <li>4 castors (2 locking)</li> <li>5 height adjustable PVC- coated wire (v</li> </ul>	d doors	★ Digita ★ Light	box erature range -1	8°c to -20°c



500









#### AF14BT

T142080021001400y stainless steel* Castorsved interior corners for easy aning* Light* GN compatible
ved interior corners for easy * Light
er & base perature range -18°c to -22°c * 2 solid door freezer

# Bar / Kitchen / Prep Cabinets

# **Bar Cabinets**

#### **GLACIER SC205**

Model	Width mm	Depth mm	Height mm	Volume litre
SC205	870	520	870	185
<ul> <li>2 double glazed gl</li> <li>2 adjustable shelve</li> <li>Integral unit (back</li> <li>Lockable</li> </ul>	es per door	* Interna	ucted from fror al LED light arature range + exterior	

#### **GLACIER SC335**

\* Lockable

Model	Width mm	Depth mm	Height mm	Volume litre
SC335	1350	520	870	300
<ul><li>* 3 double glaze</li><li>* 2 adjustable sh</li></ul>	d glass sliding door nelves per door	,	ducted from from al LED light	nt

- Integral unit (back mounted)
   Temperature range +3°c to +8°c
  - Black exterior

\* Left or right removable cassette condensing unit

\* Full length horizontal LED lights

\* Optional stainless steel finish

\* Low 'E' Argon filled glazed doors

\* Optional flat stainless steel shelves

for easy installation

\* Optional adjustable legs or castors



#### APOLLO ABBR BACK BAR CABINET

Model	Width mm	Depth mm	Height mm	Volume litre
ABBR - 2	1476	605	885	364
ABBR - 3	2034	605	885	560
ABBR - 4	2592	605	885	764

- 2, 3 or 4 hinged glass doors, double glazed & toughened glass
- Black interior & exterior
- Operating temp +1° to +4° Celsius
- \* Fan forced ducted air flow
- \* Electronic Controller
- Automatic condensate removal2 height adjustable black shelves
- 2 neight adjustable black shelves per door
- \* Urethane treated evap coil

# **Kitchen Cabinets**

#### TFGN FULLY STAINLESS CHILLERS

Model	Width mm	Depth mm	Height mm	Volume litre
TF01GN 1 door	970	700	850/920	220
TF02GN 2 door	1420	700	850/920	310
TF03GN 3 door	1870	700	850/920	460
TF04GN 4 door	2320	700	850/920	620

- ✤ Fully stainless steel
- \* Curved interior for easy cleaning
- 2-tier shelving plus the base
- Temperature range +2°c to +6°c
- \* Castors

- \star Light
- \* GN compatible
- \* Digital controller
- \* 1, 2, 3 & 4 door chillers









#### Page 12

#### **TFBT FULLY STAINLESS FREEZERS**

Model	Width mm	Depth mm	Height mm	Volume litre
TF01BT 1 door	970	715	850/920	220
TF02BT 2 door	1420	715	850/920	310
TF03BT 3 door	1870	715	850/920	460
TF04BT 4 door	2320	715	850/920	620
<ul> <li>Eully staiplass at</li> </ul>		🖌 Liabt		

- Fully stainless steel
- \* Curved interior for easy cleaning
- \* 2-tier shelving plus the base

\* Temperature range -18°c to -22°c

\* Castors

- 🗱 Light
- \* GN compatible
- \* Digital controller
- \* 1, 2, 3 & 4 door freezers



#### **Glass Front Serve Over's**

### Deli / Café

#### MAFIROL EUROMINI TVCR

Model	Width mm	Depth mm	Height mm	Volume litre
Euromini 1.0	1000	930	1270	.41
Euromini 1.2	1250	930	1270	.52
Euromini 1.4	1460	930	1270	.65
Euromini 1.9	1960	930	1270	.82
Euromini 2.4	2460	930	1270	1.03

- \* Display deck plus extra shelf
- \* 2 x static coils
- \* Refrigerated understorage
- \* Curved front glass pull forward for
- cleaning
- \* Rear sliding doors
- LED lighting under intermediate ambient shelf \*
- \* Display deck 554 mm
- \* Digital Controller
- Temperature range +3°c to +7°c



# Deli / Butchery / Fish

#### MAFIROL ECO TVCR

Model	Width mm	Depth mm	Height mm	Volume litre
Eco 1.0	1060	1060	1277	.52
Eco 1.3	1310	1060	1277	.63
Eco 1.5	1520	1060	1277	.74
Eco 2.0	2020	1060	1277	1
Eco 2.5	2520	1060	1277	1.3
Eco 2.9	2940	1060	1277	1.5

- \* 2 x static coils
- \* Refrigerated understorage
- Curved front glass pull forward for \* cleaning
- \* Rear sliding doors
- \* LED lighting

- \* Digital Controller
- \* Display deck 730mm
- \* Re evaporation of defrost water
- \* Available as bain marie, corners
- \* Fully multiplexable



Model	Width mm	Depth mm	Height mm	Volume litre
Amalia 2.0	1955	1114	1277	1.04
Amalia 2.5	2580	1114	1277	1.39
Amalia 3.2	3205	1114	1277	1.73
Amalia 3.75	3830	1114	1277	2.08

- ✤ Fan forced
- \* Refrigerated understorage
- \* Curved front glass lift up for cleaning
- \* Rear sliding doors
- \* LED Lighting
- \* Digital Controller

- \* Display Deck 834mm
- \* Re evaporation of defrost water
- ✤ Temperature range 0°c to +4°c
- Available as bain marie corners, \* pizza, gastronorm, bakery
- \* Fully multiplexable





- Temperature range +1°c to +6°c

#### HONAR GBO

Model	Width mm	Depth mm	Height mm	Volume litre
Honar GBO - 4H	2035 / 1945	1145 / 1180	1180 /1222	1.56
Honar GBO - 5H	2660 / 2570	1145 / 1180	1180 / 1222	2.08
Honar GBO - 7H	3910 / 3820	1145 / 1180	1180 / 1222	3.12

- \* Curved or flat front glass
- \* Double-glazed glass ends
- ✤ Fan forced
- \* Rear sliding doors
- \* LED Lighting

#### NETTUNO FISH DISPLAY

Model	Width mm	Depth mm	Height mm	Volume litre
Nettuno 1.5	1540	1134	1163	1.4
Nettuno 2.0	2020	1132	1163	1.86
Nettuno 2.5	2500	1134	1163	2.33
Nettuno 3.0	2980	1134	1163	2.79

\* Fully stainless steel fish display \* Refrigerated coiled display deck

\* Integral condensing unit

\* Digital Controller

\* Digital Controller

\* Black exterior

\* Display Deck 835mm

\* Re evaporation of defrost water

Temperature range +1°c to +4°c

### Bakery / Café Counter Tops

#### **ARC 300L**

Model	Width mm	Depth mm	Height mm	Volume litre
ARC 300L	650	805	1445	300
<ul> <li>4 side double-glazed display case</li> <li>Black &amp; stainless trin</li> <li>Rear sliding doors</li> <li>LED lighting top &amp; u</li> </ul>	n	<ul><li>* Ventila</li><li>* Castor</li></ul>	stable glass she ited refrigeratio 's Controller	

Temperature range +2°c to +6°c

#### **ARC 400L**

Model	Width mm	Depth mm	Height mm	Volume litre
ARC 400L	900	805	1445	400
<ul> <li>* 4 side double-glaze display case</li> <li>* Black &amp; stainless tr</li> </ul>	0	,	stable glass she ated refrigeratic rs	

- \* Rear sliding doors
- \* LED lighting top & under shelving
- Temperature range +2°c to +6°c

#### **ARC 500L**

Model	Width mm	Depth mm	Height mm	Volume litre
ARC 500L	1200	805	1445	500
✤ 4 side double-glazed glass display case		<ul> <li>3 adjustable glass shelves and base</li> <li>Ventilated refrigeration</li> </ul>		
✤ Black & stainle	ss trim	* Castor	rs	

- \* Rear sliding doors
- \* LED lighting top & under shelving
- **\*** Temperature range +2°c to +6°c

#### PRISMA 100

Model	Width mm	Depth mm	Height mm	Volume litre
Prisma 100	1052	436	510	100

- \* Integral refrigeration \* Silver colour
- \* Fan assisted
- \* Sliding doors to one side

#### \* Lighting \* Auto defrost

\* Digital Controller

\* 2 adjustable shelves

\* Digital Controller

Temperature range +2°c to +8°c











- - \* Curved glass front

  - \* Other size options available
  - \* Multiplexible
- - \* Pedestal leg base

### PRISMA 200 MINI TOWER

Model	Width mm	Depth mm	Height mm	Volume litre
Prisma 200 Mini Tower	680	690	1221	200
* Integral refrigeration	'n	🗱 Auto d	defrost	
* Silver colour		🗱 2 Adji	ustable shelves	+ base
🗱 Fan assisted		🗱 castor	S	
* Hinged door to one	e side	🗱 Tempe	erature range +	2°c to +8°c
* Lighting				

#### PRISMA 400 SQUARE TOWER

Model	Width mm	Depth mm	Height mm	Volume litre
Prisma 400 Square Tower	680	690	1821	400
<ul> <li>Integral refrigeratio</li> <li>Silver colour</li> <li>Fan assisted</li> <li>Auto defrost</li> <li>Hinged door on one</li> </ul>			nless steel shelv erature range +	

# Horizontal Freezers / Chillers

### Cold Wall (Not Frost Free)

#### HIRON SD 151

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 151	584	694	850*	151
<ul> <li>2 Baskets</li> <li>2 Glass sliding lic</li> <li>LED internal light</li> <li>R134A refrigeran</li> </ul>	t	* Castor	erature range -1	

#### HIRON SD 235

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 235	800	694	850*	235
<ul> <li>3 Baskets</li> <li>2 Glass sliding lids</li> <li>LED internal light</li> <li>R134A refrigerant</li> </ul>		* Castor	rature range -1	

#### HIRON SD 405

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 405	1240	694	850*	405
<ul> <li>5 Baskets</li> <li>2 Glass sliding lids</li> <li>LED internal light</li> <li>R134A refrigerant</li> </ul>		* Castor	erature range -1	

#### HIRON SD 575

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 575	1690	694	850*	575
<ul> <li>7 Baskets</li> <li>2 Glass sliding lids</li> <li>LED internal light</li> <li>R134A refrigerant</li> </ul>		* Castor	erature range -1	









#### **HIRON SD 659**

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 659	1880	830	810	659
* Island freezer (access both sides)		* Therm	ometer	

\* Castors

- \* Island freezer (access both sides)
- Curved glass top with 2 sliding doors \* Temperature range -18°c to -20°c
- \* With 6 large baskets
- \* LED internal lighting

#### HIRON SD 163T & SD80

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 163T	630	760	1100	385
Hiron SD80	600	555	760	65
<ul> <li>Overall 630 x 760 x 1868 high</li> <li>Ventilated glass door chiller or</li> </ul>				

- \* Cold wall freezer base with sliding glass top
- freezer top

#### HIRON SD 530T & 2 x SD (SC) 105

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 530T	1510	815	1025	385
Hiron 2 x SD (SC) 105	605	580	1020	98

- \* Overall 1510 x 815 x 2045 high
- \* Cold wall freezer base with sliding glass top
- \* Ventilated glass door chiller or freezer top

#### HIRON SD 260 with frame & SD 405

Model	Width mm	Depth mm	Height mm	Volume litre
Hiron SD 405	1240	695	850	405
Hiron SD 260	1240	555	1120	260
<ul> <li>Overall 1240 x 695 x 2070 high</li> <li>Cold wall freezer base with sliding</li> </ul>		✤ Ventilat freezer	ed glass door o top	chiller or

\* Overall 1240 x 695 x 2070 high \* Cold wall freezer base with sliding glass top

#### **FT4 STAINLESS FREEZER**

Model	Width mm	Depth mm	Height mm	Volume litre
FT4	390	650	980	80
<ul> <li>Stainless steel exter</li> <li>Flip flop lid</li> <li>Castors</li> </ul>	ior & interior	<ul><li>Thermo</li><li>Temper</li><li>Small for</li></ul>	rature range -1	5°c to -20°c

#### **PP77 ROUND FREEZER**

Model	Width mm	Depth mm	Height mm	Volume litre
PP77	567	567	835	77
<ul> <li>* Round can freezer</li> <li>* Glass top</li> <li>* Castors</li> <li>* Thermostat</li> </ul>			ometer trature range -1 vall (not auto de	

#### **MINI B ICE**

Model	Width mm	Depth mm	Height mm	Volume litre
Mini B Ice	800	793	1270	264
* Curved glass top	<ul> <li>Two tiered freezer</li> <li>Curved glass top sliding lids</li> <li>Static refrigeration system</li> </ul>		nometer table thermosta stors ating temperatu	nt Ire -18°c to -23°c







#### Page 16

#### **B** ICE

Model	Width mm	Depth mm	Height mm	Volume litre
B Ice	1258	793	1270	440
* Two tiered freezer	* Thermometer			

\* Adjustable thermostat

\* Cold wall refrigeration

\* Colour white \* No dividing wall \* Baskets

\* Castors

\* Manual defrost required

\* Operating temperature -18°c to -23°c

\* Operating temperature -18°c to -22°c

Operating temperature -18°c to -30°c

\* Operating temperature -16°c to -20°c

\* Individual or island configurations

\* On castors

- \* Two tiered freezer
- \* Curved glass top sliding lids
- \* Static refrigeration system
- \* Lighting

#### **GLACIER SD**

Model	Width mm	Depth mm	Height mm	Volume litre
Glacier SD 530	1536	936	775	530
Glacier SD 750	2036	936	775	750
Glacier SD 980	2536	936	775	980

- \* Mechanical thermostat with electronic thermometer
- Self cleaning condenser via secondary fan which runs during the off cycle \*
- \* Floor drain
- \* Glass sliding lids have small roller wheels on the underside for easy opening and closing
- **STELLA**

Model	Width mm	Depth mm	Height mm	Volume litre
Stella 150	1547	967	753	435
Stella 200	2047	967	753	625
Stella 250	2547	967	753	814

- \* Glass top sliding lids
- 2 Thermometers
- \* Internal compressor
- \* Baskets
- \* Manual defrost required

#### HONAR ZDO

Model	Width mm	Depth mm	Height mm	Volume litre
ZDO 5P	1470	876	839	.9
ZDO 8P	2115	876	839	1.2
ZDO 9P	2502	876	839	1.5
ZDO 7D end cap	1870	876	839	1.1

- \* Curved glass top sliding lids
- \* LED lighting
- \* Digital controller
- \* Internal compressor

\* Bumper rail

\* Bumper rail

\* Auto defrost

\* Floor drain

\* Cold wall refrigeration









### **Static Auto Defrost**

#### **FIESTA**

Model	Width mm	Depth mm	Height mm	Volume litre
Fiesta 1.5	1540	1040	921	548
Fiesta 2.0	2040	1040	921	748
Fiesta 2.5	2540	1040	921	948

- \* 2 integral compressor units
- \* Static refrigeration system
- \* Frost free coils to top
- \* Automatic defrost
- \* Re-evaporation of defrost water
- \* Thermometer \* Thermostat
- \* Bumper rail
- \* Night covers
- \* Operating temperature -18°c to -22°c



# Fan Assisted Chillers / Freezers

#### HONAR ZXO DUAL TEMP

Model	Width mm	Depth mm	Height mm	Volume litre
ZX0.3D	1570	1070	910	500
ZXO.4D	2070	1070	910	690
ZX0.5D	2570	1070	910	870

- \* 2 integral compressor units
- \* Bumper rail
- \* Fan assisted refrigeration system

Width mm

1520

2040

- \* Night covers
- ★ Glass surround to 4 sides

\* 2 integral compressor units

\* Two independent refrigeration

\* Fan assisted refrigeration system

systems able to be either chiller or freezer

MUSIC DUAL ZONE

# \* Automatic defrost

- Operating temperature -18°c to -22°c or 0°c to +2°c
- Re Evaporation of defrost water

Height mm

Operating temperature -18°c to -22°c or 0°c to +2°c on either side at

\* Re – Evaporation of defrost water

\* Fan assisted freezer with glass doors

910

910

\* Glass surround to 4 sides

\* Automatic defrost

the same time

\* Thermometer

\* Lighting

Volume litre

476

684

\* Thermometer

Depth mm

\*

1060

1060







#### DIANA

Model

Music 1.5

Music 2.0

\* Bumper rail

\* Night covers

Model	Width mm	Depth mm	Height mm	Volume litre
Diana 125 AN	1240	916	2005	879
Diana 180 AN	1822	916	2005	1339

- \* Digital controller
- \* Temperature range -18°c to -22°c
- \* Static freezer base
- \* Night covers \* Maintenance free condenser
  - \* Dual temperature top

# Wall Deli / Hi Back Cabinets

#### **RTS 230L**

Model	Width mm	Depth mm	Height mm	Volume litre
RTS 230L	600	890	1520	230
<ul> <li>Fully stainless steel</li> <li>3 shelves plus base</li> <li>LED lighting</li> <li>Castors</li> </ul>			curtain erature range +: e glazed side p	

#### **RTS 380L**

Model Wid	th mm Depth mm	Height mm	Volume litre
RTS 380L 1000	0 890	1520	380
<ul> <li>Fully stainless steel</li> <li>Night curtain</li> </ul>			
🗱 3 shelves plus base	e 🛛 🗱 Temperature range +2°c to +6°c		
* LED lighting	Double glazed side panels		

- \* Castors
- **GEMMA 30**

Model	Width mm	Depth mm	Height mm	Volume litre
Gemma 30	626	738	1469	330
<ul> <li>2 shelves and base</li> <li>Vertical lighting on each side of cabinet</li> </ul>		<ul> <li>* Skid ca</li> <li>* Price ti</li> <li>* Therm</li> </ul>	icket holders or	n shelves
✤ Fan assisted		* Tempe	erature range 0°	°c to +6°c





#### Page 18

#### **GEMMA 60**

Model	Width mm	Depth mm	Height mm	Volume litre
Gemma 60	716	836	2059	580
<ul><li>* 4 shelves and base</li><li>* Roller night blind</li></ul>		✤ Castor ★ Price t	rs icket holders or	n shelves

- Vertical lighting on each side of \* Thermometer
  - Temperature range 0°c to +6°c
- cabinet ✤ Fan assisted

\*

### MAFIROL CRONUS LC (LOW HEIGHT)

Model	Width mm	Depth mm	Height mm	Volume litre
Cronus LC 625	685	665	1540	560
Cronus LC 806	866	665	1540	730
Cronus LC 1250	1310	665	1540	1130
Cronus LC 1450	1510	665	1540	1310
Cronus LC 1875	1935	665	1540	1690

- \* Low height deli
- \* 3 adjustable shelves plus base
- \* Black interior & exterior (option
- stainless)
- \* Double glazed glass ends
- \* Night blind
- Temperature range +2°c to +6°c
- \* LED lighting

#### MAFIROL CRONUS LC PLUS (LOW HEIGHT)

Model	Width mm	Depth mm	Height mm	Volume litre
Cronus LC Plus 625	685	855	1500	720
Cronus LC Plus 806	866	855	1500	930
Cronus LC Plus 1250	1310	855	1500	1440
Cronus LC Plus 1450	1510	855	1500	1680
Cronus LC Plus 1875	1935	855	1500	2170
Cronus LC Plus 2500	2560	855	1500	2890

\* Low height deli

- \* 3 adjustable shelves plus base
- \* Black interior & exterior (option stainless)
- Temperature range +2°c to +6°c LED lighting

\* Night blind

\* Double glazed glass ends

**MAFIROL PESSOA 850** 

Model	Width mm	Depth mm	Height mm	Volume litre
Pesso 705	705	877	1990	850
Pesso 886	886	877	1990	1100
Pesso 1330	1330	877	1990	1710
Pesso 1530	1530	877	1990	1980
Pesso 1955	1955	877	1990	2560
Pesso 2580	2585	877	1990	3420

- \* LED top canopy lighting
- ✤ 4 shelves plus base
- \* Double glazed glass end walls for visual effects
- \* Price holders on each shelf
- \* Automatic defrost
- \* Black interior and exterior

#### MAFIROL PSI II STAINLESS STEEL

Model	Width mm	Depth mm	Height mm	Volume litre
PSI 11 625	680	670	1970	830
PSI 11 806	860	670	1970	1070
PSI 11 1250	1305	670	1970	1650
PSI 11 1450	1505	670	1970	1920
PSI 11 1875	1930	670	1970	2480

- \* Fully stainless steel
- \* Double glazed end walls
- \* Vertical LED lighting on each end
- \* LED lighting in canopy
- \* 4 adjustable shelves plus the base

- \* Re-evaporation of defrost water
- \* Roller night blind
- ✤ Temperature range 0°c to +6°c

\* Temperature range +2°c to +6°c

- \* Shelf depth 460 mm
- \* Multiplexible

\* Night blinds

\* Castors

\* Shelf depth 360 mm

\* Electronic controller

- \* Castors
- \* Electronic controller











# Scoop Ice Cream Cabinets

#### HIRON SD 235 S2

Model	Width mm	Depth mm	Height mm	Volume litre
HIRON SD 235 S2	836	838	1270	235/170
<ul> <li>4 x 5 litre containe</li> <li>LED internal light</li> <li>Storage under disp</li> <li>Castors</li> </ul>	-		erature range -1 containers inclu	

#### HIRON SD 325 S2

Model V	Width mm	Depth mm	Height mm	Volume litre
HIRON SD 325 S2 1	1080	838	1270	325/240
<ul> <li>6 x 5 litre containers</li> <li>LED internal light</li> <li>Ambient shelf</li> </ul>		<ul> <li>Castors</li> <li>Thermometer</li> <li>Temperature range -16°c to -20°c</li> </ul>		6°c to -20°c
<ul> <li>Storage under display access from rear door</li> </ul>	y deck with r	<ul> <li>5 litre containers included</li> <li>Front sign light</li> </ul>		

✤ Front sign light

#### HIRON SD 415 S2

Model	Width mm	Depth mm	Height mm	Volume litre
HIRON SD 415 S2	1350	838	1270	415/310
<ul> <li>9 x 5 litre containers</li> <li>LED internal light</li> <li>Ambient shelf</li> </ul>		<ul> <li>Castors</li> <li>Thermometer</li> <li>Temperature range -16°c to -20°c</li> </ul>		
<ul> <li>Storage under displa access from rear doo</li> </ul>	y deck with r	<ul> <li>* 5 litre containers included</li> <li>* Front sign light</li> </ul>		

#### HIRON SD 575 S2

Model	Width mm	Depth mm	Height mm	Volume litre
HIRON SD 575 S2	1720	838	1270	575/430
<ul> <li>12 x 5 litre containe</li> <li>LED internal light</li> <li>Ambient shelf</li> <li>Storage under disp access from rear do</li> </ul>			ometer erature range -1 containers inclu	

#### FENICE

Model	Width mm	Depth mm	Height mm	Volume litre
Fenice 7	1314	702	1167	381/223
<ul> <li>Curved glass can</li> <li>Thermometer</li> <li>Under storage</li> <li>Night cover</li> <li>Automatic defros</li> <li>Lower front glass viewing</li> </ul>	t	<ul> <li>Therm</li> <li>Tempe</li> <li>7 x 5 l</li> <li>Lightin</li> <li>5 litre</li> </ul>	erature range -1 itre containers	16°c to -20°c uded









# Sushi / Tapas Counters

#### RTS 42 L

Model	Width mm	Depth mm	Height mm	Volume litre
RTS 42 L	1177	420	295	42
<ul> <li>Curved glass canop</li> <li>White</li> <li>Flat stainless steel b</li> <li>Pans included 4 x 1</li> <li>Rear sliding doors</li> </ul>	base or with pa	* LED lig	l controller	3°c to +6°c



#### RTS 62 L

Model	Width mm	Depth mm	Height mm	Volume litre
RTS 62 L	1530	420	295	62
<ul> <li>Curved glass cano</li> <li>White</li> </ul>		\star LED li	5 5	3°c to +6°c
<ul> <li>Flat stainless steel</li> <li>Pans included 6 x</li> </ul>	1	0	l controller vaporator	



#### RTS 132 L

\* Rear sliding doors

Model	Width mm	Depth mm	Height mm	Volume litre
RTS 132 L	1800	420	295	132
<ul> <li>Curved glass canop</li> <li>White</li> <li>Flat stainless steel</li> <li>Pans included 5 x 1</li> <li>Rear sliding doors</li> </ul>	base or with p	* LED ans * Digit	oerature range + lightning al controller evaporator	3°c to +6°c

# Juice & Milk Dispensers

#### COFRIMELL JUICE DISPENSER

Model	Width mm	Depth mm	Height mm	Volume litre
COF 1M	200	430	710	1 x 12LTR
COF 2M	400	430	710	2 x 12LTR
<ul> <li>Stirrer system</li> <li>12 litre polyca</li> <li>Easy clean</li> <li>Non drip tap</li> </ul>	rb bowl	* Made	stainless steel in Italy erature range +	2°c to +4°c
RTN 7L				



Model	Width mm	Depth mm	Height mm	Volume litre
RTN 7L	255	285	710	7LTR
<ul> <li>Milk or Juice disp</li> <li>Push lever dispen beverages</li> </ul>		0	l controller erature range + ts	1°c to +4°c



# **Chest Freezers**

#### BD 650

Model	Width mm	Depth mm	Height mm	Volume litre
BD 650	1805	750	850	560
<ul> <li>Stainless steel lid</li> <li>One lid</li> <li>Castors</li> <li>Handle lock</li> </ul>		🗱 Manua	/ thermometer I thermostat efrigeration : basket	



#### BD 750

Model	Width mm	Depth mm	Height mm	Volume litre
BD 750	2075	750	850	670
<ul> <li>Stainless steel lids</li> <li>Split lids</li> <li>Castors</li> <li>Handle lock</li> </ul>		* Manua	y thermometer Il thermostat refrigeration t basket	



#### BD 850

Model	Width mm	Depth mm	Height mm	Volume litre
BD 850	2315	750	850	755
* Stainless steel lids		🗱 Displa	ay thermometer	
∗ Split lids			al thermostat	
* Castors		\star Static	refrigeration	
✤ Handle lock		\star Lift ou	ıt basket	

### **Blast Chillers & Freezers**

#### **Blast Chilling**

Blast chillers lower recently cooked foods core temperatures down to +3 Deg C in less than 90 minutes. This reduces bacterial proliferation, dehydration, ensuring better preservation of quality, colour and fragrance of the food, as well as extending its shelf life.

#### **Blast Freezing**

During the process of freezing all the water molecules in a product turn to crystals. The faster and more efficient the freezing process the smaller the crystals, hence with blast freezing, the foods taste, colour, odour, texture and safety are maintained similar to when the product was first produced or purchased.

#### Why Blast Chilling / Freezing

- As New The product is as good as the day created or purchased once opened or defrosted
- No Wastage / Reduced Labour Prepare in larger batches
- Preservation Reduce moisture loss / maintain yields
- Elimination Control bacterias
- Preparation Perfectly preserved foods (as made)
- All year round Extending seasonality of products

#### **SPARK**

Model	Width mm	Depth mm	Height mm	Gastro. Trays	Chiller product capacity Kg	Freezer product capacity Kg
Spark T5VT	800	700	920	5 trays	+90 /+3 18kgs	+90 / -18 12kgs
Spark T8VT	800	790	1270	8 trays	+90 /+3 25kgs	+90 / -18 16kgs
Spark T8OR	1435	790	870	8 trays	+90 /+3 25kgs	+90 / -18 16kgs
Spark T12VT	800	790	1750	12 trays	+90 /+3 36kgs	+90 / -18 24kgs
Spark T16VT	800	790	1950	16 trays	+90 /+3 55kgs	+90 / -18 36kgs

- Blast chiller from +90°c to +3°c in 90 Electronic control with alarms minutes
- ✤ Blast freezer from +90°c to -18°c in 90 minutes
- Fully Stainless steel AISI 304 18 /10
- \* Gastronorm shelves or Gelato containers
- \* Thermostatically controlled temperature
- \* Internal rounded edges for cleaning
- \* Core probe



#### **TECNOMAC LARGER BLAST CHILLERS & FREEZERS**

A variety of models & sizes available. From smaller underbench to larger rack / trolley models, the range caters for every solution.

Please contact your local HONAR representative.





# Ice Machines

# Brema Ice machines

### **Features**

- No electronics or p/c boards Electromechanical
- BREMA operates on two thermostats and a cam timer.
- Common refrigeration parts are readily available through major refrigeration outlets around Australia and New Zealand.
- Stainless steel construction.
- Easy clean filter for condenser.
- Metal spray arms, whereas competitors use plastic spray arms that can crack and block a lot easier due to calcium and limestone build up.
- Static operation with less moving parts.

				013
13g Ice Cubes	7g Ice Cubes	Pebbles Ice	Granular Flakes	Cold Flakes
				000
				•00
•00				000
$\bullet \bullet \bullet$				000
$\bullet \bullet \bullet$	$\bullet \bullet \bullet$			000
000	000	000		
000	000	000		
000	000			•00
000	000	000		
			$\begin{array}{c c} \bullet \bullet$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

	Highly recommended
	Recommended
•00	Recommended for certain applications
000	Not recommended

#### Cuber - Self Contained 13g cube

Brema's flagship C and CB ranges offer under bench or free-standing, selfcontained machines as well as modular heads to be installed above storage bins. The dispenser series offers ice or water dispensing machines for free-standing or benchtop installation. Compact, cold and crystalline, the 13g cube is attractive and enhances the appearance of any drink.

Model	Width mm	Depth mm	Height mm
CB 184 - 21KG PRODUCTION WITH 4 KG BIN	355	404	590
CB 249 - 28KG PRODUCTION WITH 9 KG BIN	390	460	690
CB 316 - 33KG PRODUCTION WITH 16 KG BIN	500	580	690-800
CB 425 - 46KG PRODUCTION WITH 25 KG BIN	500	580	800/910
CB 640 - 65KG PRODUCTION WITH 40KG BIN	738	600	920/1030
CB 840 - 80KG PRODUCTION WITH 40KG BIN	738	600	920/1030
CB 955 - 90KG PRODUCTION WITH 55KG BIN	738	600	1020/1130
CB 1265 - 130KG PRODUCTION WITH 65KG BIN	840	740	1075/1185
CB 1565 - 155KG PRODUCTION WITH 65KG BIN	840	740	1075/1185





CB 184





CB 425



CB 1565

#### Cuber Head only - 13g cube C 150 - 155KG PRODUCTION NO BIN 862 555 720 C 300 - 300KG PRODUCTION NO BIN 1250 580 848



C 150

C 300

DSS 42

#### Self Contained Cubers & Built In Water / Ice Dispensers Combinations - 13g cube

Model	Width mm	Depth mm	Height mm
FRESHMAKER FM - WATER ICE DISPENSER 21KG PRODUCTION WITH 4KG BIN	540	430	435
DSS 42 - CONTINUOUS ICE DISPENSER 42KG PRODUCTION WITH 12KG BIN	500	630	920
IC 18 - 21KG PRODUCTION WITH 4KG BIN UNDERCOUNTER CUBER	540	430	480
IC 24 - 24KG PRODUCTION WITH 6KG BIN UNDERCOUNTER CUBER	595	510	510
HIKU 26 - 26KG PRODUCTION WITH 7KG BIN ICE DISPENSER	395	530	790

FM

HIKU 26



35mm

#### Cuber - Self Contained 7g cube

When demand for ice is high and you need it in a rush, the 7g fast cube is for you. Quick to produce, the 7g cube is suitable for any business with peak ice demands. Perfect for restaurants, pubs, clubs, hotels and fast food outlets.

Model	Width mm	Depth mm	Height mm
VB 250 - 105KG PRODUCTION WITH 35KG BIN	738	600	980*









eaber field entry /g eabe			
Model	Width mm	Depth mm	Height mm
VM 350 - 140KG PRODUCTION NO BIN	540	544	707
VM 500 - 200KG PRODUCTION NO BIN	770	550	805
VM 900 - 400KG PRODUCTION NO BIN	770	550	805
VM 1700 - 730KG PRODUCTION NO BIN	1250	646	950









VM 900

VM 1700



In between a cube and a flake, the unique TB Pebbles ice offers true flexibility. The small ice particles can be added to liquids for immediate cooling or easily blended for cocktails, smoothies and frappes. Perfect for bars and cafes.

Model	Width mm	Depth mm	Height mm
TB 852A – 85KG production with 20kg bin	500	660	800
TB 1405A – 140KG production with 50kg bin	738	690	1130



# **Ice Machines**



#### Self Contained Flakers - Granular flakes

In addition to its ice cube machines, Brema also specialises in ice flake production. Excellent for presentation of meat, fish, fruit and vegetables, the ice moulds to the product seamlessly, keeping the product cool and fresh. Perfect for restaurants, juice bars, fish shops and supermarkets.

Model	Width mm	Depth mm	Height mm
GB 601 - 60 KG PRODUCTION WITH 10KG BIN	450	620	680/830
GB 903 - 90 KG PRODUCTION WITH 30KG BIN	500	660	800/920
GB 1555 - 150KG PRODUCTION WITH 55KG BIN	738	690	1020/1040





#### Flaker Head only - Granular flakes

Model	Width mm	Depth mm	Height mm
G 160 - 160KG PRODUCTION NO BIN	560	569	600
G 280 - 280KG PRODUCTION NO BIN	560	569	700
G 510 - 510KG PRODUCTION NO BIN	560	569	700
G 1000 - 1000KG PRODUCTION NO BIN	934	684	700





G 1000



#### Muster Sub Zero Cold Flaker -5 to -8 Deg °C

The flat ice flakes are between -5  $^\circ C$  and -10  $^\circ C$  so they are very slow to melt - making them perfect for packaging and transportation of produce. Perfect for fish shops, food transporters and primary producers.

M 350 A/W - 400KG PRODUCTION NO BIN	900	588	705
M 600 A/W - 620kg PRODUCTION NO BIN	900	588	705
M 800 A/W - 900KG PRODUCTION NO BIN	1107	700	880
M 2000 A - 2200KG PRODUCTION NO BIN	1062	832	1423

#### **Storage Bins**

Model	Width mm	Depth mm	Height mm
BIN 200 - 200KG STAINLESS STEEL OUTSIDE, POLYETHYLENE INSIDE	870	790	1100
BIN 240 - 240KG PLASTIC POLYETHYLENE BIN	942	795	1153
BIN 350 - 350KG STAINLESS STEEL OUTSIDE, POLYETHYLENE INSIDE	1250	790	1100
BIN 550V - DS 2 DOOR BIN	1110	1060	1870
SINGLE ROLLER BIN 100 - 125KG S/STEEL FRAME WITH PLASTIC ROLLER BIN	795	1060	1284
DOUBLE ROLLER BIN 100 - 266KG S/STEEL FRAME WITH PLASTIC ROLLER BIN	1560	1060	1484
DOUBLE ROLLER BIN 500 - 516KG S/STEEL FRAME WITH PLASTIC ROLLER BIN	1560	1145	1780











Double Roller BIN 100

Double Roller BIN 500

BIN 550V

Single Roller BIN 100













M 350









M 350 SPLIT

M 800 SPLIT





With the ever changing retail market, merchandising is of vital importance. We have a vast range of supermarket equipment to suit any requirement, from the smallest dairy to convenience stores, or even the largest hyper supermarkets.

The following are examples of equipment that are available.

Please contact your representative for a free no obligation quotation on your individual requirements.

# Serve Overs

Traditional meat, deli or fish serve overs in various styles and designs for butchers, delis, fish mongers and supermarkets. Refrigeration in static or fan assisted so all products are catered for. Bain marie, bread, refrigerated gastronorm or self service solutions give the cabinets added value for specialised stores.





#### Accessories




Cut plate



Plastic bags holder





Knives holder



Plexiglas doors



Intermediate shelf



Unlevelled display trays V



Plexiglas dividers





Stepped dividers

# **Supermarket**

### Wall Delis – Full Height

A wide range of solutions in open front wall delis for the sale and display of meat, dairy deli, fruit and vegetables. Available in narrow, low front or conventional delis. This equipment is also extremely energy efficient as required in todays environment.





Makra with glass doors





### Wall Delis – Low Height

Low height, open front wall delis with huge merchandising appeal. These cabinets offer a balance between floor space and impulse buying, therefore maximising store profitability.



# **Chillers / Freezers**

Island or wall site chillers and freezers with enormous merchandising appeal. Single or double width and crown ends in a variety of styles and sizes.



# **Supermarket**

# Wall Freezers

A wall site freezer with huge merchandising appeal. Open static island base with a glass door canopy. Maximum merchandising appeal with minimum floor space.







Golz



# Machinery

# **REA Shelving System**

### The material

REA systems are manufactured from high-grade synthetic material, which is suitable for high care heavy-duty application with temperature capabilities of between  $-40^{\circ}$ c to  $+80^{\circ}$ c. The plastic used does not corrode, is cadmium-free, rust and damp-resistant and totally approved suitable for food use. The material has a smooth surface, which is very easy to clean. All the above characteristics ensure an exceptional performance with a long life span.

#### Easy to assemble

Assembly is simple. One person can assemble the REA system rack in just a few minutes without any special skills or tools, ready for instant use.

#### Safe storage

Smooth, splinter free and rounded shelves prevent damage to products and packaging. Storage is always safe. Removable plastic shelf covers can be fitted easily on the shelves, for safe storage of bottles and small products and to prevent leakage to lower shelves.

#### Hygiene

The plastic material can be cleaned easily and is extremely hygienic; it complies fully with HACCP guidelines.

#### **Euro Racks**

REA Euro racks have been further enhanced from the original successful design for plastic storage racks. There has been a continuous process of improvement which has lead to the current version of the Euro rack. It's a strong, sturdy and stable storage system designed for long life. The load bearing capacity per running meter is 200 kg. If necessary, the load bearing capacity can be increased by adding further posts. If the system is used for light storage, fewer posts are needed. Euro racks can be made to measure. This means they are extremely functional within the constraints of the given space. The racks are ideal for use in cold storage, deep-freeze, pickling rooms, (bulk) dry goods storage, kitchens and laundries.

Euro 500mm deep 4 Tier Straight	or Corner	Racks	
Model	Width mm	Depth mm	Height mm
1.0m - PLASTIC SHELVING SYSTEM, SHELF SPACE 400mm, FLOOR SPACE 200mm	1000	500	1600
1.2m - PLASTIC SHELVING SYSTEM, SHELF SPACE 400mm, FLOOR SPACE 200mm	1200	500	1600
1.5m - PLASTIC SHELVING SYSTEM, SHELF SPACE 400mm, FLOOR SPACE 200mm	1500	500	1600
2.0m - PLASTIC SHELVING SYSTEM, SHELF SPACE 400mm, FLOOR SPACE 200mm	2000	500	1600
2.4m - PLASTIC SHELVING SYSTEM, SHELF SPACE 400mm, FLOOR SPACE 200mm	2400	500	1600







# Machinery

#### Gastro Racks

The main feature of REA Gastro racks is the advantage of the removable shelf grills, which can easily be placed in the dishwasher for thorough cleaning during the daily washing routine. Therefore, they are ideal for industrial kitchens, hotels, restaurants and catering facilities. This sturdy system has a stylish and unique design that guarantees quality and durability. Ventilation holes in the grilles increase air circulation, which means that Gastro racks are also suitable for use in cold storage and deep-freeze rooms. The grilles are available in two sizes for optimum flexibility. The load bearing capacity per running meter is 120 kg. If necessary, the load bearing capacity of Gastro racks can by increased by adding further posts.

Gastro racks are extremely practical and easy to use. Assembling the racks is simple and very quick. A space-saving corner structure ensures easy access and maximum use of the corner space. If you remove the grilles, you can use Gastronorm bins and trays.

# Gastro 410mm deep, 4 Tier, with Removable Shelf Inserts, Straight or Corner Racks

Model	Width mm	Depth mm	Height mm
1.0m - PLASTIC GASTRO SHELVING, SHELF SPACE 400mm, FLOOR SPACE 200mm	980	410	1620
1.2m - PLASTIC GASTRO SHELVING, SHELF SPACE 400mm, FLOOR SPACE 200mm	1190	410	1620
1.5m - PLASTIC GASTRO SHELVING, SHELF SPACE 400mm, FLOOR SPACE 200mm	1470	410	1620
2.0m - PLASTIC GASTRO SHELVING, SHELF SPACE 400mm, FLOOR SPACE 200mm	1899	410	1620



#### **Trolleys**

REA trolleys are ideal general canteen equipment, which works well to achieve the neat storage of bins, trays, baskets, service trays and plates. The well-known bin and tray sizes Euronorm and Gastronorm are standard models in REA's range of trolleys. Custom sizes can also be supplied. The trolleys are delivered in fixed format for immediate use.

A wide range of standard trolleys are available. They all come with many innovative features. The number of rails and the height between them can be determined in advance. Bins with different heights can be combined in a single trolley as desired. Multiple linked versions are available to provide operational flexibility. Euro and Gastro racks can be lined if necessary. Trolleys are also available in static form if required.

#### Trolleys

Model	Width mm	Depth mm	Height mm
PT3 - PREP TROLLEY, HMPE CHOPPING BLOCK & 3 BINS 600 X 400 X 120mm	540	660	910
PT6 - PREP TROLLEY, HMPE CHOPPING BLOCK & 6 S (600 X 400 X 120mm)	990	660	910
RE 4 - TROLLEY WITH 4 BINS 600 X 400 X 220mm	540	660	1350
RE 5 - TROLLEY WITH 5 BINS, 2 x 120mm BINS, 3 x 220mm BINS	540	660	1410
RE 6 - TROLLEY WITH 6 BINS 600 X 400 X 120mm	540	660	1390
RE 8 - TROLLEY WITH 8 BINS 600 X 400 X 120mm	540	660	1750
RE 12 - TROLLEY WITH 12 EURONORM TRAYS 600 X 400 X 20mm	540	660	1580





RE 4





### Meat Machinery

### **Band Saws**

Model	Width mr	n Depth mm	Height mm
HONAR HT 260 - 260mm CUTTING THRO. SINGLE PHASE, ON TABLE, CASTORS	AT, 550	665	1570
HONAR HT 300- 300mm CUTTING THROA THREE PHASE, ON TABLE, CASTORS	AT, 780	850	1615
HONAR HT 400 - 400mm CUTTING THROAT, THREE PHASE, STAND ALONE	980	1195	1850
<ul><li>High speed saw</li></ul>	<ul> <li>Stainless steel blade scrapers</li> <li>Double flange wheel</li> <li>Safety switch's</li> </ul>		

- cleaning

- \* Direct drive operation



Honar HT 260

Honar HT 400

### Sausage Filler

Model	Width mm	Depth mm	Height mm	
H15P FILLER - 12 KG CAPACITY, HYDRAULIC, SINGLE PHASE	420	670	1000	
H20P FILLER - 16 KG CAPACITY, HYDRAULIC, SINGLE PHASE	420	670	1200	
H26P FILLER - 22 KG CAPACITY, HYDRAULIC, SINGLE PHASE	460	720	1120	
<ul> <li>Fully stainless steel</li> <li>Hands free knee activated auto start and stop</li> <li>Automatic piston decompression</li> </ul>	<ul><li>On castors</li><li>Separate hy</li></ul>	<ul> <li>Pressure gauge</li> <li>On castors</li> <li>Separate hydraulic oil reservoir</li> <li>Fixed strong rectified barrel</li> </ul>		

- \* Fixed strong rectified barrel

- \* Automatic lid lock without handles

### **MHS Chop Cutters**

Model	Width mm	Depth mm	Height mm
PCE 65T - MECHANICAL BENCH TOP MEAT SLICER, THREE PHASE. CHAMBER 180mm x 170mm	1560	670	670
PCE 70-21K - MECHANICAL MEAT SLICER, THREE PHASE, CHAMBER 210mm x 230mm	1850	830	1230
PCE 70-21E - FULLY PROGRAMMABLE MEAT SLICER, THREE PHASE CHAMBER 210mm x 230mm	1850	830	1387
PCE 70-25E - FULLY PROGRAMMABLE MEAT SLICER, THREE PHASE CHAMBER 250mm x 240mm	1930	950	1420

- Electromechanical drive, proven for years \*
- \* Fully stainless steel
- \* 200 slices per minute
- Slice thickness can be chosen infinitely variable from 1 to 32mm
- German engineering and construction
- \* Adjustment via potentiometer or electric
- Operation via single control keys; clear symbols make data entry easier and therefore reduce mistakes \*
- \* Automatic return limiter
- \* Easy clean



# Machinery

# Vac Packers

	Model	Width mm	Depth mm	Height mm
	JV 002 - BENCH TOP, 1 PHASE, 1 SEAL BAR, BUBBLE LID, CHAMBER 435 X 425 X 170, SEAL LENGTH 420 MM	490	540	510
	JV 005 - FREE STANDING, 3 PHASE, 2 SEAL BARS, SEAL BAR: 2 X 680 MM DR, 2 X 500 MM, CHAMBER 730 X 550 X 155	770	620	985
	JV 016A - FREE STANDING, 3 PHASE, 4 SEAL BARS, SWING LID, SEAL LENGTH 860 MM X 4, CHAMBER 1005 X 830 X 200 X 2	2051	1050	1060
	<ul> <li>Stainless steel exterior #304</li> <li>Stainless steel chamber</li> </ul>	10 programr system	nable memo	ry setting

- \* Soft-Air (ESA) option
  - \* Service-friendly casing

  - \* Pump with oil drain plug





### Mincers

Model	Width mm	Depth mm	Height mm
ENTERPRISE 22 - BENCH TOP, SINGLE PHASE, STAINLESS STEEL, 300-350 KG/H	310	620	460
ENTERPRISE 32 - FLOOR STANDING, THREE PHASE, STAINLESS STEEL, 700-800 KG/H	560	900	1020

- \* Stainless steel construction
- \* Heavy duty mincers

\* Pluggable seal bar

\* Catch to hold down lid \* Gas supply unit (MAP) option

\* Laser-polished acrylic glass lid

- \* Low maintenance
- Removable external microfusion s/s throat \*
- \* Metallic gear reducer in oil bath
- \* Safety switch
- \* Large feed tray
- \* Thermal motor protection













Honar Refrigeration & Machinery Ltd 0800 TO CHILL (86 24455) sales@honar.co.nz www.honar.co.nz

