

# OKUMA INSPIRED FISHING 2021 TACKLE





# SPINNING REELS

- 14 Makaira Spinning
- 16 Cedros Spinning
- 17 Azores
- 18 ITX Spinning
- 20 SURF-8K
- 21 Rockaway Surf Reel
- 22 Coronado CDX Baitfeeder
- 24 Helios SX Spinning
- 26 Inspira Spinning
- 27 Epixor XT
- 28 Ceymar Spinning
- 29 Ceymar Baitfeeder
- 30 Avenger Spinning
- 31 Avenger Baitfeeder
- 32 Alaris
- 33 Rox / Aria

# BAITCAST REELS

- 36 Komodo SS
- 37 Helios SX
- 38 Citrix
- 39 Cerros
- 40 Serrano LP
- 41 Epixor LP / Ceymar LP

# **TROLLING REELS**

- 44 Tesoro
- 45 Cortez
- 46 Cold Water SS
- 47 Cold Water Low Pro
- 48 Cold Water Line Counters
- 49 Cold Water Copper Line Reels
- 50 Convector / Convector Low Pro
- 51 Convector Line Counter
- 52 Magda Pro Line Counter
- 53 Classic Pro / Classic CLX
- 57 Makaira
- 58 Makaira SEa
- 60 Makkaira SEa Silver
- 62 Makaira TDC
- 66 Alijos
- 67 Cavalla
- 68 Solterra SLX

# 🖊 RODS

- 74 Psycho Stick
- 76 Helios SX
- 77 Guide Select Cranking
- 78 Tournament Concept
- 80 Serrano
- 81 EVx b
- 82 Cerros
- 84 EVx Musky
- 85 SBX Swimbait
- 86 Guide Select Swimbait
- 87 Reflexions
- 88 Calynn
- 89 Dead Eye Custom
- 90 Dead Eye Pro
- 91 Dead Eye Classic
- 92 X-Series Salmon/Steelhead
- 94 Guide Select Pro
- 95 Guide Select Classic
- 96 Kokanee Black
- 98 SST Carbon
- 100 SST Original
- 102 SST Ladies Edition
- 103 SST Trout, Kokanee, Halibut
- 104 Celilo
- 105 Celilo Ultralight
- 106 Celilo Speciality
- 107 Connoisseur Steelhead
- 108 SXT Canadian Mooching
- 109 Salish / Celilo Mooching
- 110 White Diamond
- 111 Blue Diamond
- 112 Classic Pro GLT
- 114 PCH
- 116 PCH Inshore
- 117 PCH Trolling
- 118 SCT Albacore
- 119 Makaira Trolling
- 120 Cedros "a" Jigging
- 121 Monterey Salmon, Halibut & Sturgeon
- 122 Cavalla Boat Rods
- 123 DTR Custom Offshore
- 124 DTR Custom Inshore
- 126 SRT Inshore Elite / SRT Inshore Premier
- 128 RTF Inshore
- 130 Shadow Stalker Gulf Coast

### 131 Epixor

- 132 Ceymar Inshore
- 134 AXEON Pro
- 135 Cortez "a" Sabiki
- 136 Battle Cat
- 137 Record Chaser
- 138 Hawaiian Custom
- 139 Hawaiian Custom Jigging/Popping
- 140 Hawaiian Custom Surf
- 141 Cedros Surf CSX
- 142 Rockaway Surf HD
- 143 Rockaway Surf
- 144 Rockaway Surf SP
- 145 Solaris Surf
- 146 Nesika Surf
- 147 Longitude Surf
- 148 Tundra Pro / Tundra
- 149 Coldwater Ice / Deadstick Combos
- 150 Trio Pro Ice Kit
- 151 Trio Ice Kit
- 152 ICX Ice Rods
- 153 Coldwater Ice
- 154 Coldwater Deadstick
- 155 Inspira Ice

# 5 TRAVEL

- 158 Nomad Travel
- 159 Nomad Inshore Travel
- 160 Nomad Xpress
- 161 Nomad Surf
- 162 SST Travel
- 163 Citrix Travel164 Voyager Combo
- 165 Voyager Express Kit
- 166 Voyager Select Kit
- 167 Voyager Select

# 6 ROD AND REEL COMBOS

- 170 Avenger Spinning
- 171 Dead Eye Classic
- 172 Convector / Celilo Kokanee
- 173 Great Lakes Combo / Ceymar
- 174 Alaris
- 175 Aveon
- 176 ROX
- 177 Safina Pro Spinning
- 178 Xpressions / Safina UL
- 179 Fin Chaser "X"
- 180 Tundra

183

- 181 Tundra Pro
- 182 Steeler XP

# **7** FLY & FLOAT

186 RAWII Float / Aventa Reels

Boundary / Cascade "II"

- 187 Aventa Float Rods / Helios SX Fly Reels
- 188 SLV "b"
- 189 Sierra / Sierra X Fly Reel
- 190 Nomad Fly Rods
- 191 SLV Fly Rods / Crisium

# **ACCESSORIES**

- 194 Okuma Bags195 Accessories
- 196 Apparel198 Warranty / ARC
- 203 North American Map / Sales Reps

2 Okuma Catalog 2021



# SPINNING REEL DUAL FORCE DRAG

DFD incorporates both surfaces of the spool to maximize high-end drag pressure, efficiency and overall smoothness. Mounted in the top of the spool and protected by the Hydro Block system is a multidisc felt drag system that works in conjunction with a secondary drag system that is mounted under the spool. Even pressure is applied to both surfaces of the spool for maximum stability.

# LEVER DRAG DUAL FORCE DRAG

For extremely smooth and strong drag outputs, Okuma's Makaira lever drags are designed with a patented Dual Force Drag system. This drag system is specifically engineered to be mounted in the right side of the spool, designed around a Pull Bar Drag System which keeps all mechanical workings in precise alignment and places no pressure on the frame. This system works in conjunction with a custom designed thrust bearing, which alleviates side load at heavy drag settings.





# **C-40X**

Okuma's C-40X carbon technology utilizes a specially blended graphite polymer. The carbon fibers in this material are elongated and reinforced, creating a substantially stronger composite than standard graphite materials. At 25% lighter, 1.5 times stronger and 100% anti-corrosive, C-40X translates into an extremely lightweight and durable construction.

# **TORSION CONTROL ARMOR**

The Torsion Control Armor (TCA) design found on the new Inspria spinning reels is made with Okuma's C-40X long-strand carbon fiber technology. This not only makes the reel lighter, but also makes the reel extremely rigid which reduces twist and torque and keeps the internal parts in perfect alignment..





# **CENTRIFUGAL DISC BAIL**

Okuma's Centrifugal Disc Bail (CDB) is a unique new design that incorporates a heavier brass disc that is perfectly weighted and balanced to create a smoother and easier bail operation, while increasing the strength and stability of the overall bail function.

# **CYCLONIC FLOW ROTOR**

The Cyclonic Flow Rotor (CFR) was designed to create a "cyclonic" airflow, which significantly increases air flow through the ported rotor. This thoroughly tested design allows for a much faster drying time if the reel becomes wet, minimizing corrosion possibilities throughout the reel.



# PRECISION ELLIPTICAL GEARING SYSTEM



The Precision Elliptical Gearing System advantage boils down to one thing and one thing only – performance. By regulating the speed of the spindle stroke, reels equipped with this system wind line more consistently and uniformly on the spool, resulting in level line lay. This creates less friction during casting for increased distance, greater accuracy, and longer line life, as well as smoother, more uniform drag pressures. Pick up any Okuma reel equipped with this feature and feel for yourself the balance, smoothness and power that are all characteristics of the Precision Elliptical Gearing System.

# MCS

Okuma's Magnetic Control System is a fully-sealed, 100% waterproof cast control system that reduces backlash and improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnet which exerts an opposing force and allows for minute and accurate adjustments.



# TECHNOLOGY FOR THE FUTURE

### MACHINED RIGID FRAME

Okuma's Machined Rigid Frame construction incorporates a one-piece fully-machined aluminum frame. These rigid bar-stock aluminum frames are the ultimate in precision alignment and tolerances withstanding more pressure and torque than any other material used in our industry for frame materials. Okuma features these anodized frames on fly reels, baitcast reels, lever drag reels and star drag trolling reels.



### **BODY ARMOR**

Okuma's stainless steel Body Armor eliminates the frame flex commonly found in graphite framed trolling reels. This feature incorporates two large stainless steel rings that are mounted to both sides of the frame. The harness lugs are integrated into the body armor design and eliminate the pressure commonly placed on the harness lugs by redistributing the pressure to these large-diameter rings.

## SELF LUBRICATING GEAR SYSTEM

The self-lubricating gear system is a feature found on Okuma's higher-end star drag reels. The main gear on this system incorporates a heat-sensitive oil-impregnated brass bushing that is mounted in the center of the gear. This system releases oil if friction increases to keep the main gear and drive shaft running smoothly in all conditions. Okuma is the first company to adopt this technology which originated in the large machine industry where this function has been time tested for many years.





### **XL GEARING**

The XL gearing design found on both lever drag and star drag reels incorporates an oversized gear box that features an enlarged gearing system and enlarged drag system. The drag surface areas on this system are more than 50% larger than a standard gear-box design. For the gear system, the major advantage is that the gear teeth are substantially larger, allowing more strength and cranking power. This is how we are able to offer a high-speed gear ratio reel without sacrificing cranking power. Our XL gearing system essentially turns your reel into a winch.

# SPEED LOC PINION GEAR SYSTEM

The SLG technology incorporates a dual-step pinion gear system on star drag reels that allows positive engaging at extreme high speeds. The SLG system allows for instant gear engagement when engaging from freespool to strike at speeds in excess of 50 MPH.





### MS:

Strong, Stable, Smooth - Okuma's Mechanical Stabilizing System is a support system that ties the spool shaft, pinion gear, pinion gear bearing, drive shaft and main gear together with a single support system. While other reels on the market offer minimal or no gear stabilization, this patented Okuma design allows all of these critical parts to stay in precise alignment. Designed specifically to hold up to the demands of braided and wire line fishing, the MSS support system stabilizes the spool shaft at 3 key stress points to eliminate flex under pressure – which directly translates into a reel that is more durable, stronger and smoother than the competition.

### WIDE MOUTH LEVELWIND

This heavy-duty, stainless steel levelwind is Titanium coated and built to withstand the punishment of braided and wire lines. The guide has been designed with an increased opening to insure proper knot clearance when fishing with double lines. This wide space allows for Albright or similar connection knots, as well as swivels and copper line to pass through the guide easier and be wound directly on the spool.



# Control of the contro

# T-BAR HANDLE

T-Bar Handle: The patented design of the T-Bar handle offers a true ergonomically correct angle to ensure an angler gets maximum power with minimum fatigue. The T-bar takes full advantage of the natural dynamics of the human hand, wrist and forearm to help sustain power and endurance for the angler.

# **STRIKE ZONE**

Okuma's Strike Zone linecounter system incorporates a mechanical counter that precisely measures line based on spool revolutions. These counters measure in feet and are calibrated at the factory to be most accurate with a full spool and monofilament lines.





### **ERGO GRIP**

The Ergo Grip handle knob is an extremely comfortable oversized handle-knob design for both speed and power. This soft-touch knob has been ergonomically designed to fit in the palm of your hand and will be found on certain Okuma lever drag reels, star drag reels and some spinning reel models.

# 2-SPEED GEARING

Okuma's 2-speed technology incorporates two sets of stainless steel main and pinion gears, allowing anglers the option of a high-speed gear ratio or a powerful low-speed gear ratio for maximum power and torque. To shift gears it is as easy as pushing a button or popping a lever with Okuma's unique shifting design to obtain the appropriate gear ratio you desire.





# HIPPO GRIP

The Hippo Grip is a unique reel-clamp design that serves triple duty when fishing offshore. This heavy-duty, forged aluminum reel clamp securely supports your reel to the rod for maximum safety. This clamp also incorporates a small hole that was designed to be used with a safety line for trolling. On the rear of the clamp is a large diameter hole that was designed to be used as a trigger. The large hole should be mounted facing the butt of the rod.



Okuma's Corrosion Resistance Coating (CRC) consists of a thin layer of Corrosion X HD applied to all internal and external parts. The CRC process actually penetrates and bonds to the metal, which helps significantly in the reduction of corrosion, and towards the long term protection of your reel.



Okuma Catalog 2021

# TECHNOLOGY FOR THE FUTURE



### BAITFEEDING SYSTEM

Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.

- ALG

With today's super braided lines and lighter more compact reels, ALG offers anglers lighter weight gears without compromising on strength and durability. Adding to their longevity, ALG gears are anodized to hold up to the elements much better than traditional gearing materials.





# **HDGII**

Okuma's proprietary High Density Gearing II incorporates an extremely strong alloy composition with a special anti-corrosion coating process. The result is high density, corrosion resistant gears that are built to handle the severe elements and brutal strains placed on a reel's internal gear system.

QUICK-SET

This system allows for instant handle engagement and eliminates all handle back play commonly found in many reels. This is accomplished by using a corrosion- resistant stainless steel roller bearing that engages the reel in one direction for rock-solid hook sets.





### **ALUMILITE FRAME CONSTRUCTION**

AlumiLite construction incorporates Okuma's rigid aluminum body technology on spinning, trolling and fly reel designs. Aluminum frames are stronger and more rigid and are capable of withstanding more pressure and torque than traditional graphite frames. These lightweight, diecast aluminum frames provide more precise tolerances for precision gear alignment, maximum castability and ultimate durability.

**RES II** 

The RES II System stands for Rotor Equalizing System. This second-generation RES System incorporates a computer-balanced weight precisely placed in the rotor. This weight allows for precision balance and eliminates all spool wobble for perfect alignments and smooth cranking.






### **HYDRO BLOCK**

The Hydro Block design features a rubber gasket mounted in the top of a spinning reel spool. This rubber seal blocks water and foreign materials from entering the drag system. The Hydro Block system ensures that your drag washers always perform at optimal levels.

EFR II

The Even Flow Roller System utilizes a ball bearing under the line roller to maximize efficiency. This roller helps reduce line twists by freely rolling over the line roller without friction. Without this system, line will naturally twist when drag is pulled.



# HIGH PERFORMANCE BALL BEARINGS

The balls used on the HPB's are constructed from the same high-grade stainless steel material as the bearing housing. These bearings were designed to be more than 10 times more resistant to saltwater than standard stainless steel bearings. These bearings may even outlast the angler himself.

MCS

Okuma's Magnetic Control System reduces backlash and improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnets which exert an opposing force and allows for minute and accurate adjustments.





# **VELOCITY CONTROL**

The Velocity Control System is an adjustable, 6-pin centrifugal braking system for precision spool control. Weights can be adjusted IN or OUT for additional spool control. Positioning the weights in toward the spool allows for more freespool, while adjusting the pins out away from the spool allows for more control. Anglers can alternate weights until they find that perfect balance for casting.

SPOOL ACCESS PORT

This unique new design can be found on Okuma's low profile baitcast reels. The Spool Access Port allows for quick access to the spool by simply sliding the lock/unlock lever on the sideplate opposite the handle. This system allows for quick spool changes, but more importantly it allows quick access for adjusting the Velocity Control System.



Okuma Catalog 2021





SPINNING REELS

Spinning reels are an opportunity. Worldwide, they're most often the very first reel a beginning angler picks up, and for so many, they're the only reel type that's ever needed. As such, spinning reels define the experience from pond panfish to offshore big game. At every level the Okuma selection is angler-centric, delivering a fantastic fishing experience through better design, materials and construction techniques. Our reels need to inspire participation today, tomorrow and in the future ahead, a responsibility we gladly accept.



# **MAXGEAR REACH FOR THE MAX**

Okuma's Makaira spinning reels are in a class of their own, featuring a forged stainless steel, machined MAXGEAR. While the majority of reels in this category feature bronze, aluminum or simple machine cut stainless steel gears, the Makaira's class leading main gears are machine cut forged stainless steel. We ported the main gear and incorporated other design elements to keep it lightweight enough for you to fish all day. No compromises were made in the internal design of MAXGEAR. The pinion gear and heat treated spool shaft are 17-4 grade machine cut stainless steel. They are rust proof and were optimized to work with braided line and the reels high-output drag.







# MAKAIRA **SPINNING REEL**

Derived from the Okuma 4D Concept which focuses on Design, Drive, Drag and Durability as core performance elements, Makaira spinning reels are built from the ground up to the the toughest, most durable spinning reels an angler can own. Constructed from the finest and strongest materials available, Makaira series reels are big game reels developed to pursue everything from Giant Trevally, trophy-sized Yellowtail and Amberjack, to the most formidable adversaries in the ocean, like giant Bluefin Tuna, Marlin, cow Yellowfin Tuna and



### MAXGEAR

Makaira reels feature a forged, machine cut stainless steel main gear paired with a 17-4 stainless steel pinion gear. This gear system is unmatched in this category.



The Makaira is unmatched in elite level spinning reels with a forged, machine cut aluminum body, sideplate and rotor. There are no die-cast parts on this reel. The Mak is the elite reel in the category, with a complete forged aluminum housing.



The Makaira drag system utilizes the complete surface area of the carbon fiber drag washers; the system has been engineered to make full contact with the outer edges of our carbon washers, which maximizes efficiency and the ability to deliver high drag outputs. The DFD concept applies pressure to both sides of the spool in order to maximize use of the available surface area, enlarging the working surfaces of our drag system, and dramatically improving heat dissipation.



Makaira spinning reels are engineered to withstand the most brutal conditions the ocean can offer. To accomplish this, we equipped this series with 23 different oil-retaining o-rings and gaskets. Our engineers made this reel impervious to the elements, and by making it water tight, all the internal mechanisms are sealed and protected from salt. The result is the best-of-the-best when it comes to big game fishing reels.

# MAKAIRA® SPINNING REEL

### **MAKAIRA SPINNING REELS FEATURE:**

- Forged aluminum, machine cut body/sideplate
- Forged aluminum, machine cut Cyclonc Flow rotor
- Forged stainless steel main gear for ultimate power and strength
- Precision machine cut 17-4 grade stainless steel pinion gear
- Oversized 17-4 grade stainless steel spool shaft reduces flex
- Hydro Sealed Body and DFD system for maximum protection
- Carbonite high output drag with Cal's drag grease on full DFD
- Customized pre-set drag system, works like a lever drag reel
- 9HPB + 1RB corrosion resistant stainless steel bearings
- Dual anti-reverse system for maximum strength and reliability
- Quick-Set stainless steel German anti-reverse roller bearing
- CRC: Corrosion-resistant coating process

- Machined aluminum screw-in handle arm for added strength
- Right and Left handles are designed differently: Order by Rt/Lt
- Heavy duty, solid aluminum bail wire with manual trip function
- Rotor brake system works in conjunction with manual bail trip
- Machined aluminum handle knob on 20,000 and 30,000 size.
- Ergo Grip, Rubber Soft Touch handle on 10,000 size
- Makaira reels are backed by a 5-year limited warranty





(Left Hand Model)





(Right Hand Model)

Handle Model #	Description	Original Factory Handle	Reel Compatability	Handle Length	Msrp
ARMKSH-10LT	Left Hand Crank with Ergo Grip Handle Knob	MK-10000L	10000/20000/30000 LS/RS	76mm	\$99.99
ARMKSH-10RT	Right Hand Crank with Ergo Grip Handle Knob	MK-10000R	10000/20000/30000 LS/RS	76mm	\$99.99
ARMKSH-LT	Left Hand Crank with Aluminum Handle Knob	MK-20000/30000LS	10000/20000/30000 LS/RS	83mm	\$119.99
ARMKSH-RT	Right Hand Crank with Aluminum Handle Knob	MK-20000/30000RS	10000/20000/30000 LS/RS	83mm	\$119.99



Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Left handed s	pinning	reels						*M	SRP in 2021 ca	atalog ma	y be subj	ject to change
MK-10000L	4.9:1	9HPB + 1RB	28.2	40"	55-lbs	470/12 (0.32), 340/15 (0.37), 280/20 (0.42)	415/50, 290/65	AL	AL	AL	AL	\$719.99
MK-20000LS	5.8:1	9HPB + 1RB	35	51.6"	66-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	490/65, 400/80	AL	AL	AL	AL	\$819.99
MK-30000LS	5.8:1	9HPB + 1RB	39	65.7"	66-lbs	490/40 (0.60), 360/50 (0.70), 300/60(0.75)	700/80, 570/100	AL	AL	AL	AL	\$899.99
Right handed	spinnir	ng reels										
MK-10000R	4.9:1	9HPB + 1RB	28.2	40"	55-lbs	470/12 (0.32), 340/15 (0.37), 280/20 (0.42)	415/50, 290/65	AL	AL	AL	AL	\$719.99
MK-20000RS	5.8:1	9HPB + 1RB	35	51.6"	66-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	490/65, 400/80	AL	AL	AL	AL	\$819.99
MK-30000RS	5.8:1	9HPB + 1RB	39	65.7"	66-lbs	490/40 (0.60), 360/50 (0.70), 300/60(0.75)	700/80, 570/100	AL	AL	AL	AL	\$899.99

# (EDROS

### **CEDROS REELS FEATURE:**

- DFD: Precision Dual Force Drag system
- Multi-disc drag adjustment for more precise settings
- LITECAST: Body construction is 15% lighter
- CRC: Corrosion resistant coating process
- 6HPB + 1RB corrosion resistant stainless steel bearings
- Dual anti-reverse feature on 8000-14000 sizes
- Quick-Set anti-reverse roller bearing

- Manual bail trip function 8000-14000 sizes
- HDGII: Corrosion resistant, High density gearing
- Precision machine cut brass pinion gear
- Machined aluminum, 2-tone anodized spool
- Machined aluminum, screw-in handle arm
- Cedros spinning reels are backed by a 1-year limited warranty

Specifically designed for saltwater use, the Cedros spinning reels feature Okuma's Litecast Blade body design, Dual Force Drag System for extreme stopping power and our proprietary High Density Gearing with a special corrosion resistant coating. Combine this with a high-speed gear ratio and a customized aluminum handle and you have one of the best saltwater jig fishing reels on the market.







# **CEDROS**

	Model	Gear Ratio	Bearings	Weight (Oz.)		Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Left Sideplate	Right Sideplate	Spool	Msrp
	Cedros spinn	ing reels										
NEW	CJ-4000H	5.8:1	6BB + 1RB	13.4	35.4"	33-lbs	280/8 (0.26), 230/10 (0.29), 190/12 (0.31)	LC	LC	LC	AL	\$154.99
NEW	CJ-6000H	5.8:1	6BB + 1RB	14.3	39.8"	33-lbs	320/12 (0.31), 215/16 (0.37), 175/20 (0.42)	LC	LC	LC	AL	\$164.99
	CJ-8000	5.4:1	6BB + 1RB	21.5	40.9"	44-lbs	465/12 (0.31), 320/16 (0.37, 255/20 (0.42)	LC	LC	LC	AL	\$169.99
	CJ-10000	5.4:1	6BB + 1RB	22.2	44.1"	44-lbs	590/12 (0.31), 405/16 (0.37), 230/20 (0.42)	LC	LC	LC	AL	\$179.99
	CJ-14000	5.4:1	6BB + 1RB	22.9	45.8"	44-lbs	690/12 (0.31), 470/16 (0.37), 380/20 (0.42)	LC	LC	LC	AL	\$189.99

\*MSRP in 2021 catalog may be subject to change.



### AZORES SALTWATER SPINNING REELS FEATURE:

- DFD: Precision Dual Force Drag system
- Precision click drag adjustment for more precise settings
- Multi-disc, Carbonite and felt drag washers for DFD
- 6HPB + 1RB corrosion resistant stainless steel bearings
- Quick-Set anti-reverse roller bearing plus ratchet system
- Dual anti-reverse system for maximum security
- Precision machine cut brass pinion gear - CRC: Corrosion-resistant coating process

- HDGII: Corrosion-resistant, High density gearing
- ALC: Rigid diecast aluminum body, sideplate and rotor
- MSS: carbon Mechanical Stabilizing System
- Machined aluminum, 2-tone anodized spool with LCS lip
- Machined aluminum handle arm for added strength
- Hydro Block water tight drag seal
- Heavy duty, solid aluminum bail wire
- Azores spinning reels are backed by a 1-year limited warranty





# **AZORES**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
High-speed spinn	ing ree	ls (Blue)										
Z-4000H-BLUE	5.8:1	6BB + 1RB	12.0	35.8"	28-lbs	300/8 (0.26), 250/10 (0.29), 210/12 (0.31)	215/30, 150/40	AL	AL	AL	AL	\$139.99
Z-6000H-BLUE	5.8:1	6BB + 1RB	18.5	41.2"	29-lbs	310/12 (0.31), 215/16 (0.37), 180/20 (0.41)	270/50, 180/65	AL	AL	AL	AL	\$144.99
Z-8000H-BLUE	5.4:1	6BB + 1RB	25.6	43.4"	44-lbs	460/12 (0.31), 320/16 (0.37), 270/20 (0.41)	370/50, 245/65	AL	AL	AL	AL	\$154.99
Z-14000H-BLUE	5.4:1	6BB + 1RB	26.3	47.4"	44-lbs	680/12 (0.31), 470/16 (0.37), 400/20 (0.41)	300/65, 240/80	AL	AL	AL	AL	\$154.99

\*MSRP in 2021 catalog may be subject to change.

# IX

# **INSPIRED BY POWER**



· MULTI-DISC, CARBON FIBER DRAG SYSTEM WITH HYDRO BLOCK GASKET





# **ITX CARBON REELS**

- Lightweight and rigid C-40X rotor and TCA construction
- Multi-disc, carbon fiber drag system with Hydro Block gasket
- 7HPB + 1RB High Performance, grease packed bearings
- Quick-Set anti-reverse roller bearing
- CFR: Cyclonic Flow Rotor Technology
- Machined aluminum screw in handle design
- TGT Grip: Traction Grip Technology

- Precision machine cut brass pinion gear
- Machined aluminum, 2-tone anodized aluminum spool
- Heavy duty, solid aluminum bail wire
- RESII: Computer balanced Rotor Equalization System
- ITX spinning reels are backed by a 1-year limited warranty





# **ITX CARBON REELS**

	Model	Gear Ratio	Bearings	Weight (Oz.)		Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line (Soft Steel Rating)	Frame	Sideplates	Spool	MSRP
NEW	ITX-1000H	5.8:1	7HPB + 1RB	7.1	28.7"	7-lbs	280/2 (0.15), 140/4 (0.21), 110/6 (0.24)	N/A	C-40X	C-40X	AL	\$104.99
NEW	ITX-2500H	6.0:1	7HPB + 1RB	8.3	33.5"	18-lbs	195/6 (0.24), 165/8 (0.26), 130/10 (0.29)	N/A	C-40X	C-40X	AL	\$104.99
NEW	ITX-3000H	6.0:1	7HPB + 1RB	8.3	33.5"	18-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	215/15	C-40X	C-40X	AL	\$119.99
NEW	ITX-4000H	6.0:1	7HPB + 1RB	10.1	37.0"	22-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	200/30	C-40X	C-40X	AL	\$119.99

\*MSRP in 2021 catalog may be subject to change.



# SURF-8K

# **SURF-8K REELS FEATURE:**

- Carbonite drag washers on Dual Force Drag
- Heavy duty, brass DFD and spool shaft stabilizer
- 5HPB+1RB corrosion resistant stainless steel bearings
- CRC: Corrosion-Resistant Coating process
- Machined aluminum, screw in handle system
- Slow oscillation system for improved line lay
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Hydro Block water tight drag seal
- Machined aluminum, 2-tone anodized spool with LCS lip
- Heavy duty solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- SURF-8K reels are backed by a 1-year limited warranty



# **SURF-8K**

Model	Gear Ratio	Bearings			Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
SURF-8K	4.7:1	5HPB + 1RB	26.9	42.6"	40-lbs	770/12 (0.31), 540/16 (0.37), 450/20 (0.41)	GR	GR	GR	AL	\$109.99

\*MSRP in 2021 catalog may be subject to change.

# ROCKAWAY SURF

# **ROCKAWAY SURF REEL FEATURES:**

- 4BB + 1RB stainless steel bearing system
- Quick-Set anti-reverse roller bearing
- 5.3:1 gear ratio with 40.9" of line pickup
- Precision machine cut brass pinion gear
- CFR: Cyclonic Flow Rotor technology
- Corrosion resistant frame, sideplate and rotor
- Rigid metal handle design to reduce flex
- Long cast, 2-tone anodized aluminum spool
- ROCKAWAY reels are backed by a 1-year limited warranty



# **ROCKAWAY SURF**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
RA-6000	5.3:1	4BB + 1RB	17.0	40.9"	26-lbs	375/12, 260/16, 220/20	GR	GR	GR	AL	\$94.99

\*MSRP in 2021 catalog may be subject to change.



# Coronado CDX

# **CORONADO CDX BAITFEEDER REELS FEATURE:**

- On/Off auto trip bait feeding system
- DFD: Precision Dual Force Drag system
- Carbonite drag washers on Dual Force Drag
- Heavy duty, brass DFD and spool shaft stabilizer
- 4HPB+1RB corrosion resistant stainless steel bearings
- Quick-Set anti-reverse bearing allows for zero back play in handle
- CRC: Corrosion-Resistant Coating process
- Machined aluminum, screw in handle system
- Slow oscillation system for improved line lay
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Hydro Block water tight drag seal
- Machined aluminum, 2-tone anodized spool with LCS lip
- Heavy duty solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- Coronado reels are backed by a 1-year limited warranty



Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



CDX-60



# **CORONADO CDX**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Standard speed spinning reels *MSRP in 2021 catalog may be subject to change.												
CDX-55	4.4:1	4HPB+1RB	19.4	32.5"	28-lbs	385/10 (0.29) ,325/12 (0.31), 285/14 (0.33)	245/50	GR	GR	GR	AL	\$112.99
CDX-60	4.4:1	4HPB+1RB	19.8	34.1"	26.9-lbs	385/12 (0.31), 270/16 (0.37), 225/20 (0.41)	290/50	GR	GR	GR	AL	\$112.99
CDX-65	4.9:1	4HPB+1RB	29.0	41.7"	33.7-lbs	540/12 (0.31), 380/16 (0.37), 320/20 (0.41)	315/65	GR	GR	GR	AL	\$134.99
CDX-80	4.9:1	4HPB+1RB	30.1	45.4"	37.5-lbs	690/12 (0.31), 485/16 (0.37), 405/20 (0.41)	235/80	GR	GR	GR	AL	\$134.99





## **HELIOS SX SPINNING REELS FEATURE:**

- Lightweight C-40X carbon frame and sideplates
- C-40X Cyclonic Flow Rotor for corrosion resistance
- TCA: Torsion Control Armor reduces twisting
- 8HPB + 1RB corrosion resistant stainless steel bearings
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- ALG: Precision AlumiLite alloy main gear and oscillating gears
- Rigid, machined aluminum, anodized handle
- Lightweight, EVA handle knobs for comfort
- Precision Elliptical Gearing system
- Machined aluminum, 2-tone anodized spool
- Heavy duty, solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- Helios SX spinning reels are backed by a 1-year limited warranty


















The Cyclonic Flow Rotor (CFR) was designed to create a "cyclonic" airflow, which significantly increases air flow through the ported rotor. This thoroughly tested design allows for a much faster drying time if the reel becomes wet, minimizing corrosion possibilities throughout the



### TORSION CONTROL ARMOR

The Torsion Control Armor (TCA) design found on the new Inspria spinning reels is made with Okuma's C-40X long-strand carbon fiber technology. This not only makes the reel lighter, but also makes the reel extremely rigid which reduces twist and torque and keeps the internal parts in perfect alignment.

# **HELIOS SX SPINNING**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Standard speed spinning reels *MSRP in 2021 catalog may be subject to change.												
HSX-20	5.0:1	8HPB + 1RB	6.2	24.7"	6-lbs	220/2 (0.15), 140/4(0.21), 110/6 (0.24)	130/10, 110/15	C-40X	C-40X	C-40X	AL	\$139.99
HSX-30	5.0:1	8HPB + 1RB	7.0	27.8"	13-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	180/15, 130/20	C-40X	C-40X	C-40X	AL	\$139.99
HSX-40	5.0:1	8HPB + 1RB	9.1	30.9"	13-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	215/30, 150/40	C-40X	C-40X	C-40X	AL	\$149.99
High-speed spinning reels												
HSX-40S	5.8:1	8HPB + 1RB	9.1	35.9"	13-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	215/30, 150/40	C-40X	C-40X	C-40X	AL	\$149.99

# Inspira

# **INSPIRA SPINNING REELS FEATURE:**

- Lightweight C-40X carbon frame and sideplates
- 8BB + 1RB stainless steel bearings
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Rigid, forged aluminum, anodized handle
- Lightweight, EVA handle knobs for comfort
- Precision Elliptical Gearing system
- Machined aluminum, 2-tone anodized spool
- Heavy duty, solid aluminum bail wire
- CFR: Cyclonic Flow Rotor
- Inspira spinning reels are backed by a 1-year limited warranty











# **INSPIRA**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Inspira Bl	Inspira Blue version with C-40X finish *MSRP in 2021 catalog may be subject to change.											
ISX-20B	5.0:1	8BB+1RB	6.5	24.7"	6-lbs	220/2 (0.15), 140/4 (0.21), 110/6 (0.24)	130/10, 110/15	C-40X	C-40X	GR	AL	\$89.99
ISX-30B	5.0:1	8BB+1RB	7.4	27.5"	13-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	180/15, 130/20	C-40X	C-40X	GR	AL	\$89.99
ISX-40B	5.0:1	8BB+1RB	9.1	30.9"	13-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	215/30, 150/40	C-40X	C-40X	GR	AL	\$99.99

# EPIXOR XT

### **EPIXOR XT SPINNING REELS FEATURE:**

- TCA: Torsion Control Armor reduces twisting
- Multi-disc, Japanese oiled felt drag washers
- 7BB+1RB stainless steel bearings
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gear
- Slow oscillation system for improved line lay
- Corrosion resistant graphite body and rotor

- CFR: Cyclonic Flow Rotor technology
- Rigid metal handle design for strength
- Machined aluminum, 2-tone anodized spool with LCS lip
- Heavy duty solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- EPXT-55P features an EVA ball handle knob
- Epixor XT reels are backed by a 1-year limited warranty









<b>EPIXO</b>	R XT											
Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Standard sp	eed spinr	ning reels						*MSRI	P in 2021 catal	og may b	oe subjec	t to change
EPXT-20	5.0:1	7BB+1RB	7.3	23.9"	11-lbs	280/2 (0.15), 140/4 (0.21), 110/6(0.24)	N/A	C-40X	GR	GR	AL	\$74.99
EPXT-30	5.0:1	7BB+1RB	8.8	27.0"	17.6-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	215/15	C-40X	GR	GR	AL	\$74.99
EPXT-40	5.0:1	7BB+1RB	10.7	30.1"	22.1-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	200/30	C-40X	GR	GR	AL	\$79.99
EPXT-55	5.0:1	7BB+1RB	11.1	34.3"	26-lbs	310/12 (0.31), 215/16 (0.37), 180/20 (0.41)	N/A	C-40X	GR	GR	AL	\$84.99
High-speed	spinning	reels										
EPXT-30S	6.0:1	7BB+1RB	8.8	33.4"	17.6-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	215/15	C-40X	GR	GR	AL	\$74.99
EPXT-40S	6.0:1	7BB+1RB	10.7	37.1"	22.1-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	200/30	C-40X	GR	GR	AL	\$79.99
Standard sp	eed spinr	ning reels wit	h power h	andle								
EPXT-55P	5.0:1	7BB+1RB	11.8	34.3"	26-lbs	310/12 (0.31), 215/16 (0.37), 180/20 (0.41)	N/A	C-40X	GR	GR	AL	\$94.99

# Ceymar

# **CEYMAR SPINNING REELS FEATURE:**

- Multi-disc, oiled felt drag system
- 7 BB + 1RB for ultimate smoothness
- C-10 /20 sizing features 6BB+1RB
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion-resistant graphite body
- Rigid, forged aluminum, black anodized handle design
- Lightweight, EVA handle knobs for comfort
- C-65 models feature ergo grip handle style
- Precision Elliptical Gearing system
- Machined aluminum, 2-tone anodized spool
- Heavy duty, solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- Narrow Blade Body Design for reduced fatigue
- Ceymar spinning reels are backed by a 1-year limited warranty





# **CEYMAR**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Sideplates	Rotor	Spool	Msrp
Standard	l speed sp	inning reels						*MSRP	in 2021 catalo	g may be	e subject	to change.
C-10	5.0:1	6BB+1RB	6.0	22.6"	5-lbs	210/2 (0.15), 110/4 (0.21), 70/6 (0.24)	90/10, 80/15	GR	GR	GR	AL	\$53.99
C-20	5.0:1	6BB+1RB	6.8	24.0"	6-lbs	280/2 (0.15), 140/4 (0.21), 110/6 (0.24)	N/A	GR	GR	GR	AL	\$53.99
C-30	5.0:1	7BB+1RB	8.2	26.6"	13-lbs	300/4(0.21), 185/6 (0.24), 145/8 (0.26)	180/15, 155/20	GR	GR	GR	AL	\$53.99
C-40	5.0:1	7BB+1RB	10.0	30.9"	13-lbs	265/8 (0.26), 185/10 (0.29), 160/12 (0.31)	215/30, 150/40	GR	GR	GR	AL	\$53.99
C-55	4.5:1	7BB+1RB	14.2	32"	18-lbs	315/12 (0.31), 265/14 (0.33), 200/18 (0.39)	375/30, 255/50	GR	GR	GR	AL	\$64.99
C-65	4.8:1	7BB+1RB	20.7	37.6"	22-lbs	300/15 (0.37), 260/20 (0.41), 190/25 (0.45)	305/50, 205/65	GR	GR	GR	AL	\$84.99

# Ceymar BAITFEEDER

# **CEYMAR BAITFEEDER REELS FEATURE:**

- On/Off auto trip bait feeding system
- Multi-disc, Japanese oiled felt drag washers
- 7BB+1RB stainless steel bearings
- Quick-Set ant-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology

- Precision Elliptical Gearing System
- Rigid metal handle design for strength
- Machined aluminum, 2-tone anodized spool with LCS lip
- Heavy duty solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System
- Ceymar reels are backed by a 1-year limited warranty





# **CEYMAR BAITFEEDER**

	Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
	Standard spe	ed spinni	ng reels									
	CBF-500	5.0:1	7BB+1RB	6.7	21.9"	6-lbs	165/2 (0.15), 85/4 (0.21), 65/6 (0.24)	GR	GR	GR	AL	\$74.99
	CBF-1000	5.0:1	7BB+1RB	7.1	24.0"	6-lbs	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	GR	GR	GR	AL	\$74.99
NEW	CBF-3000	5.0:1	7BB+1RB	9.5	28.0"	18-lbs	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	GR	GR	GR	AL	\$77.99
NEW	CBF-40	5.0:1	7BB+1RB	11.2	30.9"	13-lbs	295/8(0.26), 250/10(0.29), 210/12(0.31)	GR	GR	GR	AL	\$79.99
	CBF-55	4.5:1	7BB+1RB	15.8	32"	19-lbs	310/12(0.31), 275/14(0.33), 220/16(0.37)	GR	GR	GR	AL	\$84.99
	CBF-65	4.8:1	7BB+1RB	24.6	37.6"	33-lbs	280/16(0.37), 235/20(0.41), 190/25(0.45)	GR	GR	GR	AL	\$94.99

\*MSRP in 2021 catalog may be subject to change.

# AVENGER

### **AVENGER REELS FEATURE:**

- Multi-disc, Japanese oiled felt drag system
- 6BB + 1RB for ultimate smoothness and performance
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Precision Elliptical Gearing system
- Avenger spinning reels are backed by a 1-year limited warranty





# **AVENGER**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
Avenger Spinn	ing Reels							*MSRP in 2021	l catalog r	may be sub	ject to change
AV-500a	5.0:1	6BB + 1RB	6.2	21.8"	6-lbs	165/2 (0.15), 85/4 (0.21), 65/6 (0.24)	GR	GR	GR	AL	\$42.99
AV-1000a	5.0:1	6BB + 1RB	6.7	24.0"	6-lbs	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	GR	GR	GR	AL	\$42.99
AV-2500	5.0:1	6BB + 1RB	7.8	25.8"	15-lbs	180/6 (0.24), 150/8 (0.26), 125/10 (0.29)	GR	GR	GR	AL	\$42.99
AV-3000	5.0:1	6BB + 1RB	7.8	25.8"	15-lbs	210/6 (0.24), 170/8 (0.26), 140/10 (0.29)	GR	GR	GR	AL	\$42.99
AV-4000	5.0:1	6BB + 1RB	10.0	30.1"	17-lbs	265/8 (0.26), 220/10 (0.29), 185/12 (0.31)	GR	GR	GR	AL	\$47.99
AV-6000	4.5:1	6BB + 1RB	14.1	31.1"	33-lbs	280/12 (0.31), 195/16 (0.37), 165/20 (0.41)	GR	GR	GR	AL	\$53.99
AV-8000	4.8:1	6BB + 1RB	20.0	38.3"	35-lbs	380/12 (0.31), 265/16 (0.37), 225/20 (0.41)	GR	GR	GR	AL	\$64.99
AV-10000	4.8:1	6BB + 1RB	20.0	38.3"	35-lbs	465/12 (0.31), 325/16 (0.37), 270/20 (0.41)	GR	GR	GR	AL	\$69.99
Avenger LE Edi	tion Spinn	ning Reels									
AV-1000-LEa	5.0:1	6BB + 1RB	6.7	24.0"	6-lbs	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	GR	GR	GR	AL	\$42.99
AV-3000-LE	5.0:1	6BB + 1RB	7.8	25.8"	15-lbs	210/6 (0.24), 170/8 (0.26), 140/10 (0.29)	GR	GR	GR	AL	\$42.99
AV-4000-LE	5.0:1	6BB + 1RB	10.0	30.1"	17-lbs	265/8 (0.26), 220/10 (0.29), 185/12 (0.31)	GR	GR	GR	AL	\$47.99

# AVENGER ABF

### **AVENGER ABF REELS FEATURE:**

- On/Off auto trip bait feeding system
- Multi-disc, Japanese oiled felt drag system
- 6BB + 1RB stainless steel bearing system
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- CFR: Cyclonic Flow Rotor technology

- Corrosion resistant frame, sideplate and rotor
- Rigid metal handle design to reduce flex
- Machined aluminum, 2-tone anodized spool
- RESII: Computer balanced Rotor Equalizing System
- Avenger ABF reels are backed by a 1-year limited warranty

### **BAITFEEDING SYSTEM**

Okuma's baitfeeding system allows anglers to disengage their spinning reel spool and allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.





# **AVENGER ABF**

	Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
	Standard sp	eed spinn	ing reels									
	ABF-500	5.0:1	6BB+1RB	6.7	21.9"	6-lbs	165/2 (0.15), 85/4 (0.21), 65/6 (0.24)	GR	GR	GR	AL	\$58.99
NEW	ABF-1000	5.0:1	6BB+1RB	7.1	24.0"	6-lbs	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	GR	GR	GR	AL	\$58.99
	ABF-3000	5.0:1	6BB+1RB	10.1	28.0"	18-lbs	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	GR	GR	GR	AL	\$62.49
	ABF-4000	5.0:1	6BB+1RB	11.7	30.9"	22-lbs	285/8 (0.26), 230/10 (0.29), 190/12 (0.31)	GR	GR	GR	AL	\$64.99
	ABF-6000	4.5:1	6BB+1RB	17.0	31.4"	26-lbs	325/12 (0.31), 220/16 (0.37), 180/20 (0.42)	GR	GR	GR	AL	\$69.99
	ABF-8000	4.5:1	6BB+1RB	17.8	34.1"	26-lbs	440/12, (0.31) 300/16, (0.37) 245/20 (0.42)	GR	GR	GR	AL	\$74.99

\*MSRP in 2021 catalog may be subject to change.

30 Okuma Catalog 2021 Okuma Catalog 2021 31

AV-8000



# ALARIS

### **ALARIS REELS FEATURE:**

- Multi-disc, Japanese oiled felt drag washers
- 3BB+1RB stainless steel bearings
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gearCorrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Rigid metal handle design for strength
- Machined aluminum, 2-tone anodized spool with LCS lip
- Corrosion-resistant stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System
- Alaris reels are backed by a 1-year limited warranty





# CFR CYCLONIC FLOW

ALARIS	5									OTO	R		
Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp		
Standard sp	Standard speed spinning reels *MSRP in 2021 catalog may be subject to change												
ALS-20	4.8:1	3BB+1RB	7.0	23.9"	11.9-lbs	280/2 (0.15), 140/4(0.21), 110/6(0.24)	GR	GR	GR	AL	\$33.49		
ALS-30	5.0:1	3BB+1RB	8.4	27.8"	15.9-lbs	240/6 (0.24), 200/8(0.26),160/10 (0.29)	GR	GR	GR	AL	\$33.49		
ALS-40	5.0:1	3BB+1RB	9.2	33.4"	17.4-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	GR	GR	GR	AL	\$37.49		
ALS-45	5.0:1	3BB+1RB	10.4	30.9"	18.7-lbs	280/8 (0.26), 230/10 (0.29), 185/12 (0.31)	GR	GR	GR	AL	\$42.99		
ALS-55	4.5:1	3BB+1RB	14.9	32.5"	30-lbs	310/12 (0.31), 215/16 (0.37), 180/20 (0.41)	GR	GR	GR	AL	\$47.99		
ALS-65	4.5:1	3BB+1RB	15.1	34.4"	30-lbs	400/12 (0.31), 280/16 (0.37), 230/20 (0.41)	GR	GR	GR	AL	\$53.99		



# **ROX REELS FEATURE:**

- 2 Ball bearing drive for smoothness and longevity
- Oiled felt drag washers for smooth operation
- Corrosion resistant graphite body and rotor
- Rigid aluminum handle design
- Durable stainless steel bail wire
- Backed by a 1-year limited warranty



# **ROX**

Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp
Standard sp	eed spinnin	g reels			*MSRP in 202	21 catalog n	nay be subje	ct to change.			
ROX-20	5.1:1	2BB	7.8	26"	7-lbs	150/4 (0.17), 120/6 (0.22)	GR	GR	GR	AL	\$21.99
ROX-30	5.1:1	2BB	9.4	27"	12-lbs	270/6 (0.22), 185/10 (0.30)	GR	GR	GR	AL	\$24.99
ROX-40	5.1:1	2BB	9.8	29"	12-lbs	215/10 (0.30), 160/12 (0.32)	GR	GR	GR	AL	\$24.99
ROX-55	5.1:1	2BB	13.2	31"	15-lbs	215/18 (0.39), 170/20 (0.42)	GR	GR	GR	AL	\$26.99

# ARIA

# **ARIA REELS FEATURE:**

- Multi-disc, Japanese oiled felt drag washers
- 1 ball bearing drive for smoothness and durability
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Machined aluminum, anodized spool
- Corrosion-resistant stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System
- Aria reels are backed by a 1-year limited warranty



Model	Gear Ratio	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Frame	Sideplates	Rotor	Spool	Msrp			
Standard spe	tandard speed spinning reels *MSRP in 2021 catalog may be subject to change													
ARIA-20a	4.8:1	1BB	6.4	23.9"	11.9-lbs	280/2 (0.15), 140/4 (0.21), 110/6(0.24)	GR	GR	GR	AL	\$17.99			
ARIA-30a	5.0:1	1BB	7.8	27.8"	15.9-lbs	240/6 (0.24), 200/8 (0.26), 160/10 (0.29)	GR	GR	GR	AL	\$18.99			
ARIA-40a	5.0:1	1BB	8.3	33.4"	17.4-lbs	260/8 (0.26), 220/10 (0.29), 180/12 (0.31)	GR	GR	GR	AL	\$20.99			







BAITCAST REELS

At Okuma Fishing Tackle we deliver more than fishing gear. We deliver the motivation to hit the water, the energy to maintain focus and the excitement that injects every cast with high expectations. From avid recreational angler to touring professional, Okuma baitcast reels are a step above. Find premium features like Japanese ABEC-5 spool bearings and aluminum gears as standard features in tournament models instead of aftermarket upgrades. Our selection is not simply a platform upon which to begin customization, but the best a reel can be at every price.

# & KOMODO SS



### KOMODO LOW PROFILE BAITCAST REELS FEATURE:

- Stainless steel main gear for ultimate power and strength
- Precision machine cut stainless steel pinion gear
- Heavy-duty stainless-steel drive and spool shafts
- ALC: Rigid diecast aluminum frame and sideplates
- CRC: Corrosion-Resistant Coating process
- A6061-T6 machined aluminum, anodized spool
- Multi-disc high output Carbonite drag system
- Micro-click drag star for precise drag settings
- 350 size: 6HPB+1RB corrosion resistant stainless-steel bearings
- 450 size: 7HPB+1RB corrosion resistant stainless-steel bearings
- Precision Japanese ABEC-5 spool bearings
- Dual anti-reverse 350/450 sizes for maximum reliability
- Quick-Set anti-reverse roller bearing



- 350/450 sizes: Synchronized levelwind optimized for braided line
- Zirconium line guide inserts for use with braided line
- Available in both right and left-hand retrieve
- On/Off clicker for trolling, chunking or bait fishing
- Komodo SS reels are backed by a 3-year limited warranty



# **KOMODO SS LOWPROFILE**

KDS-463LX

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament linecapacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
Komodo SS R	ight han	d retrieve with	twin pad	dle handle	9			*	MSRP in 2021	I catalog may	be subje	ct to change.
KDS-273	7.3:1	6BB + 1RB	7.8	31.5"	20-lbs	255/10(0.29), 170/12(0.33), 135/14(0.37)	N/A	AL	AL	AL	AL	\$219.99
KDS-364	6.4:1	6HPB + 1RB	10.9	31"	25-lbs	250/12(0.33), 230/14(0.37), 150/20(0.41)	230/50,150/65	AL	AL	AL	AL	\$219.99
KDS-463	6.3:1	7HPB + 1RB	15.9	33.5"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$249.99
KDS-471	7.1:1	7HPB + 1RB	15.9	37.7"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$249.99
Komodo SS Right hand retrieve with power handle												
KDS-364P	6.4:1	6HPB + 1RB	11.6	31"	25-lbs	250/12(0.33), 230/14(0.37), 150/20(0.41)	230/50,150/65	AL	AL	AL	AL	\$239.99
KDS-463P	6.3:1	7HPB + 1RB	16.5	33.5"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$269.99
KDS-471P	7.1:1	7HPB + 1RB	16.5	37.7"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$269.99
Komodo left	hand re	trieve models w	ith twin p	addle hai	ndle							
KDS-273LX	7.3:1	6BB + 1RB	7.8	31.5"	20 lbs	160-yds / 12-lbs (0.33)	N/A	AL	AL	AL	AL	\$219.99
KDS-364LX	6.4:1	6HPB + 1RB	10.9	31"	25-lbs	250/12(0.33), 230/14(0.37), 150/20(0.41)	230/50,150/65	AL	AL	AL	AL	\$219.99
KDS-463LX	6.3:1	7HPB + 1RB	15.9	33.5"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$249.99
Komodo left	omodo left hand retrieve models with power handle											
KDS-364PLX	6.4:1	6HPB + 1RB	11.6	31"	25-lbs	250/12(0.33), 230/14(0.37), 150/20(0.41)	230/50,150/65	AL	AL	AL	AL	\$239.99
KDS-463PLX	6.3:1	7HPB + 1RB	16.5	33.5"	30-lbs	290/14 (0.37), 220/20 (0.42), 130/30 (0.55)	300/50, 200/65	AL	AL	AL	AL	\$269.99





### **HELIOS SX LOW PROFILE BAITCAST REELS FEATURE:**

- ALC: Rigid diecast aluminum frame and sideplates
- CRC: Corrosion Resistant Coating process
- Machined aluminum, ported spool for reduced weight
- Aluminum gears for tournament feel and reduced weight
- Multi-disc Carbonite drag system for power and smoothness
- Micro-click static drag star for precision drag settings
- Friction free shaft system allows for longer casts
- 10BB + 1RB stainless steel bearings for ultimate smoothness
- Precision Japanese ABEC-5 spool bearings, maximize freespool
- Quick-Set anti-reverse roller bearing
- New generation 12-point adjustable Velocity Control System
- Oversized carbon fiber 100mm length handle for max cranking power
- Helios SX reels are backed by a 3-year limited warranty



### **HELIOS SX LOWPROFILE BAITCAST REELS**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament linecapacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP	
Right handed lowprofile baitcast reels       *MSRP in 2021 catalog may be subject to change.													
HSX-266V	6.6:1	10BB + 1RB	6.3	28.0"	18-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	AL	AL	AL	\$229.99	
HSX-273V	7.3:1	10BB + 1RB	6.3	31.5"	18-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	AL	AL	AL	\$229.99	
HSX-281V	8.1:1	10BB + 1RB	6.3	35.0"	18-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	AL	AL	AL	\$229.99	
Left handed le	owprofil	e baitcast reels											
HSX-273VLX	7.3:1	10BB + 1RB	6.3	31.5"	18-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	AL	AL	AL	\$229.99	

# CITRIX

### **CITRIX REELS FEATURE:**

- ALC: Rigid diecast aluminum frame
- A6061-T6 machined aluminum, anodized large arbor spool
- Multi-disc Carbonite drag system
- 9BB+1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable centrifugal cast control system
- Quick-Set anti-reverse roller bearing
- Corrosion resistant graphite sideplates
- Easy change palm sideplate access port
- Ergonomic handle design allows cranking closer to body
- Zirconium line guide inserts for use with braided line



# CITRIX LOWPROFILE REELS

		(Oz.)	Retrieve	Pressure	(Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP			
Right handed lowprofile baitcast reels														
7.3:1	9BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	GR	GR	AL	\$134.99			
6.4:1	7BB + 1RB	11.0	31"	25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50 , 150/65	AL	AL	GR	AL	\$174.99			
Left handed lowprofile baitcast reels														
7.3:1	9BB + 1RB	8.4	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	GR	GR	AL	\$134.99			
6.4:1	7BB + 1RB	11.0	31"	25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50 , 150/65	AL	GR	AL	AL	\$174.99			
dels W	ith Power Ha	ndle												
6.4:1	7BB + 1RB	11.0	31"	25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50 , 150/65	AL	AL	GR	AL	\$189.99			
6.4:1	7BB + 1RB	11.0	31"	25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50 , 150/65	AL	GR	AL	AL	\$189.99			
(	5.4:1 wprof 7.3:1 5.4:1 dels W	5.4:1 7BB + 1RB wprofile baitcast re 7.3:1 9BB + 1RB 5.4:1 7BB + 1RB dels With Power Ha 5.4:1 7BB + 1RB	5.4:1 7BB + 1RB 11.0  wprofile baitcast reels 7.3:1 9BB + 1RB 8.4 5.4:1 7BB + 1RB 11.0  dels With Power Handle 5.4:1 7BB + 1RB 11.0	5.4:1 7BB + 1RB 11.0 31"  wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6"  5.4:1 7BB + 1RB 11.0 31"  dels With Power Handle  5.4:1 7BB + 1RB 11.0 31"	5.4:1 7BB + 1RB 11.0 31" 25-lbs  wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs  5.4:1 7BB + 1RB 11.0 31" 25-lbs  dels With Power Handle  5.4:1 7BB + 1RB 11.0 31" 25-lbs	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41)  wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37)  5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41)  dels With Power Handle  5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41)	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20(0.41) 230/50, 150/65 wprofile baitcast reels 7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 dels With Power Handle 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20(0.41) 230/50, 150/65 AL wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL dels With Power Handle  6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20(0.41) 230/50, 150/65 AL AL wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR  6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL GR  dels With Power Handle  6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL AL	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20(0.41) 230/50, 150/65 AL AL GR wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR GR  5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL GR  6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL GR	5.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20(0.41) 230/50, 150/65 AL AL GR AL wprofile baitcast reels  7.3:1 9BB + 1RB 8.4 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR GR AL 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL GR AL AL 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL AL GR AL AL 6.4:1 7BB + 1RB 11.0 31" 25-lbs 250/12(0.33), 230/14(0.37), 150/20 (0.41) 230/50, 150/65 AL AL GR AL			

\*MSRP in 2021 catalog may be subject to change.



# **CERROS REELS FEATURE:**

- ALC: Rigid diecast aluminum frame
- A6061-T6 machined aluminum, anodized V-shaped spool
- Multi-disc composite drag system
- 9BB + 1RB bearing drive system
- Micro-click drag star for precise drag settings
- External adjustable magnetic cast control system
- 24-point adjustment on cast control for precise settings
- Quick-Set anti-reverse roller bearing
- Corrosion resistant graphite sideplates
- Sideplate access port for quick spool changes
- Lightweight and comfortable EVA handle knobs
- Available in both right and left hand retrieve
- Cerros reels are backed by a 1-year limited warranty



# **CERROS LOWPROFILE**

Gear	Rearings	Weight	Line	Max Drag	Monofilament linecapacity	Braided line	Eramo	Right	Left	Snool	MSRP			
ratio	Dearings	(oz.)	retrieve	Pressure	(diameter in mm.)	rating (Soft steel)	Traine	Sideplate	Sideplate	эроог	IVISIKI			
tight handed lowprofile baitcast reels *MSRP in 2021 catalog may be subject to change.														
6.6:1	9BB+1RB	7.9	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	GR	GR	AL	\$112.99			
7.3:1	9BB+1RB	7.9	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	GR	GR	AL	\$112.99			
Left handed lowprofile baitcast reels														
6.6:1	9BB+1RB	7.9	31.6"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	AL	GR	GR	AL	\$112.99			
	ratio I lowprofile 6.6:1 7.3:1 Iowprofile	ratio  Bearings  I lowprofile baitcast reels  6.6:1 9BB+1RB  7.3:1 9BB+1RB  lowprofile baitcast reels	ratio Bearings (oz.)  I lowprofile baitcast reels  6.6:1 9BB+1RB 7.9  7.3:1 9BB+1RB 7.9  lowprofile baitcast reels	ratio Bearings (oz.) retrieve  I lowprofile baitcast reels  6.6:1 9BB+1RB 7.9 28.5"  7.3:1 9BB+1RB 7.9 31.6"  lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure  I lowprofile baitcast reels  6.6:1 9BB+1RB 7.9 28.5" 11-lbs  7.3:1 9BB+1RB 7.9 31.6" 11-lbs  lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure (diameter in mm.)  I lowprofile baitcast reels  6.6:1 9BB+1RB 7.9 28.5" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37)  7.3:1 9BB+1RB 7.9 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37)  lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure (diameter in mm.) rating (Soft steel)  I lowprofile baitcast reels  6.6:1 9BB+1RB 7.9 28.5" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50  7.3:1 9BB+1RB 7.9 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50  lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure (diameter in mm.) rating (Soft steel) Frame    lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure (diameter in mm.) rating (Soft steel) Frame Sideplate  *MSRP in 2021  6.6:1 9BB+1RB 7.9 28.5" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR  7.3:1 9BB+1RB 7.9 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR  lowprofile baitcast reels	ratio Bearings (oz.) retrieve Pressure (diameter in mm.) rating (Soft steel) Frame Sideplate Sideplate Sideplate  *MSRP in 2021 catalog may I  6.6:1 9BB+1RB 7.9 28.5" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR GR  7.3:1 9BB+1RB 7.9 31.6" 11-lbs 160/10 (0.29), 130/12 (0.33), 95/14 (0.37) 130/30, 90/50 AL GR GR	ratio Bearings (oz.) retrieve Pressure (diameter in mm.) rating (Soft steel) Frame Sideplate Sideplate Sideplate Solopolate Sideplate Si			

# ZEBBHNO

### **SERRANO LOW PROFILE BAIT CAST REELS:**

- Rigid, corrosion resistant frame and sideplate construction
- 6BB + 1RB precision stainless steel bearing drive system
- Quick Set anti-reverse bearing for solid hook sets
- Precision cut, high strength brass main and pinion gears
- Externally adjustable magnetic cast control system
- 33.5mm machined aluminum, black anodized spool
- Multi-disc drags washers for consistent performance
- Double paddle, 95mm aluminum swept handle arm
- TGT Grip: Traction Grip Technology
- Serrano reels are backed by a 1-year limited warranty





# **SERRANO LOWPROFILE BAITCAST**

	Model	Gear Ratio	Bearings	Weight (oz.)	Line Retrieve	Max Drag Pressure	Monofilament linecapacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP	
	Right Handed	Lowpro	file Baitcast R	eels									
NEW	SRN100-A	6.5:1	6BB + 1RB	7.0	26.8"	11-lbs	120/12 (0.31), 110/14 (0.33), 90/16 (0.37)	GR	GR	GR	AL	\$89.99	
NEW	SRN100H-A	7.2:1	6BB + 1RB	7.0	29.9"	11-lbs	120/12 (0.31), 110/14 (0.33), 90/16 (0.37)	GR	GR	GR	AL	\$89.99	
	Left Handed Lowprofile Baitcast Reels												
NEW	SRN101-A	6.5:1	6BB + 1RB	7.0	26.8"	11-lbs	120/12 (0.31), 110/14 (0.33), 90/16 (0.37)	GR	GR	GR	AL	\$89.99	

\*MSRP in 2021 catalog may be subject to change.

# EPIXOR

## **EPIXOR LOWPROFILE BAITCAST FEATURE:**

- Corrosion resistant frame and sideplates
- Two-toned anodized, machined aluminum spool
- Multi-disc carbon fiber and stainless steel drag system
- Precision machine cut brass main and pinion gears
- 7BB + 1RB stainless steel bearing drive system
- External adjustable magnetic cast control system
- Quick-Set anti-reverse roller bearing
- Easy change palm sideplate access port
- Available in both right and left hand retrieve
- EPIXOR reels are backed by a 1-year limited warranty



# **EPIXOR LOWPROFILE**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament linecapacity (diameter in mm.)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP			
Right handed lowprofile baitcast reels *MSRP in 2021 catalog may be su														
EPXT-263V	6.3:1	7BB + 1RB	7.6	28"	15-lbs	195/10, 165/12, 120/14	GR	GR	GR	AL	\$85.99			
EPXT-271V	7.0:1	7BB + 1RB	7.6	30"	15-lbs	195/10, 165/12, 120/14	GR	GR	GR	AL	\$85.99			
Left handed lov	Left handed lowprofile baitcast reels													
EPXT-271VLX	7.0:1	7BB + 1RB	7.6	30"	15-lbs	195/10, 165/12, 120/14	GR	GR	GR	AL	\$85.99			

# Ceymar

# **CEYMAR LOW PROFILE REELS FEATURE:**

- Corrosion-resistant graphite frame and sideplates
- A6061-T6 machined aluminum, anodized U-shaped spool
- Multi-disc composite drag system
- 6BB+1RB bearing drive system
- External adjustable magnetic cast control system
- Quick-Set anti-reverse roller bearing
- Sideplate access port for quick spool changes
- Ergonomic handle design allows cranking closer to body
- Ceymar reels are backed by a 1-year limited warranty



### **CEYMAR LOWPROFILE**

Model	Model Gear Bearings Weight Line Max Drag (oz.) retrieve Pressure		Monofilament linecapacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP			
Right hand	Right handed lowprofile baitcast reels *MSRP in 2021 catalog m										be subjec	t to change.
C-266W	C-266W 6.6:1 6BB+1RB		7.6	28.5"	11-lbs	160/10 (0.29), 130/12 (0.33), 95/14 (0.37)	130/30, 90/50	GR	GR	GR	AL	\$54.99







CONVENTIONAL REELS

Leadership, innovation, and value are not simply concepts for board rooms and Powerpoint presentations. At Okuma Fishing Tackle, these guiding principles are embodied and evident in each and every product.

Our engineering embraces modern fishing lines and the latest in fishing rod construction to develop reels that deliver the most power with minimal weight. We're redefining the relationship between size of reel and size of fish, and taking larger trophies on smaller reels than ever before. Our reels don't intrude on the experience, they enhance it.

# TESORO

# **TESORO STAR DRAG REELS FEATURE:**

- High Speed 6.2:1 gear ratio
- 6061-T6 machined aluminum frame, sideplate and spool
- 17-4 grade stainless steel helical cut gearing
- Multi-disc Carbonite drag system with Cal's drag grease
- CRC: Corrosion-Resistant Coating Process
- Swept aluminum star for increased ergonomics
- Anodized aluminum swept handle reduces wobble while cranking
- 4HPB + 1RB corrosion resistant bearings, spool bearing with TSI oil
- Ergo grip handle knob with anodized aluminum handle arm
- Dual anti-reverse (mechanical and roller bearing)
- XL Gearing: Drop down gear box
- Quick-Set ant-reverse bearing allows for zero back play in handle
- MSS: Mechanical Stabilizing System for increased durability
- Self-lubricating gear system, all models
- Tesoro reels are backed by a 3-year limited warranty







# **TESORO STAR DRAG REELS**

	Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Sideplates	Spool	MSRP
NEW	TSR-5NS	6.2:1	4HPB + 1RB	15.7	39"	20-lbs	415/15 (0.30), 305/20 (0.35), 220/25 (0.40)	350/40 , 250/60	AL	AL	AL	\$299.99
	TSR-5S	6.2:1	4HPB + 1RB	16.6	39"	20-lbs	355/20(0.35), 245/25(0.40), 205/30(0.45)	465/50	AL	AL	AL	\$299.99
	TSR-10S	6.2:1	4HPB + 1RB	19.0	46"	22-lbs	320/25 (0.40), 245/30(0.45),150/40 (0.54)	495/50	AL	AL	AL	\$319.99
	TSR-12S	6.2:1	4HPB + 1RB	19.2	46"	22-lbs	405/25 (0.40), 295/30 (0.45), 185/40 (0.54)	475/65	AL	AL	AL	\$329.99

\*MSRP in 2021 catalog may be subject to change.

# CORTEZ

### **CORTEZ STAR DRAG REELS FEATURE:**

- Corrosion resistant graphite frame and sideplates
- Machined aluminum, anodized spool
- Multi-disc Carbonite drag system
- Forged aluminum, anodized star
- MCS: External magnetic cast control system
- Anodized aluminum swept handle reduces wobble while cranking
- MSS: Mechanical Stabilizing System for increased durability
- 4BB+1RB stainless steel bearings
- Ergo grip handle knob
- Dual anti-reverse system (mechanical & roller bearing)
- XL Gearing: Drop down gear box
- Quick-Set anti-reverse roller bearing
- Self-lubricating gear system, all models
- Cortez reels are backed by a 1-year limited warranty



# MCS

Okuma's Magnetic Control System is a fully-sealed, 100% waterproof cast control system that reduces backlash and improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnet which exerts an opposing force and allows for minute and accurate adjustments.





### **CORTEZ STAR DRAG REELS**

				_							
Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Sideplates	Spool	MSRP
CZ-5CSa	6.2:1	4BB+1RB	14.0	38"	15-lbs	410/14 (0.35), 305/18 (0.40), 270/20 (0.42)	365/50, 240/65	GR	GR	AL	\$169.99
CZ-10CSa	6.2:1	4BB+1RB	17.6	43"	18-lbs	260/25 (0.48), 350/20 (0.42), 430/15 (0.37)	485/50, 325/65	GR	GR	AL	\$169.99
CZ-12CSa	6.2:1	4BB+1RB	18.4	43"	18-lbs	300/30 (0.55), 400/25 (0.48), 540/20 (0.42)	425/80, 350/100	GR	GR	AL	\$169.99

\*MSRP in 2021 catalog may be subject to change.



- ALC Rigid diecast aluminum frame and handle sideplate
- Mechanical line counter function measures in feet
- CVT: Clear View Technology anti-fogging line counter
- 3BB + 1RB stainless steel bearings for maximum performance
- CRC: Corrosion Resistant Coating process

- Multi-disc high output Carbonite drag system

- Available in both right and left hand retrieve
- On/Off clicker perfect for all trolling applications
- Coldwater SS reels are backed by a 1-year limited warranty



# **COLDWATER SS REELS**

Model	Gear ratio	Bearings	Weight (oz.)		Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Left Sideplate	Right Sideplate	Spool	MSRP
Right Handed Crank Version *MSRP in 2021 catalog may be subject to										to change.		
CWS-354D	5.4:1	3BB + 1RB	12.3	26.1"	25-lbs	250/12 (0.33), 230/14 (0.37), 150/20 (0.41)	230/50, 150/65	AL	GR	AL	AL	\$189.99
Left Handed Crank Version												
CWS-354DLX	5.4:1	3BB + 1RB	12.3	26.1"	25-lbs	250/12 (0.33), 230/14 (0.37), 150/20 (0.41)	230/50, 150/65	AL	AL	GR	AL	\$189.99

# Cold Water LOW PROFILE LINE COUNTER

# **COLD WATER LOW PROFILE LINE COUNTER REELS FEATURE:**

- ALC: Rigid diecast aluminum frame and handle sideplate
- Multi-disc, Carbonite drag system
- Balanced aluminum handle arm with Ergo Grip handle knobs
- 3BB + 1RB Stainless steel ball bearings
- Quick-Set anti-reverse roller bearing
- Oversized machine cut brass XL drive and pinion gears
- Machined aluminum, two tone anodized spool
- Mechanical line counter function measures in feet

- CVT: Clear View Technology anti-fogging line counter
- Aluminum ratcheting drag star for precision drag settings
- Automatic trip, spool engaging mechanism
- 5.4:1 gear ratio available in both left and right hand retrieve
- DLX represent left hand crank line counter models
- Cold water low profile line counter reels are backed by a 1-year limited warranty



# **COLD WATER LOW PROFILE LINE COUNTER**

Model	l Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Braided line rating (Soft steel)	Frame	Right Sideplate	Left Sideplate	Spool	MSRP
Right Har	ght Handed Low Profile Baitcast Reels							*	MSRP in 2021	catalog may b	e subjec	t to change.
CW-354D	354D 5.4:1 3BB+1RB 12.5 26.1" 25-lbs		25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50,150/65	AL	AL	GR	AL	\$159.99		
Left Hand	ded Low Pro	file Baitcast	Reels									
CW-354D	LX 5.4:1	3BB+1RB	12.7	26.1"	25-lbs	250/12(0.33), 230/14 (0.37), 150/20 (0.41)	230/50,150/65	AL	GR	AL	AL	\$159.99

# **Cold Water**

### **COLD WATER LINE COUNTER REELS FEATURE:**

- Lightweight corrosion resistant frame & sideplates
- Multi-disc, Carbonite drag system
- Aluminum handle arm with Ergo grip handle knobs
- 2BB + 1RB Stainless steel ball bearings
- Quick-set anti-reverse roller bearing
- Oversized machine cut brass XL drive and pinion gears
- Self-lubricating gearing system, all models
- Speed Lock pinion gear system, all models
- Machined aluminum, two tone anodized spool
- Dual anti-reverse system. (Mechanical and roller bearing)
- Mechanical line counter function measures in feet
- CVT: Clear View Technology anti-fogging line counter
- Aluminum ratcheting drag star for precision drag settings
- Wide Mouth levelwind: Clearance for copper lines
- Automatic trip spool engaging mechanism
- MSS: Mechanical Stabilizing System for increased durability
- DLX represent left hand crank line counter models
- Cold water Line counter reels are backed by a 1-year limited warranty





# **COLD WATER LINE COUNTERS**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Right handed Linec	ounter re	els					*MSRP in 2	2021 catalog ma	y be subje	ct to change.
CW-153D	5.1:1	2BB+1RB	14.6	23"	18-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	AL	\$129.99
CW-203D	5.1:1	2BB+1RB	15.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$129.99
CW-303D	4.2:1	2BB+1RB	20.0	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$134.99
CW-453D	4.2:1	2BB+1RB	21.8	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$139.99
Left handed Lineco	unter reel	S								
CW-153DLX	5.1:1	2BB+1RB	14.6	23"	18-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	AL	\$129.99
CW-203DLX	5.1:1	2BB+1RB	15.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$129.99
CW-303DLX	4.2:1	2BB+1RB	20.0	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$134.99
Ladies Edition reels										
CW-203D-LE	5.1:1	2BB+1RB	15.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$129.99
CW-203DLX-LE	5.1:1	2BB+1RB	15.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$129.99





- 303/453DS models are high speed line counter reels
- 553LS is a large diameter high speed levelwind reel (no counter)
- Oversized brass XL gearing system
- Multi-disc Carbonite drag washers for maximum efficiency
- 2HPB + 1RB corrosion resistant stainless steel bearings
- Dual anti-reverse system for maximum strength and reliability
- Quick-Set stainless steel anti-reverse roller bearing
- Machined aluminum, anodized spool
- Speed Lock pinion gear system for instant engagement
- Ergo grip handle knob for increased comfort
- Wide Mouth levelwind: Increased knots clearance
- Silent retrieve system for increased smoothness
- MSS: Mechanical Stabilizing System for precise alignment
- XL gearing: Drop down gear box for maximum gear sizing
- Self-lubricating gear system for maximum heat dissipation
- Cold water DS/LS reels are backed by a 1-year limited warranty

# **Cold Water COLD WATER COPPER/WIRE LINE REELS** - Designed with high speed gear ratios for increased line pickup CW-553LS CW-553LS

# **COLD WATER WIRELINE AND HIGH SPEED LINECOUNTERS**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Right handed	High-Speed	Linecounter reels					*MSRP in 20	)21 catalog ma	y be subje	ect to change.
CW-303DS	6.2:1	2BB + 1RB	20.1	37.1"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$139.99
CW-453DS	6.2:1	2BB + 1RB	22.0	41.3"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$139.99
Right handed	High-Speed	Levelwind reels								
CW-553LS	4.7:1	2BB + 1RB	30.7	40.7"	22-lbs	680/25 (0.48), 520/30 (0.55), 440/40 (0.60)	GR	GR	AL	\$179.99

# CONVECTOR

# **CONVECTOR REELS FEATURE:**

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, gun smoke anodized spool
- Stainless steel reinforcing sideplate rings
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Speed Lock pinion gear system
- Durable high-grade brass main and pinion gear system
- XL gearing: Drop down gear box 20, 30, 45 sizes
- Self lubricating gear system, all models
- Wide Mouth levelwind ("L" models): Clearance for copper line
- Ergo grip handle knobs featured on all models
- Stainless steel Body Armor on CV-55L
- MSS: Mechanical Stabilizing System for increased durability
- Convector star drag reels are backed by a 1-year limited warranty



# **CONVECTOR**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Right handed	Levelwind	reels					*MSRP in 2	021 catalog ma	v be subie	ect to change.
CV-20L	5.1:1	2BB+1RB	16.0	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$102.99
CV-30L	4.0:1	2BB+1RB	20.9	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$104.99
CV-45L	4.0:1	2BB+1RB	22.4	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$106.99
CV-55L	4.0:1	2BB+1RB	34.7	34"	22-lbs	470/25 (0.48), 360/30 (0.55), 310/40 (0.60)	GR	GR	AL	\$134.99

### **CONVECTOR LOWPROFILE LINECOUNTER FEATURE:**

- Precision machine cut brass main and pinion gears
- Mechanical line counter function measures in feet
- CVT: Clear View Technology anti-fogging line counter
- 2HPB + 1RB corrosion resistant bearings
- Automatic trip, spool engagement mechanism
- A6061-T6 machined aluminum, anodized spool
- Multi-disc high output Carbonite drag system
- Quick-Set anti-reverse roller bearing
- Synchronized levelwind optimized for braided line
- Quick Drop, switch for precision lure/bait placement
- Available in both right and left-hand retrieve
- On/Off clicker perfect for all trolling applications
- Convector reels are backed by a 1-year limited warranty




### **CONVECTOR LOWPROFILE LINECOUNTER**

	Model	Gear ratio	Bearings	Weight (oz.)	Line Retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Line Rating (Soft steel)	Frame	Left Sideplate	Right Sideplate	Spool	MSRP
	Convector Ri	ght han	d crank versio	n					*MSF	RP in 2021 ca	talog may be	subject t	o change.
N	CV-163D	6.3:1	2HPB + 1RB	7.9	26.8"	11-lbs	260/8 (0.26), 180/12 (0.31), 115/16 (0.37)	N/A	GR	GR	GR	AL	\$104.99
	CV-354D	5.4:1	2HPB + 1RB	11.7	25.9"	22-lbs	300/12 (0.33), 260/14 (0.37), 160/20 (0.41)	230/50, 150/65	GR	GR	GR	AL	\$106.99
	Convector Le	eft hand	crank version										
N	CV-163DLX	6.3:1	2HPB + 1RB	7.9	26.8"	11-lbs	260/8 (0.26), 180/12 (0.31), 115/16 (0.37)	N/A	GR	GR	GR	AL	\$104.99
	CV-354DLX	5.4:1	2HPB + 1RB	11.7	25.9"	22-lbs	300/12 (0.33), 260/14 (0.37), 160/20 (0.41)	230/50, 150/65	GR	GR	GR	AL	\$106.99

# CONVECTOR LINE COUNTERS

### **CONVECTOR LINE COUNTER REELS FEATURE:**

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, gun smoke anodized spool
- Stainless steel reinforced sideplate rings
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Speed Lock pinion gear system
- Durable high-grade brass main and pinion gear system
- XL gearing: Drop down gear box on all models
- Self lubricating gear system, all models
- Wide Mouth levelwind: Clearance for copper line
- Spool stabilizing system for increased durability
- Ergo grip handle knobs featured on all models
- DLX represents left hand crank line counter models
- MSS: Mechanical Stabilizing System for increased durability







# **CONVECTOR LINE COUNTERS**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Right handed	Linecount	er reels					*MSRP in 2	2021 catalog ma	y be subje	ect to change.
CV-15D	5.1:1	2BB+1RB	15.8	23"	18-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	AL	\$106.99
CV-20D	5.1:1	2BB+1RB	16.5	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$106.99
CV-30D	4.0:1	2BB+1RB	21.5	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$106.99
CV-45D	4.0:1	2BB+1RB	22.9	26"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$112.99
Right handed	High Spee	d Linecounte	'S							
CV-30DS	6.2:1	2BB+1RB	20.6	37.1"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$112.99
CV-45DS	6.2:1	2BB+1RB	22.5	41.3"	20-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$112.99
Left handed L	inecounte	r reels								
CV-20DLX	5.1:1	2BB+1RB	16.5	23"	18-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$106.99
CV-30DLX	4.0:1	2BB+1RB	21.5	24"	20-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$106.99



### MAGDA PRO LINE COUNTER REELS FEATURE:

- Lightweight, corrosion-resistant frame and sideplates
- Corrosion-resistant graphite spools
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- 2 Stainless steel ball bearing
- 16-point anti-reverse for improved hookups
- Line counter screw port for improved air access
- Durable Machine cut brass gearing
- Self-Lubricating Gear System, all models
- 20 45 sizes with Ergo grip handle knob design
- 15-size features a twin paddle handle configuration
- Automatic trip spool engaging mechanism
- Stainless steel levelwind line guide system
- DLXT represents left hand crank models
- Magda Pro reels are backed by a 1-year limited warranty




# MAGDA PRO DXT LINECOUNTERS

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Right handed L	inecounte	er reels					*MSRP in 2	2021 catalog ma	y be subje	ct to change.
MA-15DXT-T	5.1:1	2BB	12.6	23"	15-lbs	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	GR	GR	GR	\$63.99
MA-20DXT	5.1:1	2BB	13.8	23"	15-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	GR	\$63.99
MA-30DXT	4.0:1	2BB	16.4	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	GR	\$69.99
MA-45DXT	4.0:1	2BB	17.4	26"	18-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	GR	\$69.99
Left handed Li	necounter	reels								
MA-20DLXT	5.1:1	2BB	13.2	23"	15-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	GR	\$63.99
MA-30DLXT	4.0:1	2BB	16.5	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	GR	\$69.99

# CLASSICPRO

# **CLASSIC PRO XP REELS FEATURE:**

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, anodized spool
- Ported graphite frame design
- Stainless steel reel foot for strength
- Dependable multi-disc Rulidium drag system
- Classic Pro XP features 2 ball bearings
- Machine cut brass and stainless steel gearing
- Aluminum power handle with T-style knobs
- Self lubricating gear system
- Stainless steel levelwind line guide system





XP-302La

# **CLX REELS FEATURE:**

- Lightweight corrosion resistant frame and sideplates
- Corrosion resistant graphite spools
- Ported graphite frame design
- Stainless steel reel foot for strength
- Dependable multi-disc Rulidium drag system
- CLX features a bushing drive
- Aluminum power handle with T-style knobs
- Self lubricating gear system
- Stainless steel levelwind line guide system
- CLX reels are backed by a 1-year limited warranty



# **CLASSIC PRO XP AND CLASSIC CLX**

Model	Gear ratio	Bearings	Weight (oz.)	Line retrieve	Max Drag Pressure	Monofilament line capacity (diameter in mm.)	Frame	Sideplates	Spool	MSRP
Classic Pro XP	levelwind st	ar drag reels					*MSRP in 2	2021 catalog ma	y be subje	ct to change.
XP-202La	5.1:1	2BB	12.8	23"	12-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	AL	\$74.99
XP-302La	3.8:1	2BB	15.6	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	AL	\$79.99
XP-452La	3.8:1	2BB	16.8	25"	18-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	AL	\$79.99
Classic levelwi	nd star drag	reels								
CLX-200L a	5.1:1	Bushing	12.0	23"	12-lbs	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	GR	GR	GR	\$52.99
CLX-300La	3.8:1	Bushing	15.0	24"	17-lbs	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	GR	GR	GR	\$52.99
CLX-450La	3.8:1	Bushing	16.0	25"	18-lbs	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	GR	GR	GR	\$52.99



# **DUAL FORCE DRAG SYSTEM**

The specialized carbon DFD or Dual Force Drag system used on all Makaira reels was specifically engineered to be mounted in the right side of the spool in order to bring all the mechanical workings closer together to maximize alignment and durability. The farther mechanical parts are separated the more opportunity there is for tolerance error and flexing which causes parts alignment issues. The DFD principal was specifically designed around the "Pull Bar Drag System". The major advantage to a "Pull Bar Drag System" is that the drag is being pulled rather than pushed. The most common type of lever drag in the industry is the "Push Bar Drag System". The Push Bar System places heavy pressure on the left sideplate and utilizes the frame for overall stability which is a fatal flaw in this type of design. This pressure creates frame flex, reducing drag pressure and causing tolerance alignment issues. This problem is further exaggerated on open top designs from other companies. One of the major benefits to the pull bar design is that there is no pressure placed on the frame. Therefore, our open top frame designs will not suffer frame flex found in our competitors reels.

This highly efficient drag system was designed and engineered by Tiburon Engineering USA to increase maximum drag pressure, reduce side load pressure on ball bearings and improve heat dissipation for long term smoothness over extended periods. This Okuma DFD is considered a wet drag system comprised of two carbon fiber drag washers that are sandwiched together and bonded with a fiber glass core. Pure carbon washers are coated with a thin layer of Cal Sheet's Universal drag grease for virtually zero start up inertia. These washers are compressed by two precision ground 17-4 grade stainless steel drag plates that have been ground flat then polished for maximum smoothness. These stainless steel friction drag plates have a minimum 32 Rockwell hardness allowing for high-end drag settings and consistently smooth drag performance at all ranges. The drag system is secured to the right side of the spool by a 6061-T6 grade aluminum cover that features Type-II anodizing for maximum alignment, strength and corrosion resistance.

# MAKAIRA

### **MAKAIRA REELS FEATURE:**

- 6061-T6 machined aluminum frame with forged sideplates
- 17-4 grade stainless steel gearing
- Helical cut gears for increased torque, smoothness and improved gear meshing
- Makaira reels all feature two-speed gearing systems
- Gold anodized two-speed gear shifter housing
- Cold forged, Type-II anodized, machined aluminum spool
- CRC: Corrosion Resistant Coating process
- Patented spool pin system for use with braided or mono lines
- Carbonite Dual Force drag system featuring Cal's universal drag grease
- Custom designed thrust bearing: Alleviates side load on heavy drag settings
- 4-pcs ABEC-5 precision Sapporo stainless steel ball bearings
- MK-80WII features 6-pcs of Sapporo ball bearings
- Double-dog, proprietary silent anti-reverse system
- Ratcheting drag lever and pre-set knob for precise drag setting
- Patented T-Bar handle with Easy Roll graphite insert on all models
- Heavy duty stainless steel ratcheting clicker system
- Heavy duty, 17-4 grade stainless steel drive and spool shafts
- Type-II gold anodized frame, sideplates, spool, drag lever and handle
- Open top frame design on 10ll, 15Tll,16ll, 20ll, and 50ll
- Lug and plug system on all open top reel models
- Machined thumb rest on rear cross bar for improved ergonomics
- Forged aluminum full hard anodized reel foot and reel clamp
- Machine-etched marlin logo on left sideplate
- Precision placement of drain holes maximizes water removal from reel
- Special screw ports around sideplate screws reduces water/corrosion buildup
- Makaira lever drag reels are backed by a 5-year limited warranty









# **MAKAIRA**

Model	Gear Ratios	Bearings	Weight (oz.)	Line Retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame Style	Frame	Sideplates	Spool	MSRP			
Two-Speed Lever	o-Speed Lever Drag Reels *MSRP in 2021 catalog may be subject to cha														
MK-10II	4.7:1 & 2.1:1	4BB + 1TB	26.1	33.5" & 15.0"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	27-lbs	34-lbs	Topless	AL	AL	AL	\$469.99			
MK-15TIISEa-GOLD	4.7:1 & 2.1:1	4BB + 1TB	29.0	38.9" & 17.1"	575/20 (0.42), 425/25 (0.48), 325/30 (0.55)	32-lbs	40-lbs	Topless	AL	AL	AL	\$549.99			
MK-16II	4.3:1 & 1.3:1	4BB + 1TB	40.0	39.2" & 11.8"	870/20 (0.42), 650/25 (0.48), 500/30 (0.55)	34-lbs	48-lbs	Topless	AL	AL	AL	\$539.99			
MK-20II	3.8:1 & 1.7:1	4BB + 1TB	45.8	39.4" & 17.5"	870/25 (0.48), 660/30 (0.55), 530/40 (0.60)	37-lbs	55-lbs	Topless	AL	AL	AL	\$539.99			
MK-30II	3.8:1 & 1.7:1	4BB + 1TB	50.0	39.4" & 17.5"	850/30 (0.55), 700/40 (0.60), 550/50 (0.70)	37-lbs	55-lbs	Crossbar	AL	AL	AL	\$549.99			
MK-50II	3.2:1 & 1.3:1	4BB + 1TB	61.4	37.8" & 15.3"	1000/30 (0.55), 650/50 (0.70), 400/80 (0.90)	60-lbs	85-lbs	Topless	AL	AL	AL	\$599.99			
MK-50WII	3.2:1 & 1.3:1	4BB + 1TB	65.0	37.8" & 15.3"	900/50 (0.70), 780/60 (0.75), 560/80 (0.90)	60-lbs	85-lbs	Crossbar	AL	AL	AL	\$619.99			
MK-80WII	3.1:1 & 1.2:1	6BB + 1TB	116.0	45.7" & 20.5"	1000/80 (0.90), 850/100 (1.0), 660/130 (1.12)	70-lbs	100-lbs	Crossbar	AL	AL	AL	\$889.99			
MK-130II	2.2:1 & 1.2:1	6BB + 1TB	167-oz	39.7" & 21.7"	1570/80 (0.90), 1270/100 (1.0), 1000/130 (1.12)	75-lbs	100-lbs	Crossbar	AL	AL	AL	\$1,199.99			

# MAKAIRA **SPECIAL EDITION**

### **MAKAIRA SEA REELS FEATURE:**

- Open spool bearings with TSI-301 oil. Increases freespool 2-1/2 times.
- MK-80WIISEa and MK-130IISEa feature grease-packed spool bearings
- All non-spool bearings feature full grease pack for maximum longevity.
- Features Special Edition Gun Smoke and Black anodizing.
- SE reels feature a yellowfin tuna etched into the sideplate.
- Frames have been machined out for increased clearance between spool and cross bars.
- MK-8/10/15 feature MK-20 size handle knobs.
- MK-20/30 feature the MK-50 handle arm and knobs
- Lower speed 1.3:1 gear ratio featured in 20/30 sizes.
- Lower speed 1.0:1 gear ratio featured in 50 size.
- Type-II gunmetal anodized frame, sideplates, spool, drag lever and handle
- Makaira SEa lever drag reels are backed by a 5-year limited warranty














# MAKAIRA

# **MAKAIRA SEA SILVER REELS FEATURE:**

- Open spool bearings with TSI-301 oil. Increases freespool 2-1/2 times.
- MK80WIISEa and MK-130IISEa feature grease-packed spool bearings
- All non-spool bearings feature full grease pack for maximum longevity.
- SE reels feature a yellowfin tuna etched into the sideplate.
- Frames have been machined out for increased clearance between spool and cross bars.
- MK-10/15 feature MK-20 size handle knobs.
- MK-20/30 feature the MK-50 handle arm and knobs
- Lower speed 1.3:1 gear ratio featured in 20/30 sizes.
- Lower speed 1.0:1 gear ratio featured in 50 size.
- Type-II Silver anodized frame, sideplates, spool, drag lever and handle
- Makaira SEa lever drag reels are backed by a 5-year limited warranty













# **MAKAIRA SEA SILVER**

Model	Gear ratios	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame style	Frame	Sideplates	Spool	MSRP
Two-Speed Lever Drag Reels *MSRP in 2021 catalog may be subject to char												ect to change.
MK-10IISEa-Silver	4.7:1 & 2.1:1	4BB + 1TB	26.1	33.5" & 15.0"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	27-lbs	34-lbs	Topless	AL	AL	AL	\$499.99
MK-15TIISEa-Silver	4.7:1 & 2.1:1	4BB + 1TB	29.0	38.9" & 17.1"	575/20 (0.42), 425/25 (0.48), 325/30 (0.55)	32-lbs	40-lbs	Topless	AL	AL	AL	\$549.99
MK-16IISEa-Silver	4.3:1 & 1.3:1	4BB + 1TB	40.0	39.2" & 11.8"	870/20 (0.42), 650/25 (0.48), 500/30 (0.55)	34-lbs	48-lbs	Topless	AL	AL	AL	\$579.99
MK-20IISEa-Silver	3.8:1 & 1.7:1	4BB + 1TB	45.8	39.4" & 17.5"	870/25 (0.48), 660/30 (0.55), 530/40 (0.60)	37-lbs	55-lbs	Topless	AL	AL	AL	\$579.99
MK-30IISEa-Silver	3.8:1 & 1.7:1	4BB + 1TB	50.0	39.4" & 17.5"	850/30 (0.55), 700/40 (0.60), 550/50 (0.70)	37-lbs	55-lbs	Topless	AL	AL	AL	\$599.99
MK-50IISEa-Silver	3.2:1 & 1.0:1	4BB + 1TB	61.4	37.8" & 11.9"	1000/30 (0.55), 650/50 (0.70), 400/80 (0.90)	60-lbs	85-lbs	Topless	AL	AL	AL	\$649.99
MK-50WIISEa-Silver	3.2:1 & 1.0:1	4BB + 1TB	65.0	37.8" & 11.9"	900/50 (0.70), 780/60 (0.75), 560/80 (0.90)	60-lbs	85-lbs	Crossbar	AL	AL	AL	\$659.99
MK-80WIISEa-Silver	3.1:1 & 1.2:1	6BB + 1TB	116.0	45.7" & 20.5"	1000/80 (0.90), 850/100 (1.0), 660/130 (1.12)	70-lbs	100-lbs	Crossbar	AL	AL	AL	\$929.99
MK-130IISEa-Silver	2.2:1 & 1.2:1	6BB + 1TB	167.0	39.7" & 21.7"	1570/80 (0.90), 1270/100 (1.0), 1000/130 (1.12)	75-lbs	100-lbs	Crossbar	AL	AL	AL	\$1,199.99

# MAKAIRA®

# TOURNAMENT DRAG CAM IGFA LINE CLASSES FOR MAKAIRA







TDC-50II/50WII





TDC-16II/20II/30II

TDC-8II/10II/15II/15TII



Okuma's TDC or "Tournament Drag Cam" is designed with a more gradual ramp in the cam system that is intended for anglers fishing light line and tournament IGFA line classes. The standard cam that is installed in the Makaira reels is engineered to be compatible with braided line and offers aggressive drag ramps in order to output heavy drag ratings. The Makaira reels are engineered to output extreme drag pressure, but this is not required by all anglers. These reels have been designed to offer customization and with the TDC cam system, Okuma is offering anglers a reel that is versatile for a wide range of fishing applications, allowing anglers the ability to achieve a more gradual increase in drag settings.

Model	Description	MSRP
TDC-8  /10  /15  /15T	Makaira Tournament Drag Cam	\$24.99
TDC-16II/20II/30II	Makaira Tournament Drag Cam	\$24.99
TDC-50II/50WII	Makaira Tournament Drag Cam	\$29.99
TDC-80WII/130II	Makaira Tournament Drag Cam	\$29.99
	Internal control of	

\*MSRP in 2021 catalog may be subject to change.

# MAKAIRA REELS WITH TDC DRAG CAMS



Drag Lever Position	1	2	Strike	3	Full
Standard drag cam	8.6	18.6	27.3	30.2	34.1
TDC drag cam	0.9	2.1	4.7	5.5	7.0
15TII TDC drag cam	1.5	2.8	4.7	6.2	7.3



WINSOIN SOVER EITHE CIUS									
Drag Lever Position	1	2	3	Strike	4	5	Ful		
Standard drag cam	12.0	26.1	42.7	59.6	67.6	75.8	86.		
TDC drag cam	10.3	17.7	21.4	26.2	29.1	33.2	38.		

MK50II/50WII-Line class 50 lbs



MK1611/2011/3011-Line class 30 lbs												
Drag Lever Position	1	2	3	Strike	4	Full						
Standard drag cam	10.5	19.2	28.3	38.2	44.6	59.3						
TDC drag cam	4.2	7.0	9.1	11.4	13.7	17.5						



MK8UWII/130II-Line class 80 lbs												
1	2	3	Strike	4	5	Full						
4.8	26.5	51.1	69.7	81.0	93.1	103.4						
5.5	13.6	19.3	26.1	31.0	35.3	39.4						
	1 4.8	1 2 4.8 26.5	1 2 3 4.8 26.5 51.1	1 2 3 Strike 4.8 26.5 51.1 69.7	1 2 3 Strike 4 4.8 26.5 51.1 69.7 81.0	1 2 3 Strike 4 5 4.8 26.5 51.1 69.7 81.0 93.1						

### **SILENT ANTI-REVERSE:**

The Makaira's proprietary anti-reverse system allows for a smoother and quieter feeling. We equate this feeling to that of a Lexus, when compared to other reels in the market. Most reels in the market hide their rough gear quality by the noise and vibration caused by the engagement and clacking of the anti-reverse pawls. The Okuma silent system is unlike any other 2-speed reel in the industry for smoothness. This anti-reverse system is supported by a 12 point double dog anti-reverse pawl system. The Makaira system is very simple in principal but the performance is extremely advanced. As you turn the reel forward the anti-reverse pawls slide open allowing a friction free and quiet retrieve. As soon as the handle is stopped or pulled backwards the anti-reverse pawls are engaged into place by their drive shaft actuated sliding system. The strength of this anti-reverse system does not solely rely on a dog spring like found on most of our competitors reels. The sliding function does not rely heavily on a dog spring system and is mainly controlled by the forward and reverse movement applied to the drive shaft through the movement of the angler turning the handle.



### **HELICAL CUT GEARING:**

Makaira lever drag reels utilize helical cut main and pinion gears. This process allows for improved gear meshing which equates to improved gear smoothness. The angled teeth found in helical cut gears engage more gradually than straight cut or spur gear teeth. This allows helical gears to run smoother and quieter compared to spur gears. Spur gears cause impact stress and noise, because of the hard meshing and can not take as much torque as helical gears because their teeth are receiving impact blows as they mesh together.




### **GREASE AND OIL:**

To further enhance the corrosion resistance of Makaira reels, Okuma applies our CRC or Corrosion Resistant Coating process to all internal and external parts for maximum protection. Our CRC process utilizes a coating process of Corrosion X HD formula that actually penetrates and bonds to the aluminum parts for long term protection. The extra steps taken in the assembly of the Makaira allows this reel to be a leader in the fishing tackle industry for long term use and performance. To further enhance the Makaira's function and performance, Okuma applies Cal's Universal drag grease to our carbon fiber drag washers for the smoothest wet drag system. The addition of Cal's drag grease allows for virtually zero start up inertia and smooth performance at all settings. Cal's Universal grease is also used for coating moving parts such as the main and pinion gears for improved performance.

### **MAKAIRA**

Model	Type Of Braid	Braided Line Length	Top Shot Length
Braid Line Cap	acity for Makaira ree	ls	
MK-8II	Solid	350 yds of 50-lbs	short 3-4 ft. leader
MK-10II	Solid	300-yds of 50-lbs	75 to 100-yds of 20 to 40-lbs
MK-15II	Solid	300-yds of 65-lbs	80 to 100-yds of 30 to 50-lbs
MK-15TII	Solid	450-yds of 80-lbs	15-yds top shot
MK-16II	Hollow Core	600-yds of 100-lbs	50 ft. wind on leader
MK-20II	Hollow Core	700-yds of 100-lbs	50 ft. wind on leader
MK-30II	Hollow Core	800-yds of 100-lbs (HC)	80-yds of 80-lbs
MK-50II	Hollow Core	600-yds of 130-lbs (HC)	50 to 80-yds of 80 to 100-lbs
MK-50WII	Hollow Core	800-yds of 130-lbs (HC)	50 to 80- yds of 80 to 100-lbs
MK-80WII	Hollow Core	1000-yds of 80-lbs (HC)	80 to 100-yds of 130-lbs



# ALIJOS

## **ALIJOS LEVER DRAG REELS FEATURE:**

- 17-4 grade stainless steel main and pinion gears
- Carbonite Dual Force Drag system with Cal's drag grease
- 6-NMB corrosion resistant stainless steel bearings
- Spool bearings feature TSI-301 oil for unmatched freespool
- Rigid 1-pcs frame and left sideplate construction
- 6061-T6 machined aluminum frame and sideplates
- Cold forged, Type-II anodized, machined aluminum spool
- Silent retrieve system for ultimate cranking smoothness
- 90mm handle arm, increases cranking leverage/power
- Oversized T-Bar handle on all models, for cranking power
- Lug and plug harness system featured on 12 and 16 sizes
- External adjustable cast control system on left sideplate
- CRC: Corrosion Resistant Coating process
- Alijos reels are backed by a 3-year limited warranty

# **ALIJOS HIGH SPEED LEVER DRAG REELS FEATURE:**

- Optimized for fishing consistent light drag settings
- Features TDC drag cams for gradual drag curves
- High speed 6.4:1 gear ratios for quick line recovery
- 17-4 grade stainless steel main and pinion gears
- Carbonite Drag system with Cal's drag grease
- 6-NMB corrosion resistant stainless steel bearings
- Dual anti-reverse system (Mechanical and roller bearing)
- QuickSet anti-reverse bearing allows for zero handle back play
- Rigid 1-pcs frame and left sideplate construction
- 6061-T6 machined aluminum frame and sideplates
- Cold forged, Type-II anodized, machined aluminum spool
- Silent retrieve system for ultimate cranking smoothness
- Lug and plug harness system featured on 12 and 16 sizes
- CRC: Corrosion Resistant Coating process
- Alijos reels are backed by a 3-year limited warranty



# **ALIJOS 2-SPEED LEVER DRAG REELS**

Two-Speed Lever Drag Reds   *MSRP in 2021 catalog may be subject to change.		Model	Gear Ratios	Bearings	Weight (oz.)	Line Retrieve	Monofilament line capacity (diameter in mm.)	Braided Line Rating (Soft Steel	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	MSRP
NEW AJ-5II 6.4:1 & 3.8:1 6BB 19.5 42.1" & 24.8" 620/12 (0.32), 430/15 (0.37), 340/20 (0.42) 475/50, 65/310 15-lbs 24-lbs \$364.99  NEW AJ-12NSII 6.4:1 & 2.1:1 6BB 27 48.4" & 15.7" 350/20 (0.42), 250/25 (0.48), 200/30 (0.55) 480/50, 350/65 27-lbs 34-lbs \$424.99  NEW AJ-12II 4.7:1 & 2.1:1 6BB 28 35.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-12SII 6.4:1 & 2.1:1 6BB 28.6 48.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-16II 4.3:1 & 1.3:1 6BB 34.9 39.3" & 11.9" 870/20 (0.42), 650/25 (0.48), 500/30 (0.55) 800/80, 600/100 34-lbs 48-lbs \$489.99  High Speed Lever Drag Sailfish Reels  NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	Two-Speed Lever Drag Reels *MSRP in 20								*MSRP in 2021	catalog may be subject	t to change.
NEW AJ-12NSII 6.4:1 & 2.1:1 6BB 27 48.4" & 15.7" 350/20 (0.42), 250/25 (0.48), 200/30 (0.55) 480/50, 350/65 27-lbs 34-lbs \$424.99  NEW AJ-12II 4.7:1 & 2.1:1 6BB 28 35.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-12SII 6.4:1 & 2.1:1 6BB 28.6 48.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-16II 4.3:1 & 1.3:1 6BB 34.9 39.3" & 11.9" 870/20 (0.42), 650/25 (0.48), 500/30 (0.55) 800/80, 600/100 34-lbs 48-lbs \$489.99  High Speed Lever Drag Sailfish Reels  NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	NEW	AJ-5NII	6.4:1 & 3.8:1	6BB	18.9	42.1" & 24.8"	420/12 (0.32), 300/15 (0.37), 250/20 (0.42)	425/40, 350/50	15-lbs	24-lbs	\$359.99
NEW AJ-12II 4.7:1 & 2.1:1 6BB 28 35.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-12SII 6.4:1 & 2.1:1 6BB 28.6 48.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-16II 4.3:1 & 1.3:1 6BB 34.9 39.3" & 11.9" 870/20 (0.42), 650/25 (0.48), 500/30 (0.55) 800/80, 600/100 34-lbs 48-lbs \$489.99  High Speed Lever Drag Sailfish Reels  NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	NEW	AJ-5II	6.4:1 & 3.8:1	6BB	19.5	42.1" & 24.8"	620/12 (0.32), 430/15 (0.37), 340/20 (0.42)	475/50, 65/310	15-lbs	24-lbs	\$364.99
NEW AJ-12SII 6.4:1 & 2.1:1 6BB 28.6 48.4" & 15.7" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 27-lbs 34-lbs \$439.99  NEW AJ-16II 4.3:1 & 1.3:1 6BB 34.9 39.3" & 11.9" 870/20 (0.42), 650/25 (0.48), 500/30 (0.55) 800/80, 600/100 34-lbs \$489.99  High Speed Lever Drag Sailfish Reels  NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	NEW	AJ-12NSII	6.4:1 & 2.1:1	6BB	27	48.4" & 15.7"	350/20 (0.42), 250/25 (0.48), 200/30 (0.55)	480/50, 350/65	27-lbs	34-lbs	\$424.99
NEW       AJ-16II       4.3:1 & 1.3:1       6BB       34.9       39.3" & 11.9"       870/20 (0.42), 650/25 (0.48), 500/30 (0.55)       800/80, 600/100       34-lbs       48-lbs       \$489.99         High Speed Lever Drag Sailfish Reels         NEW       AJ-12S SE       6.4:1       6BB + 1RB       25.4       48.4"       560/20 (0.42), 420/25 (0.48), 320/30 (0.55)       460/65, 400/80, 340/100       5.7-lbs       10-lbs       \$369.99	NEW	AJ-12II	4.7:1 & 2.1:1	6BB	28	35.4" & 15.7"	560/20 (0.42), 420/25 (0.48), 320/30 (0.55)	460/65, 400/80, 340/100	27-lbs	34-lbs	\$439.99
High Speed Lever Drag Sailfish Reels  NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	NEW	AJ-12SII	6.4:1 & 2.1:1	6BB	28.6	48.4" & 15.7"	560/20 (0.42), 420/25 (0.48), 320/30 (0.55)	460/65, 400/80, 340/100	27-lbs	34-lbs	\$439.99
NEW AJ-12S SE 6.4:1 6BB + 1RB 25.4 48.4" 560/20 (0.42), 420/25 (0.48), 320/30 (0.55) 460/65, 400/80, 340/100 5.7-lbs 10-lbs \$369.99	NEW	AJ-16II	4.3:1 & 1.3:1	6BB	34.9	39.3" & 11.9"	870/20 (0.42), 650/25 (0.48), 500/30 (0.55)	800/80, 600/100	34-lbs	48-lbs	\$489.99
		High Spee	d Lever Drag	Sailfish Re	els						
NEW Al-16S SE 6.4:1 6BB + 1RB 31.4 58.5" 870/20 (0.42), 650/25 (0.48), 500/30 (0.55) 800/80, 600/100 5.7-lbs 10-lbs \$409.99	NEW	AJ-12S SE	6.4:1	6BB + 1RB	25.4	48.4"	560/20 (0.42), 420/25 (0.48), 320/30 (0.55)	460/65, 400/80, 340/100	5.7-lbs	10-lbs	\$369.99
. , , , , , , , , , , , , , , , , , , ,	NEW	AJ-16S SE	6.4:1	6BB + 1RB	31.4	58.5"	870/20 (0.42), 650/25 (0.48), 500/30 (0.55)	800/80, 600/100	5.7-lbs	10-lbs	\$409.99

# CAVALLA

### **CAVALLA LEVER DRAG REELS FEATURE:**

- Rigid 1-pcs frame and left sideplate construction
- 6061-T6 Machined aluminum frame and sideplates
- 17-4 grade stainless steel main and pinion gears
- Carbonite drag system with Cal's drag grease
- Cold forged, Type-II anodized, machined aluminum spool
- CRC: Corrosion Resistant Coating process
- 4HPB corrosion resistant stainless steel bearings
- Ergo Grip handle knob with anodized aluminum handle arm
- Silent retrieve system for cranking smoothness
- On/Off bait clicker for all lever drag models
- Cavalla lever drag reels are backed by a 3-year limited warranty









# **CAVALLA**

Model	Gear Ratios	Bearings	Weight (Oz.)	Line Retrieve	Max Drag Pressure	Monofilament Line Capacity (Diameter In Mm.)	Braided Line Rating (Soft Steel)	Frame	Left Sideplate	Right Sideplate	Spool	MSRP
Cavalla 2-Sp	peed Reels							*M	SRP in 2021 c	atalog may b	ne subjec	t to change.
CAV-5NII	6.4:1 & 3.8:1	4HPB	16.2	42.1" & 24.8"	15-lbs & 24-lbs	420/12 (0.32), 300/15 (0.37), 250/20 (0.42)	425/40, 350/50	AL	AL	AL	AL	\$239.99
CAV-5II	6.4:1 & 3.8:1	4HPB	17.1	42.1" & 24.8"	15-lbs & 24-lbs	620/12 (0.32), 430/15 (0.37), 340/20 (0.42)	475/50, 310/65	AL	AL	AL	AL	\$239.99
CAV-12NII	4.7:1 & 2.1:1	4HPB	23.8	35.4" & 15.7"	27-lbs & 34-lbs	350/20 (0.42), 250/25 (0.48), 200/30 (0.55)	525/50, 345/65	AL	AL	AL	AL	\$319.99
CAV-12II	4.7:1 & 2.1:1	4HPB	24.9	35.4" & 15.7"	27-lbs & 34-lbs	560/20 (0.42), 420/25 (0.48), 320/30 (0.55)	460/65, 400/80	AL	AL	AL	AL	\$329.99
Cavalla 2-Sp	peed Left Hand	d Retrieve										
CAV-5IILX	6.4:1 & 3.8:1	4HPB	17.1	42.1" & 24.8"	15-lbs & 24-lbs	620/12 (0.32), 430/15 (0.37), 340/20 (0.42)	475/50, 310/65	AL	AL	AL	AL	\$249.99
CAV-12IILX	4.7:1 & 2.1:1	4HPB	24.9	35.4" & 15.7"	27-lbs & 34-lbs	560/20 (0.42), 420/25 (0.48), 320/30 (0.55)	460/65, 400/80	AL	AL	AL	AL	\$339.99



SOLTERRA SLX

# **SOLTERRA SLX REELS FEATURE:**

- Stainless steel main gears, pinion gears and shafts
- Single speed, High-speed and Two-speed models
- Durable corrosion-resistant frame & sideplates
- Stainless steel reinforcing sideplate rings
- Forged aluminum spool with line indicator rings
- Carbonite drag system with Cal's universal drag grease
- 2 thrust bearings reduce handle turning force be over 50%.
- 5BB+2TB stainless steel shielded bearings 20-50W models
- 5BB+2TB+RB stainless steel shielded bearings 10/15 models
- Double dog, silent anti-reverse on all models
- Dual anti-reverse system on all 10/15 sizes
- Ratcheting drag lever for precise drag setting
- Stainless Steel Body Armor reduces frame flex 20-50W models
- T-Bar handle design on 50W-size
- Ergo Grip comfort handle on all 10 through 30 sizes
- Low profile On/Off clicker with stainless steel wishbone
- Wide-mouth levelwind: Stainless steel with Ti coating "L" models
- High Speed 6.2:1 gear ratios on SLX-10CS and SLX-15CS
- Open top frame design on SLX-10CS and SLX-15CS
- Solterra lever drag reels are backed by a 1-year limited warranty



SLX-30II

SLX-50WII





# SOLTERRA SLX GRAPHITE LEVER DRAGS

Model	Gear Ratio	Bearings	Weight (oz.)	Line retrieve	Monofilament line capacity (diameter in mm.)	Max Drag @ Strike with Freespool	Max Drag @ Full with Freespool	Frame	Sideplates	Spool	MSRP
High speed	open top fram	e reels					*MS	RP in 202	1 catalog may	be subje	ct to change
SLX-10CS	6.0:1	5BB+2TB+1RB	23.3	42"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	15-lbs	22-lbs	GR	GR	AL	\$138.99
SLX-15CS	6.0:1	5BB+2TB+1RB	24.6	42"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	15-lbs	22-lbs	GR	GR	AL	\$138.99
Standard Si	ngle speed Lev	er Drags (Feature	s closed	frame with t	op cross bar and harness lugs)						
SLX-20	3.5:1	5BB+1TB	38.8	32"	620/25 (0.48), 480/30(0.55),400/40 (0.60)	26-lbs	33-lbs	GR	GR	AL	\$189.99
SLX-30	3.5:1	5BB+2TB	40.0	32"	640/30 (0.55), 540/40 (0.60), 400/50 (0.70)	26-lbs	33-lbs	GR	GR	AL	\$214.99
SLX-50W	3.1:1	5BB+2TB	52.5	32"	710/50 (0.70), 600/60 (0.75), 420/80 (0.90)	32-lbs	40-lbs	GR	GR	AL	\$254.99
Two-Speed	Lever Drags (Fe	eatures closed fra	me with	top cross ba	r and harness lugs)						
SLX-20II	3.8:1 / 1.7:1	5BB+2TB	39.2	35" & 15"	620/25 (0.48), 480/30 (0.55), 400/40 (0.60)	26-lbs	33-lbs	GR	GR	AL	\$234.99
SLX-30II	3.8:1 / 1.7:1	5BB+2TB	40.5	35" & 15"	640/30 (0.55), 540/40 (0.60), 400/50 (0.70)	26-lbs	33-lbs	GR	GR	AL	\$254.99
SLX-50WII	3.1:1 / 1.3:1	5BB+2TB	53.3	32" & 13"	710/50 (0.70), 600/60 (0.75), 420/80 (0.90)	32-lbs	40-lbs	GR	GR	AL	\$319.99
Levelwind r	eels										
SLX-10L	4.2:1	5BB+2TB+1RB	24.4	29"	460/15 (0.37), 380/20 (0.42), 280/25 (0.48)	15-lbs	22-lbs	GR	GR	AL	\$159.99
SLX-15L	4.2:1	5BB+2TB+1RB	25.9	29"	550/20 (0.42), 410/25 (0.48), 310/30 (0.55)	15-lbs	22-lbs	GR	GR	AL	\$159.99
SLX-20L	3.5:1	5BB+2TB	40.7	32"	620/25 (0.48), 480/30 (0.55), 400/40 (0.60)	26-lbs	33-lbs	GR	GR	AL	\$209.99





**RODS** 

Nothing inspires the soul like a finely-crafted fishing rod. Upon picking it up, flexing the action and feeling the balance, an angler can immediately visualize the experienceworking a bait, feeling the strike, the deep flex under the load of a heavy fish. While the needs of each fishery can be dramatically different, the goal is universally the same: to actively connect with nature as a participant instead of a spectator. With many hundreds of unique rod models covering unique territories, species and techniques, our development process is highly collaborative. We work with the finest anglers in a given discipline to define the performance attributes. Then we bring them to life within our cutting-edge manufacturing facility.



# TECHNOLOGY UFR

Freeing anglers from the choice between power and sensitivity

When choosing a rod, anglers often face the trade-off between a powerful but bulky rod that can catch big-sized fish, or a sensitive but weaker rod that can sense the bite of the smallest fish. We address this challenge with a revolutionary tip: Ultimate Flex Reinforcement (UFR), which redefines the future generation of rods.

Developed using a patented manufacturing process, the UFR tip combines strength and agility like never before, marking a breakthrough. Our UFR technology endows our rods with a 300% increase in lifting capability and an ability to bend up to 360°. With longitudinal fibers around the rod blanks, our rods are more powerful, yet lighter and more flexible than traditional ones. As a result, our anglers no longer need to choose between power and sensitivity.

# Psycho Stick RODS

#### **PSYCHO STICK RODS FEATURE:**

- Light and responsive 46-ton, low resin carbon rod blanks
- UMR: Ultimate Matrix Reinforcement technology
- Fuji KW-concept angled guide frames help reduce tangles
- Fuji Sic guide inserts with deep pressed frames
- SeaGuide injected carbon reel seat and rear grip
- Double locking screw down carbon hood design
- Psycho Stick are backed by a limited lifetime warranty



A Rear split grip with SeaGuide carbon trigger reel seat and carbon screw down




Rear split grip with SeaGuide carbon spinning reel seat and carbon screw down



#### **PSYCHO STICK RODS**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
NEW	PSY-S-721ML	ML	F	7' 2"	UMR	6 - 12 lbs	1/8 - 1/2 oz	1-pcs	0"	10-1/2"	7 + Tip	В	4.2	\$219.99
NEW	PSY-S-721M	М	F	7' 2"	UMR	8 - 17 lbs	1/8 - 5/8 oz	1-pcs	0"	10-1/2"	7 + Tip	В	4.3	\$219.99
NEW	PSY-C-721M	М	F	7' 2"	UMR	8 - 17 lbs	1/8 - 5/8 oz	1-pcs	0"	10-1/2"	9 + Tip	Α	4.3	\$219.99
NEW	PSY-C-721MH	MH	F	7' 2"	UMR	10 - 20 lbs	1/4 - 3/4 oz	1-pcs	0"	10-1/2"	9 + Tip	Α	4.6	\$219.99
NEW	PSY-C-721H	Н	F	7' 2"	UMR	12 - 25 lbs	1/4 - 1 oz	1-pcs	0"	11-1/2"	9 + Tip	Α	4.9	\$239.99
NEW	PSY-C-751MH	MH	F	7' 5"	UMR	10 - 20 lbs	1/4 - 3/4 oz	1-pcs	0"	10-1/2"	10 + Tip	Α	4.9	\$239.99
NEW	PSY-C-751H	Н	F	7' 5"	UMR	12 - 25 lbs	1/4 - 1 oz	1-pcs	0"	11-1/2"	10 + Tip	Α	5.3	\$239.99

\*MSRP in 2021 catalog may be subject to change.



### LIGHTWEIGHT STRENGTH **BUILT FOR ANY CHALLENGE**

Okuma's Ultimate Matrix Reinforcement (UMR) technology maximizes rod strength while minimizing weight, so you can rise to meet any challenge.





### HeLIOS 5X

### **HELIOS SX RODS FEATURE:**

- Extremely lightweight and balanced freshwater rods
- Responsive and durable 30-ton carbon blank construction
- Sea Guide XO Titanium angled guide frames reduce line twists
- RS Sea Guide inserts offer unmatched hardness/durability
- Sea Guide Alien reel seat with zero exposed reel seat threads
- Contoured EVA fore and split rear grip design
- Stainless steel hook keepers available on all models
- Helios SX rods are backed by a Limited Lifetime warranty



A Split EVA rear grip with trigger reel seat



**B** Split EVA rear grip with spinning reel seat

### **HELIOS SX**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
HSX-S-691M	М	F	6' 9"	8-17 lb	1/8-5/8 oz	1-pcs	1-1/4"	9-3/4"	7 + Tip	В	3.9	\$189.99
HSX-S-721L	L	MF	7' 2"	4-10 lb	1/16 - 1/2 oz	1-pcs	1-1/4"	9-3/4"	7 + Tip	В	3.9	\$189.99
HSX-S-721ML	ML	F	7' 2"	6-12 lb	1/8-1/2 oz	1-pcs	1-1/4"	9-3/4"	7 + Tip	В	4.0	\$189.99
HSX-S-721M	М	F	7' 2"	8-17 lb	1/8-5/8 oz	1-pcs	1-1/4"	9-3/4"	7 + Tip	В	4.1	\$189.99
HSX-S-721MH	МН	F	7' 2"	10-20 lb	1/4-3/4 oz	1-pcs	1-1/4"	9-3/4"	7 + Tip	В	4.3	\$189.99
HSX-C-701M	М	MF	7' 0"	8-17 lb	1/8-5/8 oz	1-pcs	1-1/2"	10-1/2"	9 + Tip	А	4.3	\$189.99
HSX-C-701MH	МН	F	7' 0"	10-20 lb	1/4-3/4 oz	1-pcs	1-1/2"	10-1/2"	9 + Tip	А	4.4	\$189.99
HSX-C-721M	М	F	7' 2"	8-17 lb	1/8-5/8 oz	1-pcs	1-1/2"	11-1/2"	9 + Tip	А	4.4	\$189.99
HSX-C-731M+	M+	MF	7' 3"	8-17 lb	1/4-3/4 oz	1-pcs	1-1/2"	11-1/2"	9 + Tip	Α	4.5	\$189.99
HSX-C-731MH	МН	F	7' 3"	10-20 lb	1/4-3/4-oz	1-pcs	1-1/2"	11-1/2"	9 + Tip	Α	4.6	\$189.99
HSX-C-761MH	МН	F	7' 6"	10-20 lb	1/4-3/4-oz	1-pcs	1-1/2"	11-1/2"	10 + Tip	Α	4.7	\$189.99
HSX-C-761H	Н	F	7' 6"	12-25 lb	1/4 - 1 oz	1-pcs	1-1/2"	11-1/2"	10 + Tip	Α	5.0	\$189.99

\*MSRP in 2021 catalog may be subject to change.

### Guide Select CRANKING RODS

#### **GUIDE SELECT CRANKING RODS FEATURES:**

- Light and responsive 24-ton, low resin carbon rod blanks
- Blanks specifically developed to load and cast crank baits
- UFR: Ultimate Flex Reinforced rod tip technology
- Fuji KW-concept angled guide frames help reduce tangles
- Fuji Aconite guide inserts with deep pressed frames
- Fuji ACS trigger reel seats with screw down carbon hood
- Tapered cork full or split grip configuration depending on model
- SeaGuide Stainless steel, double legged Trapezoid hook keeper
- Guide Select Cranking rods are backed by a limited lifetime warranty



A Rear cork split grip with Fuji ACS reel seat and carbon screw down



B Full cork rear grip with Fuji ACS reel seat and carbon screw down



### **GUIDE SELECT CRANKING RODS**

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
NEW	GS-C-691M	М	MF	6' 9"	8 - 17 lbs	1/8 - 3/4 oz	1-pcs	0"	10"	8 + Tip	А	4.1	\$149.99
NEW	GS-C-701M	М	MF	7' 0"	8 - 17 lbs	3/16 - 3/4 oz	1-pcs	0"	10"	8 + Tip	А	4.3	\$149.99
NEW	GS-C-751M	М	MF	7' 5"	8 - 17 lbs	3/16 - 1 oz	1-pcs	0"	11-1/4"	9 + Tip	А	4.6	\$149.99
NEW	GS-C-751MH	МН	MF	7' 5"	10 - 20 lbs	1/4 - 2 oz	1-pcs	0"	11-1/4"	9 + Tip	А	4.9	\$149.99
NEW	GS-C-7101M	М	MF	7' 10"	8 - 17 lbs	3/16 - 1 oz	1-pcs	0"	12-1/4"	10 + Tip	А	4.9	\$159.99
NEW	GS-C-7101MH	МН	MF	7' 10"	10 -20 lbs	1/4 - 2 oz	1-pcs	0"	12-1/4"	10 + Tip	А	5.2	\$159.99
NEW	GS-C-7101M-FG	М	MF	7' 10"	8 - 17 lbs	3/16 - 1 oz	1-pcs	0"	12-1/4"	10 + Tip	В	5.2	\$169.99
NEW	GS-C-7101MH-FG	МН	MF	7' 10"	10 -20 lbs	1/4 - 2 oz	1-pcs	0"	12-1/4"	10 + Tip	В	5.5	\$169.99

\*MSRP in 2021 catalog may be subject to change.

76 Okuma Catalog 2021 77





### **TOURNAMENT CONCEPT SERIES ROD FEATURES:**

- Specially designed technique specific bass rod series
- Responsive and durable 30-ton carbon blank construction
- Fuji K-Concept guide frames help reduce wind notes
- Fuji K-Concept frames offer max compatibility for braided line
- Fuji Faz-Light guide inserts offer premium performance
- Customized C-40X carbon fiber skeleton reel seat
- Contoured EVA/compressed cork fore and rear split grips
- Screw down foregrip eliminates contact with reel seat threads
- Tournament Concept Series are backed by a Limited Lifetime warranty

Tournament Concept	Application / Technique
TCS-S-691Ma+	Wacky Worm / Skipping
TCS-S-701MLa	Drop Shot / Finesse
TCS-S-701Ma+	Shakeyhead
TCS-S-721MLa	Drop Shot / Finesse
TCS-C-691MHa	All Purpose
TCS-C-701Ma+	Crank / Jerkbait
TCS-C-701MHa	All Purpose
TCS-C-701Ha	Jig / Worm
TCS-C-731Ha	Frog / Swimbait
TCS-C-761Ha	Flipping / Jig
TCS-C-7111MHa	Power Crank
TCS-C-7111Ha	Flipping / Punching / Swimbait
TCS-C-7111XHa	Flipping / Punching / Swimbait / A-Rig



A Split EVA/cork rear grip with C-40X skeleton trigger reel seat



B Split EVA/cork rear grip with C-40X skeleton reel seat

### TOURNAMENT CONCEPT RODS


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
TCS-S-691Ma+	М	MF	6' 9"	8 - 15 lbs	1/4 - 5/8 oz	1-pcs	1-1/4"	9"	7 + Tip	В	4.0	\$154.99
TCS-S-701MLa	ML	MF/F	7' 0"	4 - 10 lbs	1/8 - 1/2 oz	1-pcs	1-1/4"	9"	7 + Tip	В	4.2	\$154.99
TCS-S-701Ma+	М	MF	7' 0"	8 -12 lbs	1/8 - 1/2 oz	1-pcs	1-1/4"	9"	7 + Tip	В	4.6	\$154.99
TCS-S-721MLa	ML	MF/F	7' 2"	4 - 10 lbs	1/8 - 1/2 oz	1-pcs	1-1/4"	9"	7 + Tip	В	4.5	\$154.99
TCS-C-691MHa	MH	MF	6' 9"	10 - 17 lbs	1/8 - 3/4 oz	1-pcs	1-1/4"	9-1/2"	9 + Tip	Α	3.8	\$154.99
TCS-C-701Ma+	М	M/MF	7' 0"	8 - 15 lbs	3/8 - 3/4 oz	1-pcs	1-1/4"	9-1/2"	9 + Tip	Α	4.0	\$154.99
TCS-C-701MHa	МН	MF	7' 0"	8 - 20 lbs	3/16 -3/4 oz	1-pcs	1-1/4"	9-1/2"	9 + Tip	Α	4.4	\$154.99
TCS-C-701Ha	Н	MF	7' 0"	12 - 20 lbs	3/16 - 1 oz	1-pcs	1-1/4"	9-1/2"	9 + Tip	Α	4.6	\$154.99
TCS-C-731Ha	Н	F	7' 3"	17 - 65 lbs	1/4 - 2 oz	1-pcs	1-1/4"	9-1/2"	9 + Tip	Α	4.8	\$154.99
TCS-C-761Ha	Н	MF/F	7' 6"	14 - 30 lbs	1/4 - 1- 1/2 oz	1-pcs	1-1/4"	10-3/4"	11 + Tip	Α	5.4	\$154.99
TCS-C-7111MHa	МН	M/MF	7' 11"	10 - 20 lbs	1/4 - 1 oz	1-pcs	1-1/4"	12-1/2"	11 + Tip	Α	5.0	\$165.99
TCS-C-7111Ha	Н	F	7' 11"	15 - 65 lbs	1/4 - 2 oz	1-pcs	1-1/4"	12-1/2"	11 + Tip	Α	5.5	\$165.99
TCS-C-7111XHa	XH	F	7' 11"	20 - 80 lbs	1/4 - 2 oz	1-pcs	1-1/4"	12-1/2"	11 + Tip	А	5.7	\$165.99

### ZERRANO

### **SERRANO ROD FEATURES:**

- Specially designed technique specific bass rod series
- Responsive and durable 24-ton carbon blank construction
- UFR: Ultimate Flex Reinforced rod tip technology
- Fuji K-Concept guide frames help reduce wind notes
- Fuji K-Concept frames offer max compatibility for braided line
- Fuji Faz-Light guide inserts offer premium performance
- 3K woven carbon butt section improves hoop strength
- Winn grip and EVA rear split rear grip handle design
- Serrano rods are backed by a Limited Lifetime warranty

Serrano	Application / Technique
Spinning Version	
SRN-S-721M	Heavy drop shot, Tube, Shakeyhead, Underspin
SRN-S-721MH	Finesse jig, Darter Head, Soft Jerkbait, T-rig
SRN-S-741ML	Finesse: Split Shot, Drop Shot, Darter Head, Ned Rig, Spy Bait
Casting Version	
SRN-C-6101M	Jerkbait / Topwater, Light T-rig, Underspin
SRN-C-6101MH	All Purpose / T-rig , Light Carolina rig , Worm , Spinnerbait
SRN-C-731M	Finesse jig , Under Spin , Light Texas Rig, Topwater
SRN-C-731MH	All Purpose / T-rig, Light Carolina rig, Worm, Spinnerbait, Vibrating jig
SRN-C-731H	Pitching/ Punching , Swimbait , Carolina Rig , Big Worm
SRN-C-761XH	Heavy Flipping/ Punching , Swimbait , A-Rig, Frog






B Split Winn and EVA rear grip with C-40X skeleton reel seat

### **SERRANO BASS RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
SRN-S-721M	М	XF	7' 2"	8-17 lb	1/8-5/8 oz	1-pcs	N/A	10-5/8"	7 + Tip	В	4.8	\$129.99
SRN-S-721MH	МН	XF	7' 2"	10-20 lb	1/4-3/4 oz	1-pcs	N/A	10-5/8"	7 + Tip	В	5.1	\$129.99
SRN-S-741ML	ML	XF	7' 4"	6-12 lb	1/8-1/2 oz	1-pcs	N/A	11"	7 + Tip	В	4.6	\$129.99
SRN-C-6101M	М	XF	6' 10"	8-17 lb	1/8-5/8 oz	1-pcs	N/A	10-1/4"	8 + Tip	А	4.4	\$129.99
SRN-C-6101MH	МН	XF	6' 10"	10-20 lb	1/4-3/4 oz	1-pcs	N/A	10-1/4"	8 + Tip	Α	4.8	\$129.99
SRN-C-731M	М	XF	7' 3"	8-17 lb	1/8-5/8 oz	1-pcs	N/A	10-5/8"	9 + Tip	А	4.9	\$129.99
SRN-C-731MH	МН	XF	7' 3"	10-20 lb	1/4-3/4 oz	1-pcs	N/A	10-5/8"	9 + Tip	А	5.0	\$129.99
SRN-C-731H	Н	XF	7' 3"	12-25 lb	1/4-1 oz	1-pcs	N/A	10-5/8"	9 + Tip	Α	5.1	\$129.99
SRN-C-761XH	XH	XF	7' 6"	15-30 lb	1/4-1 1/2 oz	1-pcs	N/A	11"	10 + Tip	Α	5.2	\$129.99

\*MSRP in 2021 catalog may be subject to change.




### **EVX "b" SERIES RODS FEATURE:**

- 30-Ton ultra-sensitive and responsive carbon blank construction
- EVx rods were design to be technique specific for tournament anglers
- Spinning models: Sea Guide Deep-press frame to protect inserts
- Spinning guides feature a 2-stage slope reducing line tangles
- Sea Guides spinning frames feature "LS" Zirconium guide inserts
- Casting models feature stainless steel ALPS guide frames
- Deep press casting frames protect the super hard aluminum oxide insert
- All models feature a screw down EVA foregrip to hide reel seat threads
- EVx features split rear EVA contoured grips. (Crankbait rods are full grip)
- Stainless steel hook keepers to accommodate technique specific rods.
- EVx "b" rods are backed by a limited lifetime warranty



Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning models									*MSF	RP in 2021 cata	log may be sul	oject to change.
EVX-S-6101Mb	М	F	6' 10"	8-17 lbs	1/8-3/4 oz	1-рс	1-1/4"	9-1/2"	7 + Tip	В	4.6	\$106.99
EVX-S-6101MHb	МН	F	6' 10"	10-20 lbs	1/4-1 oz	1-pc	1-1/4"	9-1/2"	7 + Tip	В	4.8	\$106.99
EVX-S-711Mb	М	F	7' 1"	6-12 lbs	1/16-1/2 oz	1-pc	1-1/4"	9-3/4"	7 + Tip	В	4.8	\$106.99
EVX-S-711MHb	МН	F	7' 1"	8-14 lbs	1/8-3/4 oz	1-pc	1-1/4"	9-3/4"	7 + Tip	В	5.0	\$106.99
Casting Models												
EVX-C-681Mb	М	MF/F	6' 8"	8-17 lbs	1/8-3/4 oz	1-pc	1-1/4"	10-1/4"	9 + Tip	А	4.2	\$117.99
EVX-C-681MHb	МН	MF/F	6' 8"	10-20 lbs	1/4-1 oz	1-pc	1-1/4"	10-1/4"	9 + Tip	Α	4.6	\$117.99
EVX-C-721MHb	МН	F	7' 2"	10-20 lbs	1/4-3/4 oz	1-pc	1-1/4"	10-1/2"	9 + Tip	Α	4.8	\$127.99
EVX-C-721Hb	Н	F	7' 2"	12-25 lbs	1/4-1 oz	1-рс	1-1/4"	10-1/2"	9 + Tip	Α	5.0	\$127.99
EVX-C-751MHb	МН	F	7' 5"	10-20 lbs	1/4-1 oz	1-pc	1-1/4"	11-1/2"	9 + Tip	Α	5.2	\$127.99
EVX-C-751Hb	Н	F	7' 5"	12-25 lbs	3/8-1-1/2 oz	1-pc	1-1/4"	11-1/2"	9 + Tip	Α	5.8	\$127.99
EVX-C-7101Hb	Н	F	7' 10"	12-25 lbs	1/2-2 oz	1-pc	1-1/4"	13-1/2"	10 + Tip	Α	5.8	\$138.99
Crankbait Models												
EVX-CB-701Mb	М	M/MF	7' 0"	8-17 lbs	1/8-5/8 oz	1-pc	1-1/4"	10-1/4"	9 + Tip	С	5.4	\$106.99
EVX-CB-701MHb	МН	M/MF	7' 0"	10-20 lbs	1/4-1 oz	1-pc	1-1/4"	10-1/4"	9 + Tip	С	5.6	\$106.99





### **CERROS ROD FEATURES:**

- Specially designed technique specific bass rod series
- Responsive and durable 24-ton carbon blank construction
- UFR: Ultimate Flex Reinforced rod tip technology
- Sea Guide XO 316-SS angled guide frames reduce line twists
- Zirconium line guide insert for reduced line abrasion
- 3K woven carbon butt section improves hoop strength
- Split rear grip handle design with contoured EVA
- Cerros rods are backed by a 1-year limited warranty

Cerros	Application / Technique
Spinning Version	
CRS-S-701ML	Finesse : Split Shot , Drop Shot, Darter head, Ned Rig, Spy bait
CRS-S-701M	Heavy Drop shot, Tube, Shakeyhead, Underspin
CRS-S-701MH	Tube, T-rig, Finesse jig , Darter Head, Soft Jerkbait
CRS-S-702M	Hvy-Drop Shot, Tube, Shakeyhead, Underspin
CRS-S-702MH	Tube, TX-Rig, Fin Jig, Darter, Jerkbait, Stick Bait
Casting Version	
CRS-C-701M	Jerkbait / Topwater, Unerspin, Light T-rig
CRS-C-701MH	All Purpose / T-rig, Light Carolina rig, Worm, Spinnerbait, Vibrating Jig
CRS-C-731MH	Finesse/Football Jig , T-rig , Worm , Spinnerbait / Vibrating Jig
CRS-C-731H	Big Worm, Football jig , Texas Rig, Swimbait
CRS-C-741XH	Rat, Frog , Jig , Swimbait
CRS-C-761MH	Football jig, Hair Jig, Spinnerbait
CRS-C-761H	Pitching/ Punching , Swimbait , Carolina Rig , Big Worm
CRS-C-7111MH	Deep Cranking / Spoon, Hair jigs
CRS-C-7111XH	Heavy Flipping/ Punching , Swimbait , A-Rig



A Split EVA rear grip with trigger skeleton reel seat



B Split EVA rear grip with skeleton reel seat



Split EVA rear grip with full trigger reel seat





### **CERROS BASS ROD SERIES**

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	CRS-S-701ML	ML	XF	7' 0"	6-12 lb	1/8-1/2 oz	1-pcs	0"	10-1/2"	7 + Tip	В	3.5	\$95.99
	CRS-S-701M	М	XF	7' 0"	8-17 lb	1/8-5/8 oz	1-pcs	0"	10-1/2"	7 + Tip	В	4.2	\$95.99
	CRS-S-701MH	МН	XF	7' 0"	10-20 lb	1/4-3/4 oz	1-pcs	0"	10-1/2"	7 + Tip	В	4.7	\$95.99
NEW	CRS-S-702M	М	XF	7' 0"	8 - 17 lbs	1/8 - 5/8 oz	2-pcs	0"	10-1/2"	7 + Tip	В	4.2	\$89.99
NEW	CRS-S-702MH	MH	XF	7' 0"	10 - 20 lbs	1/4 - 3/4 oz	2-pcs	0"	10-1/2"	7 + Tip	В	4.8	\$89.99
	CRS-C-701M	М	XF	7' 0"	8-17 lb	1/8-5/8 oz	1-pcs	0"	11-1/4"	9 + Tip	Α	4.0	\$95.99
	CRS-C-701MH	МН	XF	7' 0"	10-20 lb	1/4-3/4 oz	1-pcs	0"	11-1/4"	9 + Tip	Α	4.4	\$95.99
	CRS-C-731MH	МН	XF	7' 3"	10-20 lb	1/4-3/4 oz	1-pcs	0"	11-3/4"	9 + Tip	Α	4.2	\$95.99
	CRS-C-731H	Н	XF	7' 3"	12-25 lb	1/4-1 oz	1-pcs	0"	11-3/4"	9 + Tip	Α	4.7	\$95.99
	CRS-C-741XH	XH	XF	7' 4"	15-30 lb	1/4-1 1/2 oz	1-pcs	0"	12"	9 + Tip	Α	5.1	\$95.99
	CRS-C-761MH	МН	XF	7' 6"	10-20 lb	1/4-3/4 oz	1-pcs	0"	12"	9 + Tip	Α	4.2	\$95.99
	CRS-C-761H	Н	XF	7' 6"	12-25 lb	1/4-1 oz	1-pcs	0"	12"	9 + Tip	Α	4.6	\$95.99
	CRS-C-7111MH	МН	XF	7' 11"	12-25 lb	1/4-2 oz	1-pcs	0"	13-3/4"	10 + Tip	С	4.8	\$106.99
	CRS-C-7111XH	XH	XF	7' 11"	15-30 lb	3/8-2 oz	1-pcs	0"	13-3/4"	10 + Tip	С	5.9	\$106.99
	CRS-C-7111MGXH	MG-XH	XF	7' 11"	20-40 lb	4-10 oz	1-pcs	0"	13-3/4"	10 + Tip	С	TBD	\$106.99

\*MSRP in 2021 catalog may be subject to change.

### EVX MUSKY Rods

### **EVX MUSKY RODS FEATURE:**

- Responsive and durable 24-ton carbon rod blanks
- UFR: Ultimate Flex Reinforcement rod tip technology
- UFR technology increases rod tip lifting power by 3 times
- Double foot deep press stainless steel Sea Guide frames
- Specialized RS tip insert for unmatched hardness and durability  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{$
- Premium cork Split grip configuration on standard models
- Full cork rear grip configuration on "FG" models
- All models feature a contoured 5-1/2" cork foregrip
- Telescopic "T": Easy storage and longer casting distance
- Stainless steel hook keepers to accommodate large baits.
- EVx "b" Musky rods are backed by a limited lifetime warranty





### **EVX MUSKY RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting models with sp	olit rear grip	0							*MSRP ir	n 2021 catalog	g may be sub	ject to change.
EVx-C-761H-Tb	Н	MF	7' 6"	30-65 lbs	1-8 oz	1-Tele	5-1/2"	14"	8 + Tip	Α	7.9	\$117.99
EVx-C-761XH-Tb	XH	MF	7' 6"	50-100 lbs	4-12 oz	1-Tele	5-1/2"	14"	8 + Tip	Α	8.9	\$117.99
EVx-C-861H-Tb	Н	MF	8' 6"	30-65 lbs	2~8 oz	1-Tele	5-1/2"	16"	10 + Tip	Α	10.5	\$127.99
EVx-C-861XH-Tb	XH	MF/F	8' 6"	50-100 lbs	4~12 oz	1-Tele	5-1/2"	16"	10 + Tip	Α	11.8	\$127.99
EVx-C-861XXH-Tb	XXH	F	8' 6"	65-130 lbs	4~16 oz	1-Tele	5-1/2"	16"	9 + Tip	Α	13.4	\$138.99
EVx-C-931H-Tb	Н	MF/F	9' 3"	50-100 lbs	2~10 oz	1-Tele	5-1/2"	16"	10 + Tip	Α	12.3	\$138.99
EVx-C-931XH-Tb	XH	MF/F	9' 3"	65-100 lbs	4~16	1-Tele	5-1/2"	16"	10 + Tip	Α	13.7	\$138.99
Casting models with fu	ıll rear grip											
EVx-C-861XHT-FGb	XH	MF/F	8' 6"	50-100 lbs	4~12 oz	1-Tele	5-1/2"	16"	10 + Tip	В	12.6	\$149.99
EVx-C-931XHT-FGb	XH	MF/F	9' 3"	65-100 lbs	4~16	1-Tele	5-1/2"	16"	10 + Tip	В	14.5	\$149.99





### **SBX SWIMBAIT RODS FEATURE:**

- 24/30-Ton ultra-responsive carbon blank construction
- UFR: Ultimate Flex Reinforcement rod tip technology
- UFR technology increases rod tip lifting power by 3 times
- ZEUS premium series Titanium guides from Sea Guide
- ZEUS Titanium guides are 43% lighter than comparable stainless
- The Deep-Drawn frame protects the "RS" guide inserts
- These special guides feature a 2-stage slope reducing line tangles
- Sea Guide "RS" guide inserts offer unmatched hardness and durability
- "RS" guide insert is almost 1.5 times harder than quarts
- Premium Fuji trigger reel seats on all models
- All rods are 7'11" in length to help maximize casting distance
- Premium 3K woven carbon fiber fore and rear grips
- Carbon fiber screw down foregrip hides reel seat threads for added comfort
- Stainless steel hook keepers to accommodate large baits.
- SBX swimbait rods are backed by a limited lifetime warranty



### SBX SWIMBAIT RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods with full carbon grips  *MSRP in 2021 catalog may be subject to a												
SBX-C-7111H	Н	MF	7' 11"	15-30 lbs	1 - 6 oz	1-pc	4"	14"	10 + Tip	А	8.7	\$259.99
SBX-C-7111XH	XH	F	7' 11"	15-40 lbs	2 - 10 oz	1-pc	4"	14"	10 + Tip	А	10.3	\$259.99
SBX-C-7111XXH	XXH	F	7' 11"	20-40 lbs	5 - 14 oz	1-pc	4"	14"	10 + Tip	А	10.4	\$259.99

84 Okuma Catalog 2021 85



### Guide Select

### **GUIDE SELECT "A" SWIMBAIT RODS FEATURE:**

- UFR: Ulitimate Flex Reinforcement technology increases rod's lifting power and maximum strength
- IM-8 graphite blank construction
- Evo Graph: 1K woven carbon reinforced blank
- Fuji Alconite guide inserts. Compatible for braided line
- All rods are 7'11" in length for maximum casting distance
- Designed with longitudinal fiber tip for maximum strength/durability
- Fuji K-concept guide frames for maximum compatibility with braided line
- EVA rear split butt handle design for reduced weight and improved balance
- Fuji reel seats for maximum performance
- Stainless steel hook keepers on all models
- Guide Select rods are backed by a 1-year limited warranty



### A EVA foregrip and rear split grip with Fuji trigger reel seat **GUIDE SELECT "A" SERIES SWIMBAIT RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSR	RP in 2021 cata	log may be su	bject to change.
GS-C-7111Ha	Н	MF	7' 11"	15 - 30 lbs	1 - 6 oz	1-pc	3-1/2"	14-1/4"	10 + Tip	Α	7.6	\$149.99
GS-C-7111XHa	XH	F	7' 11"	15 - 40 lbs	2 - 10 oz	1-pc	3-1/2"	14-1/4"	10 + Tip	А	8.8	\$149.99
GS-C-7111XXHa	XXH	F	7' 11"	20 - 40 lbs	5 - 14 oz	1-pc	3-1/2"	14-1/4"	10 + Tip	А	9.2	\$149.99

# Reflexions "A"

- Sea Guide Deep-press frame protect the aluminum oxide inserts
- Guide frames on all models feature a 2-stage slope reducing line tangles
- Skeleton style casting and spinning reel seats with cork inserts
- All models feature a 2" contoured and fixed cork foregrip
- Standard models feature contoured rear cork split grips
- Models specified as "FG" will feature a full contoured rear cork grip
- All model feature stainless steel hook keepers
- Reflexions rods are backed by a 1-year limited warranty



A Pipe reel seat with cork foregrip and rear split cork grip



Trigger reel seat with cork foregrip and rear split cork grip




Pipe reel seat with cork foregrip and full cork rear grip

### **REFLEXIONS "A" RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRF	o in 2021 cata	log may be su	ıbject to change
Rx-C-661MHa	МН	F	6'6"	10-20 lbs	1/4-1 oz	1-pc	2"	10"	8 + Tip	В	4.6	\$79.99
Rx-C-701MLa	ML	MF/F	7'0"	6-15 lbs	1/8-5/8 oz	1-pc	2"	10"	8 + Tip	В	4.7	\$79.99
Rx-C-701MHa	МН	F	7'0"	12-25 lbs	3/8-1-1/4 oz	1-pc	2"	10"	8 + Tip	В	5.2	\$79.99
RX-C-702Ma	М	MF/F	7'0"	8-17 lbs	1/4-5/8 oz	2-pcs	2"	10"	8 + Tip	В	5.2	\$79.99
RX-C-702MHa	МН	F	7'0"	12-25 lbs	3/8-1-1/4 oz	2-pcs	2"	10"	8 + Tip	В	5.5	\$79.99
Spinning Rods												
Rx-S-661Ma	М	MF/F	6'6"	8-17 lbs	1/4-5/8 oz	1-pc	2"	9-1/2"	6+ Tip	Α	4.4	\$79.99
Rx-S-661MHa	МН	F	6'6"	10-20 lbs	1/4-1 oz	1-pc	2"	9-1/2"	6+ Tip	Α	4.6	\$79.99
Rx-S-691MLa	ML	MF/F	6'9"	6-10 lbs	1/8-1/2 oz	1-pc	2"	9-1/2"	6+ Tip	Α	4.3	\$79.99
Rx-S-701MLa	ML	MF/F	7'0"	6-15 lbs	1/8-5/8 oz	1-pc	2"	9-1/2"	6+ Tip	Α	4.7	\$79.99
Rx-S-701Ma	М	F	7'0"	8-17 lbs	1/4-5/8 oz	1-pc	2"	9-1/2"	6+ Tip	Α	5.0	\$79.99
Rx-S-701MHa	МН	F	7'0"	12-25 lbs	3/8-1-1/4 oz	1-pc	2"	9-1/2"	6+ Tip	Α	5.2	\$79.99
RX-S-562MHa	МН	F	5'6"	8-17 lbs	1/4-1 oz	2-pcs	2"	8-3/4"	5+ Tip	Α	3.9	\$79.99
Rx-S-662Ma	М	F	6'6"	8-17 lbs	1/4-5/8 oz	2-pcs	2"	9-12"	6+ Tip	Α		\$79.99
RX-S-662MHa	МН	F	6'6"	10-20 lbs	1/4-1 oz	2-pcs	2"	9-1/2"	6+ Tip	Α	4.4	\$79.99
RX-S-702Ma	М	MF/F	7'0"	8-17 lbs	1/4-5/8 oz	2-pcs	2"	9-1/2"	6+ Tip	А	5.2	\$79.99
RX-S-702MHa	МН	F	7'0"	12-25 lbs	3/8-1-1/4 oz	2-pcs	2"	9-1/2"	6+ Tip	Α	5.5	\$79.99
RX-S-701MH-FGa	МН	F	7'0"	12-25 lbs	3/8-1-1/4 oz	1-pc	2"	9-1/2"	6+ Tip	С	5.1	\$89.99







### **CALYNN RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 catal	og may be sub	ject to change.
CY-S-701ML	ML	MF	7' 0"	6~12 lbs	3/16~1/2	1-pc	2"	9-1/2"	6 + Tip	А	4.6	\$58.99
CY-S-701M	М	MF	7' 0"	6~15 lbs	1/4~3/4	1-pc	2"	9-1/2"	6 + Tip	А	4.7	\$58.99
CY-S-701MH	МН	MF	7' 0"	8~17 lbs	1/4~1	1-pc	2"	9-1/2"	6 + Tip	Α	5.4	\$58.99



### DEAD EYE Custom

### **DEADEYE CUSTOM ROD FEATURES:**

- Custom technique specific Walleye Jigging rods
- 30/40-ton carbon, ultra-sensitive and responsive blank construction
- SCT blank technology improves strength and durability
- SCT is a dual helix wrap with over 6000 strands of carbon thread
- Sea Guide XO 316-SS angled guide frames reduce line twists
- Specialized stainless steel tip, prevents inserts from popping out
- Feature a custom cork and EVA rear split grip configuration
- Premium ALPS RPD reel seat with aluminum thread nut
- Specialized stainless steel hook keeper on all modelsDead Eye Custom rods are backed by a limited lifetime warranty



A Split TPE/Cork rear split grip combo with ALPS RPD reel seat

### DEADEYE CUSTOM

DEADLIL	.03101	V.										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP in 2	2021 catalog i	may be subj	ect to change.
DCS-S-601MXF	М	XF	6' 0"	8-12 lbs	1/4-5/8oz	1-pcs	2"	7"	7 + Tip	Α	4.2	\$138.99
DCS-S-601MHXF	МН	XF	6' 0"	8-15 lbs	3/8-1oz	1-pcs	2"	7"	7 + Tip	Α	4.6	\$138.99
DCS-S-681MLXF	ML	XF	6' 8"	6-10 lbs	3/16-3/8oz	1-pcs	2"	8"	8 + Tip	Α	4.2	\$138.99
DCS-S-681MXF	М	XF	6' 8"	8-12 lbs	1/4-5/8oz	1-pcs	2"	8"	8 + Tip	Α	4.4	\$138.99
DCS-S-741MLXF	ML	XF	7' 4"	6-10 lbs	3/16-3/8oz	1-pcs	2"	9"	9 + Tip	Α	4.3	\$138.99
DCS-S-741MXF	М	XF	7' 4"	8-12 lbs	1/4-5/8oz	1-pcs	2"	9"	9 + Tip	Α	4.8	\$138.99

### DEAD EYE Pro

### **DEADEYE PRO ROD FEATURES:**

- Technique specific Walleye rod design
- Designed with ultra-responsive 24-ton carbon blanks
- UFR: Ultimate Flex Reinforced rod tip technology
- Sea Guide XO 316-SS angled guide frames reduce line twists
- Zirconium line guide insert for reduced line abrasion
- Specialized stainless steel tip, prevents inserts from popping out
- 3K woven carbon fiber fore and rear grips for maximum durability
- Dead Eye Pro rods are backed by a 1-year limited warranty



A Split cork rear grip with pipe reel seat



**B** Full cork fore and rear grip with pipe reel seat



Full cork fore and rear grip with trigger real seat



**1** 3K woven carbon fore and rear grip with tigger reel seat

#### **DEADEYE PRO**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP ir	1 2021 catalog	g may be sub	ject to change
DEP-S-602MHFT	МН	F	6' 0"	6-12 lbs	1/8-5/8 oz	2-pcs	1"	9"	6 + Tip	Α	5.1	\$106.99
DEP-S-662MFT	М	F	6' 6"	8-15 lbs	3/8-1oz	2-pcs	1"	9"	6 + Tip	Α	5.6	\$106.99
DEP-S-601MHFT	МН	F	6' 0"	8-15 lbs	3/8-1oz	1-pcs	2"	9"	6 + Tip	Α	5.3	\$106.99
DEP-S-661MLFT	ML	F	6' 6"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	6 + Tip	Α	3.4	\$106.99
DEP-S-661MFT	М	F	6' 6"	6-12 lbs	1/8-5/8 oz	1-pcs	2"	9"	6 + Tip	Α	3.6	\$106.99
DEP-S-701MLFT	ML	F	7' 0"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	7 + Tip	Α	3.8	\$106.99
DEP-S-661MLFT-FG	ML	F	6' 6"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	6 + Tip	В	3.9	\$106.99
DEP-S-701MLFT-FG	ML	F	7' 0"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	7 + Tip	В	4.2	\$106.99
DEP-S-761MFT	М	F	7' 6"	6-12 lbs	1/8-5/8 oz	1-pcs	2"	9"	8 + Tip	Α	4.5	\$106.99
Casting Rods												
DEP-C-801M-CG	М	F	7' 11"	10 - 20 lbs	1/2 - 4 oz	1-pcs	2-1/2"	10-3/4"	9 + Tip	D	6.8	\$118.99
DEP-CBR-7101M-T	М	MF	7' 10"	6-20 lbs	1/2-3 oz	1-Tele	2-3/4"	12"	9 + Tip	С	5.6	\$106.99
DEP-CBR-861M-T	М	MF	8' 6"	6-20 lbs	1/2-3 oz	1-Tele	2-3/4"	12"	9 + Tip	С	6.5	\$106.99

### DEAD EYE Classic

### **DEADEYE CLASSIC ROD FEATURES:**

- Technique specific Walleye Trolling and Jigging rods
- Jigging rods are fast and responsive 24-ton carbon blanks
- Trolling models feature rugged and durable E-glass rod blanks
- UFR-1 Ultimate Flex Reinforcement tip technology on jigging rods
- Guide frames on all Classic series rods are rugged stainless steel
- All Classic series rods feature Titanium oxide guide inserts
- Specialized stainless steel tip, prevents inserts from popping out
- Jigging rods feature split or full cork rear grip configuration
- Trolling rods feature durable shrink tube rear grip configuration
- Triangular EVA foregrip on trolling models reduces rod twisting
- Jigging models all feature a traditional cork foregrip
- All Dead Eye rods feature stainless steel hook keepers
- Dead Eye Classic rods are backed by a 1-year limited warranty



Split cork rear grip with pipe reel seat



**B** Full cork rear grip with pipe reel seat



Full shrink tube rear grip, EVA foregrip with pipe reel seat

### DEADEYE CLASSIC

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP in 2	2021 catalog	may be subje	ect to change.
DEC-C-762ML	ML	S	7' 6"	8-17 lbs	1/2-2 oz	2-pcs	4-3/4"	12-3/4"	9 + Tip	С	6.8	\$58.99
DEC-C-7101M-T	М	М	7' 10"	10-17 lbs	1/4-2-1/2 oz	1-Tele	4-3/4"	12-3/4"	9 + Tip	С	10.6	\$53.49
DEC-C-861M-T	М	М	8' 6"	10-20 lbs	1/2-2-1/2 oz	1-Tele	4-3/4"	12-3/4"	9 + Tip	С	10.8	\$53.49
DEC-LC-761M-T	М	М	7' 6"	10-20 lbs	1/2-2-1/2 oz	1-Tele	4-3/4"	12-3/4"	7 + Tip	С	12.0	\$53.49
DEC-CBB-701ML	ML	М	7' 0"	8-20 lbs	1/2-2 oz	1-pcs	5-1/4"	10-1/2"	8 + Tip	С	7.9	\$53.49
DEC-CBB-761L	L	М	7' 6"	8-20 lbs	1/2-2 oz	1-pcs	5-1/4"	10-1/2"	8 + Tip	С	8.3	\$53.49
Spinning Rods												
DEC-S-602-MHFT	МН	F	6' 0"	8-15 lbs	3/8-1oz	2-pcs	2"	9"	6 + Tip	Α	4.0	\$74.99
DEC-S-662-MFT	М	F	6' 6"	6-12 lbs	1/8-5/8 oz	2-pcs	2"	9"	6 + Tip	Α	4.2	\$74.99
DEC-S-601-MHFT	МН	F	6' 0"	8-15 lbs	3/8-1oz	1-pcs	2"	9"	6 + Tip	Α	4.0	\$74.99
DEC-S-661-MLFT	ML	F	6' 6"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	6 + Tip	Α	3.6	\$74.99
DEC-S-701-MLFT	ML	F	7' 0"	4-10 lbs	1/16-3/8 oz	1-pcs	2"	9"	7 + Tip	Α	3.8	\$74.99
DEC-S-661-MFT-FG	М	F	6' 6"	6-12 lbs	1/8-5/8 oz	1-pcs	2"	9"	6 + Tip	В	4.6	\$74.99
DEC-S-701-MFT-FG	М	F	7' 0"	6-12 lbs	1/8-5/8 oz	1-pcs	2"	9"	7 + Tip	В	4.8	\$79.99

Okuma Catalog 2021 91





#### X-SERIES SALMON AND STEELHEAD ROD FEATURES:

- Specially designed rods for Salmon and Steelhead fishing
- Premium 40-Ton Toray carbon rod blank construction
- Double locking Sea Guide Alien reel seat design
- Sea Guide deep press Titanium guide frames
- RS Sea Guide inserts offer unmatched hardness
- Custom 3-K woven carbon cone grip configuration
- X-Series rods are backed by a Limited Lifetime warranty



B Split carbon cone rear grip with ALPS double locking trigger seat

### X-SERIES SALMON AND STEELHEAD RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 catal	og may be su	bject to change
X-S-761M	М	F	7' 6"	8-17 lbs	1/4-1 oz	1-pcs	2-1/2"	9 3/4"	8 + Tip	Α	4.8	\$379.99
X-S-932M	М	F	9' 3"	8-15 Lbs	1/4-1 oz	2-pcs	2-1/2"	10 3/4"	9 + Tip	Α	5.2	\$379.99
X-S-9102M	М	MF	9' 10"	8-15lbs	1/4-1 oz	2-pcs	2-1/2"	10 3/4"	10 + Tip	Α	5.6	\$379.99
X-S-1062M	М	MF	10' 6"	6-15 lbs	1/8-3/4 oz	2-pcs	2-1/2"	10 3/4"	11 + Tip	Α	6.0	\$379.99
Casting Rods												
X-C-932M	М	F	9' 3"	8 - 15 lbs	1/4-1 oz	2-pcs	2-1/2"	14"	12 + Tip	В	5.8	\$379.99
X-C-992M	М	MF	9' 9"	6 - 15 lbs	1/8-3/4 oz	2-pcs	2-1/2"	14"	13 + Tip	В	6.0	\$379.99

### Guide Select Pro

### **GUIDE SELECT PRO RODS FEATURE:**

- 30/40-ton ultra-sensitive and responsive carbon blank construction
- Premium SeaGuide LBG 316 grade stainless steel guide frames
- Casting and spinning models feature premium Fuji reel seat
- Premium 3K woven carbon fiber fore and rear grips
- Casting models feature a screw down 3K woven carbon foregrip
- Tip over butt ferrule connection for maximum strength and durability
- Stainless steel hook keepers strategically positioned based on technique
- Rod tapers were precision engineered for PNW Salmon and Steelhead fishing
- Trout rods feature fore and rear cork grips
- Guide Select Pro rods are backed by a limited lifetime warranty



**(D)** 3k woven carbon split grip handle with spinning reel seat

### **GUIDE SELECT PRO RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Guide Select Pro S	pinning Rods	S										
GSP-S-761M	М	N/A	7' 6"	8 ~ 15 lbs	1/4 ~ 3/4	1-pcs	2-3/4"	11"	8 + Tip	Α	5.5	\$179.99
GSP-S-902ML	ML	N/A	9' 0"	6 ~12 lbs	3/8 ~ 3/4	2-pcs	2-3/4"	11"	9 + Tip	Α	6.0	\$179.99
GSP-S-902M	М	MF	9' 0"	8 ~17 lbs	3/8 ~ 1 oz	2-pcs	2-3/4'	11-1/4'	9 + TIP	А	6.1	\$184.99
GSP-S-962L	L	М	9' 6"	4~10 lbs	1/8 ~ 3/8 oz	2-pcs	2-3/4'	11-1/4'	9 + TIP	А	5.8	\$184.99
GSP-S-992ML	ML	MF	9' 9"	6 ~12 lbs	3/16 ~1/2 oz	2-pcs	2-3/4'	11-1/4'	9 + TIP	Α	6.1	\$184.99
GSP-S-992M	М	N/A	9' 9"	8 ~ 17 lbs	3/8 ~ 1	2-pcs	2-3/4"	11"	9 + Tip	Α	6.1	\$184.99
GSP-S-1062ML	ML	N/A	10' 6"	6 ~12 lbs	3/16 ~ 1/2	2-pcs	2-3/4"	11"	10 + Tip	Α	6.6	\$189.99
GSP-S-1062M	М	MF	10' 6"	8 ~17 lbs	3/16 ~1/2 oz	2-pcs	2-3/4'	11-1/4'	10 + TIP	Α	6.7	\$189.99
Guide Select Pro C	asting Rods											
GSP-C-822MH	МН	F	8' 2"	10 - 25 lbs	1/2 - 5 oz	2-pcs	4-1/4"	14"	10 + Tip	В	7.6	\$174.99
GSP-C-902H	Н	MF	9' 0"	15 - 40 lbs	1/2 - 3 oz	2-pcs	3-1/2"	13-1/2"	11 + Tip	В	6.7	\$174.99
GSP-C-922M	М	F	9' 2"	8 ~17 lbs	3/8 ~ 1 oz	2-pcs	2-3/4"	14"	11 + Tip	В	6.4	\$184.99
GSP-C-992ML	ML	MF	9' 9"	6 ~12 lbs	3/16 ~1/2 oz	2-pcs	2-3/4"	14"	11 + Tip	В	6.4	\$184.99
Guide Select Pro T	rout Rods											
GSP-S-761UL	UL	M/MF	7' 6"	2 ~6 lbs	1/8 ~ 1/2	1-pcs	2"	8-3/4"	7 + Tip	С	3.6	\$138.99
GSP-S-762UL	UL	M/MF	7' 6"	2 ~6 lbs	1/8 ~ 1/2	2-pcs	2"	8-3/4"	7 + Tip	С	3.4	\$138.99
GSP-S-792L+	L	MF	7' 9"	4~12 lbs	1/4 ~ 3/4	2-pcs	3"	11"	9 + Tip	D	4.8	\$174.99
GSP-S-802UL	UL	M/MF	8' 0"	2 ~6 lbs	1/8 ~ 1/2	2-pcs	2"	8-3/4"	8 + Tip	С	4.2	\$138.99

\*MSRP in 2021 catalog may be subject to change.

### Guide Select Classic

### **GUIDE SELECT CLASSIC RODS FEATURE:**

- 24-ton moderate tapered carbon rod blanks
- Rod tapers and powers were specifically designed for PNW Salmon
- Premium SeaGuide XBG 316 grade stainless steel guide frames
- Premium Fuji reel seats for maximum durability
- Moderate tapered rod banks specifically designed for PNW Salmon
- Premium 3K woven carbon fiber fore and rear grips
- Carbon Fiber screw down foregrip hides reel seat threads for added comfort
- The combination of materials and tapers make this our most durable Salmon series
- Guide Select Classic rods are backed by a limited lifetime warranty



**A** 3 K woven fore and rear grips with trigger reel seat

### GUIDE SELECT CLASSIC RODS


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip Iength	Number of Guides	Handle Style	Weight (oz.)	MSRP
Guide Select Classic	Casting Ro	ds							*MSF	RP in 2021 cata	log may be sul	oject to chang
GSC-C-902MH-CG	МН	М	9' 0"	12 ~25 lbs	1 ~6 oz	2-pcs	4-1/4"	13-3/4"	14 + Tip	А	8.8	\$179.99
GSC-C-932H-CG	Н	М	9' 3"	15 ~30 lbs	2 ~8 oz	2-pcs	4-1/4"	13-3/4"	14 + Tip	Α	8.4	\$179.99
GSC-C-962XH-CG	XH	М	9' 6"	20 ~40 lbs	4~16 oz	2-pcs	4-1/4"	13-3/4"	15 + Tip	Α	9.4	\$179.99
GSC-C-1062H-CG	Н	М	10' 6"	15 ~30 lbs	2 ~8 oz	2-pcs	4-1/4"	13-3/4"	15 + Tip	А	9.0	\$179.99
GSC-C-1062XH-CG	XH	М	10' 6"	20 ~40 lbs	4 ~16 oz	2-pcs	4-1/4"	13-3/4"	15 + Tip	Α	10.0	\$179.99
GSC-C-801M-CG	М	М	7' 11"	10-20 lbs	1/4 - 3/4 oz	1-pcs	3"	13-3/4"	13 + Tip	Α	7.4	\$179.99
GSC-C-801MH-CG	МН	М	7' 11"	12 - 25 lbs	½ - 5 oz	1-pcs	4-1/2"	13-3/4"	13 + Tip	Α	8.0	\$179.99
GSC-C-1232XH-CG	XH	М	12'3"	20 - 40 lbs	4 - 16 oz	2-pcs	4-1/4"	16-3/4"	17 + Tip	А	11.8	\$179.99
GSC-C-1232XH-CG	XH	M	12'3"	20 - 40 lbs	4 - 16 oz	2-pcs	4-1/4"	16-3/4"	1/ + IIp	Α	11.8	

### KOKANEEBLACK

### **KOKANEE BLACK ROD FEATURES:**

- Specially tapered rod blanks designed for Kokanee fishing
- SeaGuide stainless steel frames with Titanium oxide inserts
- Premium Fuji reel seats on all models
- 3K woven carbon fiber fore and rear grips
- 661ML designed with 24-ton carbon for jigging
- Kokanee Black rods are backed by a limited lifetime warranty







**B** 3K woven carbon grips with Fuji trigger reel seat

### **KOKANEE BLACK**

		<b>C</b>										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSR	P in 2021 catal	og may be sub	ject to change.
KBJ-C-661ML	ML	M/MF	6' 6"	6-10 lbs	1⁄4-1 ½ oz	1-pcs	2-1/2"	12"	9 + Tip	В	5.3	\$105.99
KB-C-762L	L	М	7' 6"	4-8 lbs	1/8 - 3/4 oz	2-pcs	2-1/2"	10-1/4"	11 + Tip	В	6.8	\$94.99
KB-C-802L	L	М	8' 0"	4-8 lbs	1/8 - 3/4 oz	2-pcs	2-1/2"	11-1/4"	12 + Tip	В	7.8	\$94.99
KB-C-902ML	ML	М	9' 0"	4-10 lbs	1/4 - 1 oz	2-pcs	2-1/2"	12"	13 + Tip	В	9.2	\$94.99
Spinning Rods												
KB-S-762L	L	М	7' 6"	2-8 lbs	1/16 - 1/2 oz	2-pcs	2-1/2"	10-1/4"	6 + Tip	А	6.8	\$94.99
KB-S-802L	L	М	8' 0"	2-8 lbs	1/16 - 1/2 oz	2-pcs	2-1/2"	11-1/4"	7 + Tip	А	7.4	\$94.99





A TIP TO CATCH THEM ALL

Anglers will immediately recognize the benefits of Okuma's Ultimate Flex Reinforcement (UFR) technology through a rods light-weight and sensitive tip construction. The process of incorporating UFR, provides three times the strength and lifting power over traditional rods. Powerful enough to bring in the toughest of fish, but sensitive enough to feel the lightest of bites.







### **SST CARBON GRIP RODS FEATURE:**

- Technique and species specific rod actions
- Sensitive IM-8 graphite rod blank construction
- Durable stainless steel guide frames
- Zirconium guide inserts reduce friction from braided lines
- Sturgeon rods use heavy duty boat guide frames
- 3K woven carbon fore and rear grips on all models
- Integrated compressed EVA butt cap
- Stainless steel hook keeper
- All Carbon Grip SST rods are backed by a 1-year limited warranty



A 3K woven carbon fore and rear grip with pipe reel seat



**3**K woven carbon fore and rear grips with trigger reel seat



### **SST CARBON GRIP RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Application	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MS	SRP in 2021 car	alog may l	be subject	to change
SST-C-7101MGM-CG	MGM	F	7' 10"	8 - 17 lbs	1/8 - 3/8	1-pc	2-1/4"	13-3/8"	M Magnum Taper	10 + Tip	В	6.6	\$95.99
SST-C-7101MGMH-CG	MGMH	F	7' 10"	10 - 25 lbs	N/A	1-pc	2-1/4"	13-3/8"	MH Magnum Taper	11 + Tip	В	6.2	\$106.99
SST-C-801H-CG	Н	MF	8' 0"	15 - 50 lbs	1 ~ 6	1-pc	3-1/2"	13-3/8"	Salmon	10 + Tip	В	7.6	\$95.99
SST-C-862M-CG	М	M/MF	8' 6"	8 - 17 lbs	1/4 - 5/8	2-pcs	2-1/4"	13-3/8"	Steelhead Casting	11 + Tip	В	7.2	\$95.99
SST-C-862MH-CG	МН	MF	8' 6"	10 - 25 lbs	3/8 - 3/4	2-pcs	2-1/4"	13-3/8"	Medium Heavy	11 + Tip	В	8	\$106.99
SST-C-902MH-CG	МН	MF	9 '0"	15 - 50 lbs	1~6	2-pcs	3-1/2"	13-3/8"	Salmon	9 + Tip	В	8.0	\$106.99
SST-C-932MGXH-CG	MGXH	F	9' 3"	40 - 80 Braid	2~8	2-pcs	3-1/2"	13-3/8"	XH Magnum Taper	10 + Tip	В	9	\$95.99
SST-C-992MH-CG	МН	М	9' 9 "	10 - 30 lbs	1 ~ 6	2-pcs	3-1/2"	13-3/8"	Salmon Herring	11 + Tip	В	7.2	\$106.99
SST-C-1062M-CG	М	М	10' 6"	10 - 20 lbs	3/8 - 1-1/2	2-pcs	2-1/4"	13-3/8"	Float Drifting	12 + Tip	В	7.2	\$95.99
SST-C-1062MH-CG	МН	MF	10' 6"	15 - 50 lbs	2~8	2-pcs	3-1/2"	13-3/8"	Salmon Herring	11 + Tip	В	8.2	\$106.99
SST-C-1062H-CG	Н	MF	10' 6"	20 - 60 lbs	4~16	2-pcs	3-1/2"	14-3/8"	Salmon Herring	11 + Tip	В	10.4	\$106.99
SST-C-1242M-CG	М	M/MF	12' 4"	10 - 25 lbs	1 ~ 5	2-pcs	3-1/2"	13-3/8"	Salmon Herring	13 + Tip	В	8.7	\$106.99
Spinning Rods													
SST-S-761M-CG	М	F	7' 6"	8 - 15 lbs	1/4 - 3/4	1-pc	3-1/2"	10-1/4"	Twitching	8 + Tip	Α	7.6	\$95.99
SST-S-862ML-CG	ML	MF	8' 6"	6 - 12 lbs	3/16 - 1/2	2-pcs	2-1/4"	11"	Steelhead Spin	8 + Tip	Α	7.6	\$95.99
SST-S-862M-CG	М	М	8' 6"	8 - 17 lbs	1/4 - 5/8	2-pcs	2-1/4"	11"	Steelhead Spin	8 + Tip	Α	5.6	\$95.99
SST-S-862MH-CG	МН	MF	8' 6"	10 - 20 lbs	3/8 - 1-1/2	2-pcs	2-1/4"	11"	Salmon Spin	8 + Tip	Α	6.4	\$95.99
SST-S-902M-CG	М	М	9 '0"	8 - 17 lbs	3/8 ~ 1	2-pcs	2-1/4"	11"	Steelhead Spin	9 + Tip	Α	6.1	\$95.99
SST-S-902MH-CG	МН	MF	9 '0"	10 - 30 lbs	3/8 - 1-1/2	2-pcs	2-1/4"	12"	Salmon Spin	8 + Tip	Α	5.9	\$95.99
SST-S-962L-CG	L	М	9' 6"	4 - 10 lbs	1/8 - 3/8	2-pcs	2-1/4"	11"	Side Drifting	10 + Tip	Α	7.8	\$95.99
SST-S-962ML-CG	ML	MF	9' 6"	6 - 12 lbs	1/4 - 1/2	2-pcs	2-1/4"	11"	Float Drifting	10 + Tip	Α	6	\$95.99
SST-S-1062ML-CG	ML	MF	10' 6"	6 - 12 lbs	3/16 - 1/2	2-pcs	2-1/4"	11"	Float Drifting	11 + Tip	Α	6.6	\$95.99
SST-S-1062M-CG	М	М	10' 6"	8 - 17 lbs	3/8 - 3/4	2-pcs	2-1/4"	11"	Float Drifting	11 + Tip	Α	6.8	\$95.99

### SST

### **SST RODS FEATURE:**

- Technique and species specific rod actions
- Sensitive IM-8 graphite rod blank construction
- E-glass rod blank construction on Halibut rods
- Durable stainless steel guide frames
- Zirconium guide inserts reduce friction from braided lines
- Custom 1-K woven carbon fiber pipe reel seat on Salmon rods
- Custom IM-8 graphite pipe reel seat on most spinning rods
- Premium fore and rear grips on all models
- Integrated compressed cork butt cap, non skid surface
- Stainless steel hook keeper
- All SST rods are backed by a 1-year limited warranty








### **SST RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Application	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*/\	/ISRP in 2021 c	atalog ma	y be subje	ct to change.
SST-C-791H	Н	MF	7' 9"	15-30 lbs	1-6 oz	1-рс	4"	12-1/2"	Salmon	9+Tip	В	6.6	\$84.99
SST-C-7101MGM	MG-M	F	7' 10"	8~17 lbs	1/8~3/8	1-рс	2-3/8"	13-3/8"	M Magnum Taper	10 + Tip	В	6.2	\$89.99
SST-C-862M	М	M/MF	8' 6"	8~17 lbs	1/4~5/8	2-pcs	2-3/8"	13-3/8"	Steelhead Casting	11 + Tip	В	7.2	\$89.99
SST-C-862MH	МН	MF	8' 6"	10~25 lbs	3/8~3/4	2-pcs	2-3/8"	13-3/8"	Medium Heavy	11 + Tip	В	8.0	\$89.99
SST-C-862MGH	MG-H	F	8' 6"	30~65 Braid	1~6	2-pcs	3-1/2"	13-3/8"	H Magnum Taper	9 + Tip	С	8.4	\$89.99
SST-C-902MH	MH	MF	9' 0"	15~50 lbs	1~6	2-pcs	3-1/2"	13-3/8"	Salmon	9 + Tip	С	8.0	\$94.99
SST-C-932MGXH	MG-XH	F	9' 3"	40~80 Braid	2~8	2-pcs	3-1/2"	13-3/8"	XH Magnum Taper	10 + Tip	С	9.0	\$94.99
SST-C-962ML	ML	М	9' 6"	6~12 lbs	1/4~1/2	2-pcs	2-3/8"	13-3/8"	Drifting	13 + Tip	В	7.6	\$89.99
SST-C-1002M	М	М	10' 0"	8~17 lbs	3/8~3/4	2-pcs	2-3/8"	13-3/8"	Float Drifting	12 + Tip	В	7.2	\$94.99
SST-C-1002H	Н	М	10' 0"	15~40 lbs	3/4~6	2-pcs	6"	25"	Plunking	8 + Tip	Е	12.4	\$94.99
SST-C-1062M	М	М	10' 6"	10~20 lbs	3/8~1-1/2	2-pcs	2-3/8"	13-3/8"	Float Drifting	12 + Tip	В	7.2	\$89.99
SST-C-1062MH	МН	MF	10' 6"	15~50 lbs	2~8	2-pcs	3-1/2"	13-3/8"	Salmon Herring	11 + Tip	С	8.2	\$94.99
SST-C-1062H	Н	MF	10' 6"	20~60 lbs	4~16	2-pcs	7-1/2"	14-3/8"	Salmon Herring	11 + Tip	F	10.4	\$94.99
SST-C-1242M	М	M/MF	12' 4"	10~25 lbs	1~5	2-pcs	7-1/2"	13-3/8"	Salmon Herring	13 + Tip	С	8.7	\$101.99
Spinning Rods													
SST-S-662ML	ML	MF	6' 6"	4~8 lbs	1/8~3/8	2-pcs	2"	7-7/8"	Multi-purpose Spin	6 + Tip	Α	4.2	\$58.99
SST-S-662M	ML	MF	6' 6"	6~10 lbs	1/4~1/2	2-pcs	2"	7-7/8"	Multi-purpose Spin	6 + Tip	Α	4.4	\$58.99
SST-S-702ML	ML	М	7' 0"	4~8 lbs	1/8~3/8	2-pcs	2"	9-1/2"	Multi-purpose Spin	6 + Tip	Α	4.8	\$63.99
SST-S-702M	М	MF	7' 0"	6~10 lbs	1/4~5/8	2-pcs	2"	9-1/2"	Multi-purpose Spin	7 + Tip	Α	4.8	\$63.99
SST-S-802MH	МН	F	8' 0"	12~30 lbs	1/2~2	2-pcs	2-3/8"	11"	Salmon Spin	7 + Tip	D	7.6	\$89.99
SST-S-862ML	ML	MF	8' 6"	6~12 lbs	3/16~1/2	2-pcs	2-3/8"	11"	Steelhead Spin	8 + Tip	Α	5.6	\$89.99
SST-S-862M	М	М	8' 6"	8~17 lbs	1/4~5/8	2-pcs	2-3/8"	11"	Steelhead Spin	8 + Tip	Α	6.4	\$89.99
SST-S-862MH	МН	MF	8' 6"	10~20 lbs	3/8~1-1/2	2-pcs	2-3/8"	11"	Salmon Spin	8 + Tip	Α	6.1	\$89.99
SST-S-902M	М	М	9' 0"	8~17 lbs	3/8~1	2-pcs	2-3/8"	11"	Steelhead Spin	9 + Tip	Α	5.9	\$89.99
SST-S-902MH	МН	MF	9' 0"	10~30 lbs	3/8~1/2-2	2-pcs	2-3/8"	12"	Salmon Spin	8 + Tip	Α	7.8	\$89.99
SST-S-962L	L	М	9' 6"	4~10 lbs	1/8~3/8	2-pcs	2-3/8"	11"	Side Drifting	10 + Tip	Α	6.0	\$89.99
SST-S-962ML	ML	MF	9' 6"	6~12 lbs	1/4~1/2	2-pcs	2-3/8"	11"	Float Drifting	10 + Tip	Α	6.6	\$89.99
SST-S-1062ML	ML	MF	10' 6"	6~12 lbs	3/16~1/2	2-pcs	2-3/8"	11"	Float Drifting	11 + Tip	Α	6.8	\$89.99
SST-S-1062M	М	М	10' 6"	8~17 lbs	3/8~3/4	2-pcs	2-3/8"	11"	Float Drifting	11 + Tip	Α	7.0	\$89.99



### **SST LADIES EDITION RODS**

(B) Carbon fiber pipe with Fuji hood and trigger

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Application	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods										*MSRP in 2021	catalog ma	y be subjec	t to change.
SST-S-702L-LE	L	М	7' 0"	4~10 lbs	1/8~3/4	2-pcs	2"	8-3/4"	Kokanee	7 + Tip	Α	4.2	\$60.99
Casting Rods													
SST-C-902MH-LE	MH	MF	9' 0"	15~50 lbs	1~6	2-pcs	3-1/2"	13-3/8"	Salmon	9 + Tip	В	8.0	\$96.99

### SST TROUT, KOKANEE, HALIBUT

### **SST RODS FEATURE:**

- Technique and species specific rod actions
- Sensitive IM-8 graphite rod blank construction
- Durable stainless steel guide frames
- Zirconium guide inserts reduce friction from braided lines
- Custom IM-8 graphite pipe reel seat on UL and most spinning rods
- Premium fore and rear grips on all models
- Integrated compressed cork butt cap, non skid surface
- Stainless steel hook keeper
- All SST rods are backed by a 1-year limited warranty



Fuji DPS reel seat with graphite butt and aluminum gimbal

### SST TROUT, KOKANEE AND HALIBUT

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Application	Number of Guides	Handle Style	Weight (oz.)	MSRP
Kokanee / Trout Sp	oinning Rods									*MSRP in 2021 (	catalog may	y be subjec	t to change.
SST-S-702L	L	М	7' 0"	4~10 lbs	1/8~3/4	2-pcs	2"	8-3/4"	Kokanee	7 + Tip	Α	4.2	\$60.99
SST-S-762UL	UL	М	7' 6"	2~6 lbs	1/32-3/8	2-pcs	2"	11"	Kokanee	7 + Tip	Α	5.4	\$60.99
SST-S-762L	L	М	7' 6"	4~10 lbs	1/8~3/4	2-pcs	2"	8-3/4"	Kokanee	7 + Tip	Α	4.4	\$60.99
SST-S-802UL	UL	М	8' 0"	2~6 lbs	1/32-3/8	2-pcs	2"	11"	Kokanee	8 + Tip	Α	5.4	\$60.99
Kokanee / Trout Ca	asting Rods												
SST-C-702L	L	М	7' 0"	4~10 lbs	1/8~3/4	2-pcs	2"	11"	Kokanee	10 + Tip	В	5.2	\$60.99
SST-C-762L	L	М	7' 6"	4~10 lbs	1/4~1	2-pcs	2"	11"	Kokanee	10 + Tip	В	5.4	\$60.99
SST-C-802UL	UL	М	8' 0"	2~6 lbs	1/32-3/8	2-pcs	2"	11"	Kokanee	11 + Tip	В	5.4	\$60.99
Trout UL Rods													
SST-S-562UL	UL	М	5' 6"	2~6 lbs	1/16~3/8	2-pcs	2"	7"	Trout	5 + Tip	Α	3.6	\$52.99
SST-S-602UL	UL	М	6' 0"	2~6 lbs	1/8~3/8	2-pcs	2"	7"	Trout	5 + Tip	Α	3.8	\$52.99
SST-S-662UL	UL	М	6' 6"	2~6 lbs	1/8~3/8	2-pcs	2"	8"	Trout	6 + Tip	Α	4.0	\$52.99
SST-S-702UL	UL	М	7' 0"	2~8 lbs	1/8~3/8	2-pcs	2"	9-1/2"	Trout	7 + Tip	Α	4.4	\$52.99
Halibut Rods													
SST-C-561H	Н	MF	5' 6"	50~100 lbs	N/A	1-рс	13"	10-3/4"	Halibut	5 + Tip	С	21.0	\$90.99
SST-C-561XH	XH	MF/F	5' 6"	80~120 lbs	N/A	1-pc	13"	10-3/4"	Halibut	5 + Tip	С	23.0	\$90.99



### Celilo

### **GRAPHITE RODS**

### **CELILO GRAPHITE RODS FEATURE:**

- Sensitive graphite composite blanks
- Aluminum oxide guide inserts
- Stainless steel hooded reel seats
- Fore and rear cork grips
- Stainless steel hook keeper
- Thru-blank handle design
- Celilo rods are backed by a 1-year limited warranty



A Thru blank reel seat (trigger) long cork



Standard pipe reel seat with long cork butt

### **CELILO GRAPHITE RODS**


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRF	o in 2021 cata	alog may be subje	ect to change.
CE-C-762Ha	Н	MF	7' 10"	10~30 lbs	3/4~2-1/2	2-pcs	2-3/4"	13"	8 + Tip	Α	8.8	\$60.99
CE-C-862MLa	ML	MF	8' 6"	6~12 lbs	3/16~1/2	2-pcs	2-3/4"	12"	9 + Tip	Α	6.8	\$60.99
CE-C-862Ma	М	F	8' 6"	8~17 lbs	1/4~5/8	2-pcs	2-3/4"	12"	9 + Tip	Α	7.4	\$60.99
CE-C-862MHa	МН	F	8' 6"	10~20 lbs	3/8~3/4	2-pcs	2-3/4"	12"	9 + Tip	Α	7.6	\$60.99
CE-C-862Ha	Н	F	8' 6"	12~25 lbs	1/2~4	2-pcs	3-1/2"	13-1/2"	9 + Tip	Α	8.4	\$60.99
CE-C-902MHa	МН	MF	9' 0"	15~50 lbs	1~6	2-pcs	3-1/2"	13-1/2"	9 + Tip	Α	7.8	\$60.99
CE-C-902Ha	Н	MF	9' 0"	15~30 lbs	3/4~4	2-pcs	4"	13-1/2"	9 + Tip	Α	9.0	\$60.99
CE-C-962MLa	ML	MF	9' 6"	6~12 lbs	1/4~1/2	2-pcs	3-1/2"	12-1/8"	9 + Tip	Α	8.0	\$60.99
CE-C-1062MHa	МН	MF	10' 6"	15~50 lbs	N/A	2-pcs	3-1/2"	13-1/2"	12 + Tip	Α	8.4	\$65.99
CE-C-1062Ha	Н	MF	10' 6"	20~60 lbs	N/A	2-pcs	3-1/2"	14"	12 + Tip	Α	10.2	\$65.99
Spinning Rods												
CE-S-862MLa	ML	М	8' 6"	6~12 lbs	3/16~1/2	2-pcs	2-1/2"	12"	7 + Tip	В	7.0	\$60.99
CE-S-862Ma	М	MF	8' 6"	8~17 lbs	1/4~5/8	2-pcs	2-1/2"	12"	7 + Tip	В	7.6	\$60.99
CE-S-862Ha	Н	MF	8' 6"	12~25 lbs	1/2~4	2-pcs	3-1/2"	13-1/2"	7 + Tip	В	9.6	\$60.99
CE-S-962La	L	М	9' 6"	4~8 lbs	1/8~3/8	2-pcs	2-1/2"	12"	10 + Tip	В	7.2	\$60.99
CE-S-962MLa	ML	М	9' 6"	6~12 lbs	1/4~1/2	2-pcs	3-1/2"	12-1/8"	10 + Tip	В	7.4	\$60.99
CE-S-1002MLA	ML	М	10'	4~12 lbs	1/16~1/4	2-pcs	3-1/2"	14-1/2"	6 + TIP	В	8.4	\$60.99



### **CELILO ULTRALIGHT RODS FEATURE:**

- Sensitive graphite composite blanks
- Aluminum oxide guide inserts
- Stainless steel hooded reel seats
- Fore and rear cork grips
- Stainless steel hook keeper
- Thru-blank handle design
- Celilo ultralight rods are backed by a 1-year limited warranty





### **CELILO ULTRA-LIGHT GRAPHITE RODS**

				_	_							
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 cata	log may be subje	ct to change.
CE-S-461UL-1	UL	М	4' 6"	1~4 lbs	1/32~3/16	1-pc	2"	6-1/4"	4 + Tip	Α	3.0	\$28.99
CE-S-502UL-1	UL	М	5' 0"	1~4 lbs	1/32~3/16	2-pcs	2"	6-1/4"	4 + Tip	Α	3.2	\$28.99
CE-S-562UL-1	UL	М	5' 6"	2~6 lbs	1/32~1/4	2-pcs	2"	6-1/4"	5 + Tip	Α	3.4	\$28.99
CE-S-602UL-1	UL	М	6' 0"	2~6 lbs	1/32~1/4	2-pcs	2"	6-1/4"	5 + Tip	Α	3.5	\$28.99
CE-S-662UL-1	UL	М	6' 6"	2~6 lbs	1/32~3/8	2-pcs	2"	6-1/4"	6 + Tip	Α	3.6	\$33.29
CE-S-702L-1	L	М	7' 0"	4~10 lbs	3/16~5/8	2-pcs	2-3/4"	7-3/8"	7 + Tip	Α	3.8	\$35.99
CE-S-762UL	UL	М	7' 6"	2-6 lbs	1/32-3/8	2-pcs	2-1/2"	8-1/2"	7 + Tip	Α	4.3	\$42.99
CE-S-762L-1	L	М	7' 6"	4~10 lbs	3/16~5/8	2-pcs	2-3/4"	7-3/8"	7 + Tip	Α	3.9	\$42.99
CE-S-802UL	UL	М	8' 0"	2-6 lbs	1/32-3/8	2-pcs	2-1/2"	9-1/2"	8+Tip	Α	4.8	\$44.99
CE-S-862ULa	UL	М	8' 6"	2~6 lbs	1/32~3/8	2-pcs	2-5/8"	10-3/8"	8 + Tip	Α	6.0	\$58.99





Trigger reel seat with cork butt and plastic butt cap

### **CELILO SPECIALTY RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Kokanee Rod									*MSRP	in 2021 cata	log may be subj	ect to change.
CE-C-702L	L	М	7' 0"	2~8 lbs	1/8~1/2	2-pcs	2-1/2"	11"	7 + Tip	В	5.8	\$47.99
CE-C-802UL	UL	М	8' 0"	2-6 lbs	1/32-3/8	2-pcs	2-1/2"	11"	11 + Tip	В	4.8	\$44.99
CELILO Big Water	r Halibut / S	Sturgeon Ro	ds / All Pur	oose								
CE-C-561Ha	Н	F/XF	5' 6"	50~100 lbs	N/A	1-pc	13"	10-1/2"	5 + Tip	Α	21.0	\$63.99

### CONNOISSEUR

### STEELHEAD RODS

### **CONNOISSEUR RODS FEATURE:**

- Steelhead specific rod blank tapers and powers
- Responsive and durable 24-ton carbon blank construction
- UFR-II: Ultimate Flex Reinforcement rod tip technology
- Tip over butt ferrule connection for improved balance
- Traditional full cork rear grip and cork foregrip
- Titanium oxide guide inserts with stainless steel frames
- "L" powered rods are equivalent to Noodle rods
- Stainless steel hook keepers on all CQ models
- Connoisseur rods are backed by a 1-year limited warranty



A Spinning reel seat with cork fore and rear grips



Trigger reel seat with cork fore and rear grips

### **CONNOISSEUR STEELHEAD RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP	in 2021 cata	log may be subje	ect to change.
CQ-C-862MHa	МН	MF	8' 6"	8~20 lbs	3/8~1	2-pcs	3"	12"	8 + Tip	В	7.4	\$58.99
Spinning Rods												
CQ-S-862Ma	М	MF	8' 6"	10~20 lbs	1/8~1/4	2-pcs	4"	10"	7 + Tip	Α	6.7	\$58.99
CQ-S-862MHa	МН	MF	8' 6"	15~25 lbs	1/2~4	2-pcs	4"	10"	7 + Tip	Α	7.1	\$58.99
CQ-S-902La	L	М	9' 0"	2~8 lbs	1/16~1/4	2-pcs	7"	8"	7 + Tip	Α	5.5	\$58.99
CQ-S-902MLa	ML	MF	9' 0"	6~12 lbs	1/8~1/4	2-pcs	5"	8"	9 + Tip	Α	5.7	\$58.99
CQ-S-962MLa	ML	MF	9' 6"	6~12 lbs	1/8~1/4	2-pcs	5"	8"	9 + Tip	Α	5.9	\$64.99
CQ-S-1002La	L	М	10' 0"	2~10 lbs	1/16~1/4	2-pcs	7"	9"	8 + Tip	Α	6.1	\$69.99
CQ-S-1002MLa	ML	MF	10' 0"	6~12 lbs	1/8~1/4	2-pcs	5"	8"	9 + Tip	Α	6.4	\$69.99
CQ-S-1102La	L	М	11' 0"	4~10 lbs	1/16~1/4	2-pcs	7"	10"	9 + Tip	Α	7.3	\$69.99





#### **SXT CANADIAN MOOCHING RODS:**

- Light and responsive 24-ton carbon blanks
- Titanium Sea-guide frames with Zirconium inserts
- Premium ALPS machined aluminum reel seat
- Tip over butt ferrule connection for added strength
- \_ Cork fore grip with 3K woven carbon fiber rear grip





A Full carbon rear grip, cork foregrip and ALPS aluminum reel seat


### **SXT CANADIAN MOOCHING**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
SXT Canadian Moo	ching								*MSRP in	2021 catalog	g may be sub	ject to change.
SXT-M-1062M	М	M/MF	10' 6"	15 - 30 lbs	N/A	2-pcs	11"	9-3/4"	11 + Tip	Α	10.4	\$244.99
SXT-M-1062MH	МН	M/MF	10' 6"	20 - 40 lbs	N/A	2-pcs	11"	9-3/4"	11 + Tip	Α	10.6	\$244.99



#### **SALISH CANADIAN MOOCHING RODS:**

- 24-Ton ultra-responsive, moderate tapered carbon blank construction
- Standard Mooching rods feature a shrink tube butt and compressed cork foregrip
- "CG" Mooching rods feature a 3K woven carbon butt and shrink tube foregrip
- Stainless steel guide frames and stainless steel guide inserts on Mooching rods
- All Salish rods feature premium Fuji DPS reel seats
- Salish rods are backed by a 1-year limited warranty



B Shrink tube butt and compressed cork foregrip



### **SALISH CANADIAN SERIES RODS**

Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
ning Rods w	ith carbon	grips					*MSRP in 2021	catalog may be	subject to cha	inge.
МН	M/MF	9' 0"	20-40 lbs	2-pcs	11"	9"	10 + Tip	Α	8.9	\$116.99
М	M/MF	10' 6"	15-30 lbs	2-pcs	11"	10"	11 + Tip	Α	9.7	\$116.99
МН	M/MF	10' 6"	20-40 lbs	2-pcs	11"	10"	11 + Tip	А	10.4	\$116.99
hing Rods										
МН	M/MF	9' 0"	20-40 lbs	2-pcs	11"	9"	10 + Tip	В	8.6	\$106.99
М	M/MF	10' 6"	15-30 lbs	2-pcs	11"	10"	11 + Tip	В	9.3	\$106.99
МН	M/MF	10' 6"	20-40 lbs	2-pcs	11"	10"	11 + Tip	В	10.0	\$106.99
	Power hing Rods w MH M MH hing Rods MH M MH	Power Taper hing Rods with carbon  MH M/MF  M M/MF  MH M/MF  hing Rods  MH M/MF  M M/MF  M M/MF	Power         Taper         Length           hing Rods with carbon grips           MH         M/MF         9' 0"           M         M/MF         10' 6"           MH         M/MF         10' 6"           hing Rods         MH         M/MF         9' 0"           M         M/MF         10' 6"	Power         Taper         Length         Weight           hing Rods with carbon grips           MH         M/MF         9' 0"         20-40 lbs           M         M/MF         10' 6"         15-30 lbs           MH         M/MF         10' 6"         20-40 lbs           hing Rods           MH         M/MF         9' 0"         20-40 lbs           M         M/MF         10' 6"         15-30 lbs	Power         Taper         Length         Weight         Sections           hing Rods with carbon grips           MH         M/MF         9' 0"         20-40 lbs         2-pcs           M         M/MF         10' 6"         15-30 lbs         2-pcs           MH         M/MF         10' 6"         20-40 lbs         2-pcs           hing Rods           MH         M/MF         9' 0"         20-40 lbs         2-pcs           M         M/MF         10' 6"         15-30 lbs         2-pcs	Power         Taper         Length         Weight         Sections         length           hing Rods with carbon grips           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"           MH         M/MF         10' 6"         20-40 lbs         2-pcs         11"           hing Rods           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"	Power         Taper         Length         Weight         Sections         length         length           hing Rods with carbon grips           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"         9"           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"           MH         M/MF         10' 6"         20-40 lbs         2-pcs         11"         9"           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"         9"           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"	Power         Taper         Length         Weight         Sections         length         length         of Guides           hing Rods with carbon grips         *MSRP in 2021           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"         9"         10 + Tip           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"         11 + Tip           MH         M/MF         10' 6"         20-40 lbs         2-pcs         11"         9"         10 + Tip           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"         9"         10 + Tip           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"         11 + Tip	Power         Taper         Length         Weight         Sections         length         length         of Guides         Style           hing Rods with carbon grips         *MSRP in 2021 catalog may be           MH         M/MF         9' 0"         20-40 lbs         2-pcs         11"         9"         10 + Tip         A           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"         11 + Tip         A           MH         M/MF         10' 6"         20-40 lbs         2-pcs         11"         9"         10 + Tip         B           M         M/MF         10' 6"         15-30 lbs         2-pcs         11"         10"         11 + Tip         B	Power         Taper         Length         Weight         Sections         length         length         of Guides         Style         (oz.)           hing Rods with carbon grips         *MSRP in 2021 catalog may be subject to charmed the company of the c

### Celilo



#### **CELILO CANADIAN MOOCHING RODS:**

- 24-Ton ultra-responsive, moderate tapered carbon blank construction
- Rod designs were specifically designed for Western Canadian Salmon
- Stainless steel guide frames with titanium oxide guide inserts
- Tip over butt ferrule connection for maximum strength Mooching rod
- Celilo Mooching rods are backed by a 1-year limited warranty



A 3K woven carbon fiber fore and rear grips

### **CELILO CANADIAN SERIES MOOCHING RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Celilo Canadian Mo	oching Rods		*MSRP in 20	21 catalog ma	y be subject to	change.					
CE-M-902MH	МН	M/MF	9' 0"	20-40 lbs	2-pcs	12"	8"	8 + Tip	Α	6.7	\$79.99
CE-M-1062M	М	M/MF	10' 6"	15-30 lbs	2-pcs	12"	8-3/4"	9 + Tip	Α	7.9	\$85.99
CE-M-1062MH	MH	M/MF	10' 6"	20-40 lbs	2-pcs	12"	8-3/4"	9 + Tip	Α	8.1	\$85.99

Okuma Catalog 2021 109



### A Standard pipe reel seat with Triangle shaped foregrip

- White Diamond rods are backed by a 1-year limited warranty

WHITE DIAMOND SERIES RODS FEATURE:

- UFR: Ultimate Flex Reinforcement rod tip technology - Low profile stainless steel guide frames and inserts

- Cushioned stainless steel hooded reel seat.

- Durable non-skid, rubber gimbals on all models - All White Diamond rods are 2-pcs blank construction

- Carbon and glass blank construction for maximum durability

- Copper/Leadcore rod WD-CL-862M is tubular glass based on application

- Wire/Copper/Leadcore trolling rods feature welded stainless steel guides - Rods designated with "WL" in the model feature a swivel roller tip top.

- Triangular shaped EVA foregrip prevents twisting while fishing a fish.

### WHITE DIAMOND RODS

Model	Rod Power	Rod Taper	Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Application	MSRP
Downrigger Rods								*MSI	RP in 2021 catalog may be su	bject to change.
WD-DR-762ML	ML	S/M	7' 6"	8-17 lbs	2-pcs	6"	11-3/8"	9 + Tip	Rigger	\$74.99
WD-DR-802M	М	S/M	8' 0"	12-25 lbs	2-pcs	6"	11-3/8"	9 + Tip	Rigger/Board	\$74.99
WD-DR-862ML	ML	S/M	8' 6"	8-17 lbs	2-pcs	6"	11-3/8"	11 + Tip	Rigger/Board	\$79.99
WD-DR-862M	М	S/M	8' 6"	12-25 lbs	2-pcs	6"	11-3/8"	11 + Tip	Rigger/Board	\$79.99
Diver Rods										
WD-DD-1002MH	МН	М	10' 0"	12-30 lbs	2-pcs	6"	13-1/2"	10 + Tip	Diver Rods	\$85.49
Copper and Wire Lin	e Trolling R	ods								
WD-CL-862M	М	M/MF	8' 6"	12-25 lbs	2-pcs	6-1/4"	11-3/4"	8 + Tip	Copper/Leadcore	\$89.99
WD-WL-862MH	МН	М	8' 6"	WIRE	2-pcs	6-1/4"	12-3/4"	6 + Tip	Copper/Wire	\$106.99
WD-WL-1002MH	MH	М	10' 0"	WIRE	2-pcs	6-1/4"	12-3/4"	7 + Tip	Copper/Wire	\$129.99

### Blue Diamond

#### **BLUE DIAMOND "A" SERIES RODS FEATURE:**

- Extremely durable carbon and glass blank mixture for ultimate strength
- EVA fore and rear grips for comfort and durability
- Polished Titanium oxide guide inserts
- Double foot, stainless steel guide frames
- Cushioned stainless steel hooded reel seat
- Durable non-skid, rubber gimbals on all models
- Technique-specific rod designs for Downrigger, Planer and Dipsy
- All Blue Diamond Rods are 2-pcs blank construction
- Blue Diamond rods are backed by a 1-year limited warranty



A EVA fore and rear grips with rubber gimbal

### **BLUE DIAMOND "A" TROLLING RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods								*MSRP	in 2021 cata	alog may be subj	ect to change.
BD-C-762MLa	ML	S/M	7' 6"	8~20 lbs	2-pcs	6"	11-3/8"	9 + Tip	А	7.5	\$63.99
BD-C-802Ma	М	S/M	8' 0"	12~25 lbs	2-pcs	6"	11-3/8"	9 + Tip	Α	9.1	\$63.99
BD-C-862MLa	ML	S/M	8' 6"	8~17 lbs	2-pcs	6"	11-3/8"	11 + Tip	Α	8.9	\$63.99
BD-C-862Ma	М	S/M	8' 6"	12~25 lbs	2-pcs	6"	11-3/8"	11 + Tip	Α	9.0	\$69.49
BD-C-862MHa	MH	М	8' 6"	12~30 lbs	2-pcs	6"	11-3/8"	11 + Tip	Α	10.1	\$69.49
BD-C-902Ma	М	М	9' 0"	12~25 lbs	2-pcs	6"	13-3/4"	10 + Tip	Α	10.4	\$69.49
BD-C-1002MHa	МН	М	10' 0"	12~30 lbs	2-pcs	6"	13-3/4"	10 + Tip	Α	10.7	\$69.49

### CLASSIC PRO GLT

### **CLASSIC PRO GLT RODS FEATURE:**

- Salmon and Striper specialty rods
- Durable E-glass blank construction
- Durable titanium oxide guide inserts
- Stainless steel guide frames
- Copper line rod features stainless steel welded guides
- Triangular shaped EVA foregrip (All models but spinning)
- Rubber shrink tube butt. Improves rod holder removal and durability
- Casting guides are all double foot construction
- Precision Trolling models are telescopic Salmon trolling rods
- All rods feature a custom mirror finished rod blank
- Tip over butt ferrule connection for increased strength
- Stainless steel hook keepers
- Classic Pro GLT rods are backed by a 1-year limited warranty



**B** Standard pipe reel seat with EVA grips

Trigger reel seat with shrink tube butt section, no gimbal

. . . . . . . . . . . . . . .



### **CLASSIC PRO GLT AND STRIPER RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Lake Trolling								*MS	SRP in 2021 cata	alog may be sub	ject to change
CP-LT-762M	М	MF	7' 6"	12~20 lbs	2-pcs	5-1/2"	11"	7 + Tip	Α	11.2	\$34.99
Down Rigger											
CP-DR-702M	М	S	7' 0"	10~20 lbs	2-pcs	5-1/2"	11"	9 + Tip	Α	10.6	\$34.99
CP-DR-762ML	ML	S	7' 6"	8~20 lbs	2-pcs	5-1/2"	11"	9 + Tip	Α	10.6	\$34.99
CP-DR-802M	М	S	8' 0"	10~20 lbs	2-pcs	5-1/2"	9-3/4"	11 + Tip	А	12.2	\$34.99
CP-DR-862M	М	S	8' 6"	10~25 lbs	2-pcs	6-3/4"	11-3/4"	11 + Tip	Α	11.8	\$34.99
Dipsy Diver											
CP-DD-902M	М	М	9' 0"	10~25 lbs	2-pcs	6-3/4"	11"	11 + Tip	Α	13.1	\$36.99
CP-DD-1002M	М	М	10' 0"	12~30 lbs	2-pcs	7-3/4"	12"	11 + Tip	Α	17.6	\$40.49
CP-DD-1062M	М	М	10' 6"	12~30 lbs	2-pcs	8-3/4"	12"	10 + Tip	Α	18.6	\$40.49
Precision Trolling											
CP-PB-7101M-T	М	М	7' 10"	10~20 lbs	1-tele	2-3/4"	12-3/4"	8 + Tip	С	11.6	\$40.49
CP-PB-861M-T	М	M/MF	8' 6"	10~20 lbs	1-tele	2-3/4"	12"	9 + Tip	Α	11.1	\$40.49
Copper/Leadcore Tro	lling										
CP-CL-862M	М	M/MF	8' 6"	12~27 lbs	2-pcs	6-3/4"	9"	11 + Tip	Α	13.2	\$46.49
Salmon Rods											
CP-C-862M	М	М	8' 6"	10~20 lbs	2-pcs	4-1/2"	11"	11 + Tip	А	11.8	\$34.99
CP-C-862MH	МН	М	8' 6"	12~25 lbs	2-pcs	4-1/2"	11"	11 + Tip	Α	12	\$34.99
CP-C-902MH	MH	М	9' 0"	12~25 lbs	2-pcs	4-1/2"	11"	11 + Tip	Α	12.3	\$36.99
Striper Live-Bait "Do	wn" Fishing R	ods									
CST-LB-701ML	ML	S/M	7' 0"	6~20 lbs	1-pc	5-1/4"	10-1/2"	8 + Tip	С	8.7	\$34.99
CST-LB-761ML	ML	М	7' 6"	10~20 lbs	1-pc	5-1/4"	12"	9 + Tip	С	9.4	\$34.99
Striper Umbrella Rig	Rod										
CST-UR-761MH	MH	M/MF	7' 6"	12~25 lbs	1-pc	8"	14"	8 + Tip	С	16.5	\$49.99
Catfish Spinning Rod	S										
CCF-S-802MH+	MH+	M/MF	8' 0"	12~30 lbs	2-pcs	4"	15-1/2"	8 + Tip	В	13	\$34.99

#### **PCH CUSTOM RODS FEATURE:**

- Extremely lightweight and responsive 24-ton carbon rod blanks
- UFR-II: Ultimate Flex Reinforcement rod tip technology
- 3K-woven carbon outer blank wrap improves hoop strength
- M, MH and H models feature Fuji K-guides with Alconite inserts
- XH models feature ALPS HXN guides with Zirconium inserts
- All models feature machined aluminum ALPS CAH reel seats
- 7' and 7'6" rods feature tapered TPE fore and rear grips
- 8' rods featured tapered shrink tube for durability and comfort
- All PCH models feature ALPS non-skid rubber butt caps
- PCH-KT-2101-CG custom designed for kite fishing
- Popping rod features reversed stripper guide for reduced tangles
- PCH Custom rods are backed by a limited lifetime warranty
- A TPE fore and reargrip with ALPS reel seat and ALPS rubber butt cap
- Tapered shrink tube fore and reargrip with ALPS reel seat and ALPS rubber butt cap
- TPE foregrip with split rear grip and ALPS reel seat
- TPE foregrip, 3K woven carbon rear grip, ALPS reel seat and gimbal
- Shrink tube fore and rear grips with ALPS reel seat and gimbal
- Extremely hard EVA with ALPS reel seat and gimbal
- TPE foregrip, shrink tube rear grip with ALPS reel seat and AL gimbal
- TPE foregrip, 3K woven carbon grip with ALPS reel seat, AL gimbal and safety ring
- TPE foregrip and rear grips with Fuji reel seat and AL gimbal

### **PCH CUSTOM RODS**


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MS	SRP in 2021 cata	alog may be sub	ject to change.
PCH-C-701M	М	F	7' 0"	12-25 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	12.8	\$212.99
PCH-C-701H	Н	F	7' 0"	20-50 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	13.9	\$212.99
PCH-C-701XH	XH	F	7' 0"	30-60 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	15.8	\$212.99
PCH-C-701XXH	XXH	F	7' 0"	40-80 lbs	N/A	1-pcs	15-1/2"	14-1/2"	9 + Tip	G	20.6	\$256.99
PCH-C-741XXH	XXH	F	7' 4"	60-100 lbs	N/A	1-pcs	18"	15"	9 + Tip	E	21.5	\$289.99
PCH-C-741XXXH	XXXH	F	7' 4"	80-130 lbs	N/A	1-pcs	18"	15"	9 + Tip	E	23.2	\$289.99
PCH-C-741XXXXH	XXXXH	F	7' 4"	150-200 lbs	N/A	1-pcs	20"	15"	9 + Tip	F	31.0	\$309.99
PCH-C-761M	М	F	7' 6"	12-25 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	13.1	\$212.99
PCH-C-761H	Н	F	7' 6"	20-50 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	14.1	\$212.99
PCH-C-761XH	XH	F	7' 6"	30-60 lbs	N/A	1-pcs	12"-1/2	13"-1/4	9 + Tip	Α	15.3	\$212.99
PCH-C-801MH	MH	F	8' 0"	15-40 lbs	N/A	1-pcs	12"-1/2	13"-1/4	10 + Tip	В	14.2	\$224.99
PCH-C-801H	Н	F	8' 0"	20-50 lbs	N/A	1-pcs	12"-1/2	13"-1/4	10 + Tip	В	15.2	\$224.99
PCH-C-801XH	XH	F	8' 0"	30-60 lbs	N/A	1-pcs	12"-1/2	13"-1/4	10 + Tip	В	16.8	\$224.99
Spinning Rods												
PCHP-S-761MH	MH	MF/F	7' 6"	40 ~ 60 lbs	1 ~ 6 oz	1-pcs	7"-3/4	16"-7/8	6 + Tip	С	13.7	\$209.99
PCHP-S-761H	Н	MF/F	7' 6"	50 ~ 80 lbs	2 ~ 8 oz	1-pcs	7"-3/4	16"-7/8	6 + Tip	С	13.8	\$209.99
PCHP-S-761XH	XH	MF/F	7' 6"	60 ~ 100 lbs	2 ~ 10 oz	1-pcs	7"-3/4	16"-7/8	6 + Tip	С	14.2	\$209.99
PCH-S-701M	М	F	7' 0"	12-30 lbs	N/A	1-pcs	11-1/2"	13"	6 + Tip	I	11.9	\$204.99
PCH-S-701MH	MH	F	7' 0"	15-30 lbs	N/A	1-pcs	11-1/2"	13"	6 + Tip	1	13.9	\$204.99
PCH-S-701H	Н	F	7' 0"	20-40 lbs	N/A	1-pcs	11-1/2"	13"	6 + Tip	I	14.3	\$204.99
Kite Rod												
PCH-KT-2101-CG	N/A	N/A	2' 10"	N/A	N/A	1-pcs	7"	13"	Tip only	Н	16.4	\$127.99



### **PCH INSHORE ROD FEATURES:**

- Extremely lightweight and responsive 24-ton carbon rod blanks
- UFR-II: Ultimate Flex Reinforcement rod tip technology
- 3K-woven carbon outer blank wrap improves hoop strength
- Features Fuji K-guide concept frames to reduce wind knots
- PCH inshore models all feature Alconite inserts to reduce abrasion
- Premium Fuji reel seat for maximum reel support
- Custom cork and TPE grip configuration for comfort and durability
- "SG" models feature a rear cork split grip design for reduced weight
- ALPS non-skid rubber butt cap ads comfort and protects your boat
- All PCH inshore rods feature an oversized stainless-steel hook keeper
- PCH inshore rods are backed by a limited lifetime warranty







B Cork/TPE combination grips with Fuji trigger reel seat



Cork/TPE combination grips with Fuji trigger reel seat

### DCH CLISTOM INSHOPE

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP i	n 2021 catalo	g may be subj	ect to change
PCHi-C-761M	М	F	7' 6"	12-25 lbs	3/4 - 1-1/2 oz	1-pcs	2-3/4"	13"	9 + Tip	В	10.8	\$203.99
PCHi-C-761H	Н	F	7' 6"	20-40 lbs	1 - 3 oz	1-pcs	2-3/4"	13"	9 + Tip	В	11.6	\$203.99
PCHi-C-801MH	МН	F	8' 0"	15-30 lbs	1 - 2-3/4 oz	1-pcs	2-3/4"	14"	10 + Tip	В	11.0	\$212.99
PCHi-C-801H	Н	F	8' 0"	20-40 lbs	1 - 3 oz	1-pcs	2-3/4"	14"	10 + Tip	В	12.0	\$212.99
PCHi-C-801H-SG	Н	MF/F	8' 0"	15 - 30 lbs	1 - 3 oz	1-pcs	4"	14-1/4"	10 + Tip	С	9.0	\$189.99
PCHi-C-801XH-SG	XH	MF/F	8' 0"	20 - 40 lbs	1-1/2 - 4-1/2 oz	1-pcs	4"	14-1/4"	10 + Tip	С	9.7	\$189.99
Spinning Rods												
PCHi-S-801MH	MH	F	7' 11"	15-30 lbs	1 - 2-3/4 oz	1-pcs	5-1/4"	13-1/2"	7 + Tip	Α	10.8	\$212.99
PCHi-S-801H	Н	F	7' 11"	20-40 lbs	1 - 3 oz	1-pcs	5-1/4"	13-1/2"	7 + Tip	Α	11.1	\$212.99



### PCH Custom

#### **PCH TROLLING RODS FEATURE:**

- Durable 24-ton carbon and E-Glass constructed rod blanks
- 3K-woven carbon outer blank wrap improves hoop strength
- ALPS RX series roller guides with 316 stainless steel rollers
- Proprietary curved or straight woven carbon fiber butt sections
- Detachable butt section with machined aluminum reel seats
- Tapered shrink tube foregrips offer maximum durability
- PCH Trolling rods are backed by a limited lifetime warranty



### PCH TROLLING RODS:

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Trolling Rods								*MSR	P in 2021 ca	talog may be sub	ject to change.
NEW	PCH-TRS-561M	М	MF/F	5' 6"	40 - 100 lbs	1-pcs	13"	13"	4 + Tip	Α	26.6	\$449.99
NEW	PCH-TRS-561MH	МН	MF/F	5' 6"	60 - 130 lbs	1-pcs	13"	13"	4 + Tip	Α	27.2	\$459.99
NEW	PCH-TRS-5101H	Н	MF/F	5' 10"	80 - 150 lbs	1-pcs	11"	14"	4 + Tip	Α	34.2	\$469.99
NEW	PCH-TRS-5101XH	XH	MF/F	5' 10"	100 - 250 lbs	1-pcs	11"	14"	4 + Tip	Α	36.2	\$549.99
NEW	PCH-TRS-661M	М	MF/F	6' 6"	40 - 100 lbs	1-pcs	13"	13"	5 + Tip	Α	29.6	\$469.99
NEW	PCH-TRS-661MH	МН	MF/F	6' 6"	60 - 130 lbs	1-pcs	13"	13"	5 + Tip	Α	30.1	\$479.99
NEW	PCH-TRS-6101H	Н	MF/F	6' 10"	80 - 150 lbs	1-pcs	11"	15-1/2"	5 + Tip	Α	35.8	\$499.99
NEW	PCH-TRS-6101XH	XH	MF/F	6' 10"	100 - 250 lbs	1-pcs	11"	15-1/2"	5 + Tip	Α	40.0	\$609.99
NEW	PCH-TRB-5101H	Н	MF/F	5' 10"	80 - 150 lbs	1-pcs	11"	14"	5 + Tip	В	29.4	\$499.99
NEW	PCH-TRB-5101XH	XH	MF/F	5' 10"	100 - 250 lbs	1-pcs	11"	14"	5 + Tip	В	31.7	\$599.99
NEW	PCH-TRB-6101H	Н	MF/F	6' 10"	80 - 150 lbs	1-pcs	11"	15-1/2"	5 + Tip	В	32.0	\$549.99
NEW	PCH-TRB-6101XH	XH	MF/F	6' 10"	100 - 250 lbs	1-pcs	11"	15-1/2"	5 + Tip	В	35.5	\$649.99



### SCT ALBACORE RODS FEATURE:

- UFR: Ultimate Flex Reinforcement technology increases rod's lifting power and maximum strength
- Extremely lightweight and responsive 24-ton carbon rod blanks
- SCT blanks: Spiral Carbon Technology improved strength and durability
- SCT is a dual helix wrap configuration with over 6000 strands of carbon fiber
- ALPS stainless steel deep pressed guide frames
- Titanium oxide ALPS guide inserts
- EVA foregrip and rear grips for maximum durability
- Fuji DPS reel seat on spinning models
- ALPS aluminum reel seat on casting and trolling models
- Aluminum gimbal on Albacore trolling rods
- SCT Albacore rods are backed by a limited lifetime warranty



EVALUATE AND TEAL STIP WITH A STEEL SEAL



EVA foregrip and rear grip with ALPS aluminum reel seat and gimbal

### **SCT ALBACORE RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP	in 2021 cata	alog may be subj	ect to change.
SCT-AC-661MH	МН	MF	6' 6"	20-50 lbs	N/A	1-pc	6-1/2"	14-1/4"	9 + Tip	В	14.2	\$117.99
SCT-AC-701MH	МН	MF	7' 0"	20-50 lbs	N/A	1-pc	6-1/2"	14-1/4"	9 + Tip	В	15.6	\$117.99
Trolling Rods												
SCT-AT-601H	Н	MF	6' 0 "	30-60 lbs	N/A	1-pc	6-1/2"	14-1/4"	8 + Tip	С	14.6	\$127.99
Spinning Rods												
SCT-AS-701MH	МН	MF	7' 0 "	20-50 lbs	N/A	1-pc	6-1/2"	12"	7 + Tip	Α	13.6	\$117.99

116 Okuma Catalog 2021 117

### MAKAIRA SALTWATER CARBON TECHNOLOGY

### **MAKAIRA RODS FEATURE:**

- Carbon composite rod blank technology
- ALPS deep press 316 stainless guide frames
- Hard Zirconium guide inserts for compatibility with braided lines
- Custom ALPS aluminum reel seats with Abalone under lay
- Shrink tube grips for ultimate durability
- Aluminum gimbals on trolling and popping rods
- Integrated rubber butt cap/gimbal design on all casting and spinning rods
- Custom abalone decoration above fore grip
- Makaira rods are backed by a limited lifetime warranty







ALPS aluminum reel seat with graphite gimbal/ buttcap

#### MAKAIRA TROLLING RODS FEATURE:

- Carbon composite rod blank technology
- ALPS deep press 316 stainless guide frames
- Hard Zirconium guide inserts for compatibility with braided lines
- Custom ALPS aluminum reel seats with Abalone under lay
- IGFA tournament rods with full straight or bent aluminum rod butts
- Shrink tube grips for ultimate durability
- ALPS roller guides on trolling rods with large knot clearance
- Aluminum gimbals on trolling and popping rods
- Integrated rubber butt cap/gimbal design on all casting and spinning rods
- Custom abalone decoration above fore grip
- Custom leather wrapped fore grip on IGFA Stand Up rods
- Makaira rods are backed by a limited lifetime warranty









### MAKAIRA SALTWATER RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Live Bait and Jig Ro	ds											
MK-C-701MH	MH	F	7' 0"	20~30 lbs	N/A	1-pc	11-3/4"	12-5/8"	8 + Tip	Α	15.3	\$179.99
Trolling Rods All Ro	oller Guides											
MK-TR-601H	Н	M/MF	6' 0"	30~80 lbs	N/A	1-pc	16"	11-5/8"	5 + Tip	Α	25.2	\$279.99
MK-TR-601XH	XH	M/MF	6' 0"	40~100 lbs	N/A	1-pc	16"	11-5/8"	5 + Tip	Α	26.1	\$289.99
MK-TR-601XXH	XXH	M/MF	6' 0"	50~120 lbs	N/A	1-pc	16"	11-5/8"	5 + Tip	Α	27.0	\$299.99
Makaira Sturgeon	Rods											
MK-ST-801M	М	F	8' 0"	65~130 lbs	N/A	1-pc	6-1/4"	14"	9 + Tip	В	15.6	\$149.99
Makaira IGFA Strai	ght butt Stand-ı	up Rods										
MK-TR-581-30S	Н	M/MF	5' 8"	30~lbs IGFA	N/A	2-pcs	8"	11-3/4"	4 + Tip	С	35.7	\$369.99
MK-TR-581-50S	XH	M/MF	5' 8"	50~lbs IGFA	N/A	2-pcs	8"	11-3/4"	4 + Tip	С	37.2	\$389.99
Makaira IGFA Bent	butt Stand-up F	Rods										
MK-TR-5101-80B	XXH	M/MF	5' 10"	80~lbs IGFA	N/A	2-pcs	8"	14-3/4"	4 + Tip	D	47.0	\$519.99

\*MSRP in 2021 catalog may be subject to change.

## CEDROS "A" JIGGING

### **CEDROS "A" JIGGING RODS FEATURE:**

- E-glass blank offers incredible pulling power
- Glass blanks offer shock reduction when using braided line
- Zirconium guide inserts reduce friction from braided lines
- ALPS high-rise 316 stainless steel guide frames
- High-rise frames keep the line off the blank and fore grip
- ALPS pyramid-shaped 2-tone anodized aluminum reel seat
- Pyramid reel seat is more ergonomic and offers more control
- Ribbed EVA fore grip improves grip and rod control
- Cedros rods are backed by a limited lifetime warranty



A Split EVA rear grip with ALPS reel seat and ALPS rubber butt cap



Full EVA rear grip with ALPS rel seat and ALPS aluminum gimbal

### **CEDROS "A"**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rod									*MSRP	in 2021 cata	alog may be subje	ect to change.
CJ-C-561XHa	XH	F/XF	5' 6"	65 ~ 200 lbs	300~500g	1-pc	8"	12-1/4"	6 + Tip	В	15.9	\$149.99
CJ-C-561XXHa	XXH	MF/F	5' 6"	80 ~ 200 lbs	500~700g	1-pc	8"	12-1/4"	6 + Tip	В	16.4	\$149.99
CJ-C-601MHa	MH	MF	6' 0"	50 ~ 100 lbs	90~200g	1-pc	7-1/2"	14"	8 + Tip	Α	13.7	\$138.99
CJ-C-601Ha	Н	MF	6' 0"	65 ~ 150 lbs	160~325g	1-pc	7-1/2"	14"	8 + Tip	Α	16.0	\$138.99
CJ-C-601XHa	XH	MF/F	6' 0"	65 ~ 200 lbs	300~500g	1-pc	7-1/2"	14"	8 + Tip	Α	15.9	\$138.99
CJ-C-661Ma	М	М	6' 6"	30 ~ 65 lbs	30~160g	1-pc	7-1/2"	13-1/2"	8 + Tip	Α	12.8	\$138.99
CJ-C-661MHa	МН	MF	6' 6"	50 ~ 100 lbs	90~200g	1-pc	7-1/2"	13-1/2"	8 + Tip	Α	15.0	\$144.99
CJ-C-661Ha	Н	MF/F	6' 6"	65 ~ 150 lbs	160~325g	1-pc	7-1/2"	13-1/2"	8 + Tip	Α	17.1	\$144.99
CJ-C-661XHa	XH	MF/F	6' 6"	65 ~ 200 lbs	300~500g	1-pc	7-1/2"	13-1/2"	8 + Tip	Α	16.7	\$144.99
Spinning Rod												
CJ-S-601MHa	МН	M/MF	6' 0"	50 ~ 100 lbs	90~200g	1-pc	7-1/2"	14"	5 + Tip	Α	14.3	\$138.99
CJ-S-601Ha	Н	MF	6' 0"	65 ~ 150 lbs	160~325g	1-pc	7-1/2"	14"	5 + Tip	Α	16.1	\$144.99
CJ-S-701Ma	М	М	7' 0"	30 ~ 65 lbs	30~160g	1-pc	7-1/2"	14"	7 + Tip	Α	12.3	\$154.99
CJ-S-701MHa	МН	M/MF	7' 0"	50 ~ 100 lbs	90~200g	1-pc	7-1/2"	14"	7 + Tip	Α	17.1	\$154.99
CJ-S-701Ha	Н	MF	7' 0"	65 ~ 150 lbs	160~325g	1-pc	7-1/2"	14"	7 + Tip	Α	18.9	\$154.99





### **MONTEREY SALMON, HALIBUT & STURGEON RODS FEATURE:**

- Responsive and durable 24-ton carbon and E-Glass blanks
- UFR: Ultimate Flex Reinforced rod tip technology
- 3K-woven carbon outer blank wrap improves hoop strength
- SeaGuide XQ series 316 stainless steel guide frames
- Zirconium inserts offer compatibility for both braid and mono
- Premium Fuji DPS reel seat with stainless steel hoods
- Comfortable EVA foam fore grip with shrink tube rear grip
- All models feature a precision placed stainless steel hook keeper
- Monterey rods are backed by a limited lifetime warranty



EVA foegrip, shrink tube rear grip and Fuji DPS reel seat

### MONTEREY SALMON, HALIBUT & STURGEON RODS FEATURE:


	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Monterey Salmon, Ha	libut & Stur	geon Rods							*MSRP	in 2021 cata	alog may be subj	ect to change.
NEW	MON-HS-801M	М	M/MF	8' 0"	UFR-II	10 - 20 lbs	1-pcs	10"	13-3/4"	9 + Tip	Α	11.2	\$149.99
NEW	MON-HS-801M+	M+	M/MF	8' 0"	UFR-II	12 - 25 lbs	1-pcs	10"	13-3/4"	9 + Tip	Α	11.8	\$149.99
NEW	MON-HS-801MH	МН	M/MF	8' 0"	UFR-II	15 - 30 lbs	1-pcs	10"	13-3/4"	9 + Tip	Α	13.8	\$149.99

### CAVALLA

#### **CAVALLA BOAT RODS FEATURE:**

- Responsive and durable 24-ton carbon rod blanks
- UFR: Ultimate Flex Reinforced rod tip technology
- SeaGuide deep pressed, 316-grade stainless steel guide frames
- Zirconium inserts offer compatibility for both braid and mono
- Premium Fuji DPS reel seat with stainless steel hoods
- Comfortable and durable EVA foam fore and rear grips
- All models feature a precision placed stainless steel hook keeper
- Cavalla rods are backed by a 1-year limited warranty

Cavalla	Application / Technique
Casting Version	
CAV-C-601XH	Jigging
CAV-C-701M	Live Bait
CAV-C-701MH	Live Bait
CAV-C-701H	Live Bait
CAV-C-701XH	Live Bait
Spinning Version	
CAV-S-701M	Live Bait
CAV-S-701MH	Live Bait



### **CAVALLA BOAT RODS**

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Cavalla Casting Rods									*MSRP	in 2021 cat	alog may be subj	ect to change.
NEW	CAV-C-601XH	XH	M/MF	6' 0"	40 -100 lbs	5 - 12 oz	1-pcs	8"	12-1/2"	9 + Tip	Α	9.4	\$99.99
NEW	CAV-C-701M	М	F	7' 0"	12 - 25 lbs	N/A	1-pcs	13"	13-3/4"	9 + Tip	Α	11.2	\$119.99
NEW	CAV-C-701MH	МН	F	7' 0"	15 - 40 lbs	N/A	1-pcs	13"	13-3/4"	9 + Tip	Α	11.8	\$119.99
NEW	CAV-C-701H	Н	F	7' 0"	20 - 50 lbs	N/A	1-pcs	13"	13-3/4"	9 + Tip	Α	12.0	\$119.99
NEW	CAV-C-701XH	XH	F	7' 0"	30 - 60 lbs	N/A	1-pcs	13"	13-3/4"	9 + Tip	Α	13.2	\$119.99
	Cavalla Spinning Rods												
NEW	CAV-S-701M	М	F	7' 0"	12 - 25 lbs	N/A	1-pcs	10-3/4"	13"	6 + Tip	Α	11.2	\$99.99
NEW	CAV-S-701MH	МН	F	7' 0"	15 - 30 lbs	N/A	1-pcs	10-3/4"	13"	6 + Tip	Α	11.6	\$99.99



### **DTR CUSTOM OFFSHORE RODS FEATURE:**

- Pure 24-ton carbon blank design on jigging and popping models
- 24-ton carbon and e-glass mixed blank on trolling rods
- 3K-woven carbon fiber outer blank wrap improves hoop strength
- UFR-II: Ultimate Flex Reinforcement rod tip technology
- ALPS deep press 316-graded SS frames with Zirconium inserts (Trolling)
- ALPS aluminum roller tips with 316-graded SS rollers on trolling models
- Fuji K-concept frames with Aconite inserts on Jigging and popping models
- H/XH/XXH Trolling/Deep drop rods feature ALPS aluminum bent butts
- MH trolling model features ALPS aluminum reel seat and graphite butt section
- All rods feature ALPS machined aluminum gimbals
- Extremely durable tapered TPE foregrips on all models
- DTR Custom Offshore rods are backed by a 3-year limited warranty



A TPE fore and rear grips with aluminum gimbal and reel seat



1 TPE fore and rear grips with aluminum gimbal and trigger reel seat



TPE foregrip, graphite butt scetion with aluminum gimbal and reel seat



### **DTR CUSTOM OFFSHORE RODS**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	DTR Custom Casting	Rods									*MSRP in 20	21 catalog n	nay be subj	ect to change.
NEW	DTR-C-641MH	MH	MF/F	6'4"	UFR-II	30 - 100 lbs	N/A	1-pcs	10-1/2"	14-1/4"	8 + Tip	С	24.4	\$219.99
NEW	DTR-C-601H	Н	MF/F	6'0"	UFR-II	50 - 150 lbs	N/A	1-pcs	12"	21-3/4"	7 + Tip	D	33.2	\$299.99
NEW	DTR-C-601XH	XH	MF/F	6'0"	UFR-II	80 - 200 lbs	N/A	1-pcs	12"	24-3/4"	7 + Tip	D	34.4	\$299.99
NEW	DTR-C-661XXH	XXH	MF/F	6'6"	UFR-II	80 - 250 lbs	N/A	1-pcs	12"	17"	8 + Tip	D	46.5	\$399.99
NEW	DTR-C-581XXH	XXH	MF	5'8"	UFR-II	80 - 200 lbs	120 - 270 gr	1-pcs	8"	12"	8 + Tip	В	13.0	\$139.99
	DTR Custom Spinnin	g Rods												
NEW	DTR-S-761XH	XH	MF/F	7'6"	UFR-II	60 - 100 lbs	2 - 10 oz	1-pcs	7-1/2"	16-1/2"	6 + Tip	Α	16.2	\$219.99



### **DTR CUSTOM INSHORE RODS FEATURE:**

- Technique specific blanks built specifically for Louisiana inshore fishing
- Light and responsive 24/30-ton, low resin carbon rod blanks
- UFRII: Ultimate Flex Reinforced rod tip technology
- SeaGuide XO and XQ series angled 316 stainless steel guide frames
- Zirconium inserts offer compatibility for both braid and mono
- Customized Fuji skeleton reel seat with woven carbon insert
- Cork tapered full or split grip configuration depending on model
- All models feature a precision placed stainless steel hook keeper
- DTR Custom Inshore rods are backed by a 1-year limited warranty



A Rear cork split grip with skeleton spinning reel seat



**B** Rear cork split grip with skeleton trigger reel seat



Rear full cork grip with skleton spining reel seat

### **DTR CUSTOM INSHORE RODS**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	DTR Custom Spinning	Rods									*MSRP in 20	21 catalog m	nay be subje	ect to change.
NEW	DTR-S-701M-PC	М	F	7'0"	UFR-II	8 - 14 lbs	1/8oz-3/8oz	1-pcs	1-1/2"	10"	7 + Tip	С	3.8	\$129.99
NEW	DTR-S-701MH-CR	МН	F	7'0"	UFR-II	8 - 20 lbs	1/4oz-3/4oz	1-pcs	3/4"	10"	7 + Tip	Α	3.8	\$129.99
NEW	DTR-S-701M-SSB	М	MF	7'0"	UFR-II	8 - 14 lbs	1/4oz-1/2oz	1-pcs	3/4"	10"	7 + Tip	Α	3.6	\$119.99
NEW	DTR-S-701M-TW	М	М	7'0"	UFR-II	8 - 14 lbs	1/4oz-1/2oz	1-pcs	3/4"	10"	7 + Tip	Α	3.4	\$119.99
NEW	DTR-S-721ML-JJ	ML	F	7'2"	UFR-II	6 - 12 lbs	1/8oz-5/8oz	1-pcs	3/4"	10-1/2"	8 + Tip	Α	3.4	\$119.99
NEW	DTR-S-721M-JJ	М	F	7'2"	UFR-II	8 - 14 lbs	1/8oz-5/8oz	1-pcs	3/4"	10-1/2"	8 + Tip	Α	3.8	\$129.99
	DTR Custom Casting R	ods												
NEW	DTR-C-701M-SSB	М	М	7'0"	UFR-II	8 - 14 lbs	1/4oz-1/2oz	1-pcs	3/4"	9-1/4"	9 + Tip	В	3.6	\$119.99
NEW	DTR-C-701M-TW	М	М	7'0"	UFR-II	8 - 14 lbs	1/4oz-1/2oz	1-pcs	3/4"	9-1/4"	9 + Tip	В	3.4	\$119.99
NEW	DTR-C-701MH-CR	МН	F	7'0"	UFR-II	8 - 20 lbs	1/4oz-3/4oz	1-pcs	3/4"	9-1/4"	9 + Tip	В	3.8	\$129.99
NEW	DTR-C-721ML-JJ	ML	F	7'2"	UFR-II	6 - 12 lbs	1/8oz-5/8oz	1-pcs	3/4"	9-1/4"	9 + Tip	В	3.4	\$119.99
NEW	DTR-C-721M-JJ	М	F	7'2"	UFR-II	8 - 14 lbs	1/8oz-5/8oz	1-pcs	3/4"	9-1/4"	9 + Tip	В	3.6	\$129.99



124 Okuma Catalog 2021



### SRT Inshore

### **SRT INSHORE ELITE RODS FEATURE:**

- Fast and responsive 30-ton carbon inshore rod blanks
- UFRII: Ultimate Flex Reinforced rod tip technology
- Tapered cork fore and rear grip with rubber cork inlay
- Fuji premium TVS slotted reel seat for maximum performance
- Fuji K-Concept deep press frames help reduce tangles
- Silky smooth performance from Fuji FazLite guide inserts
- SeaGuide Stainless steel, double legged Trapezoid hook keeper
- SRT Inshore Elite rods are backed by a limited lifetime warranty



A Tapered full cork grips with Fuji TVS reel seat

### **SRT INSHORE PREMIER FEATURE:**

- Fast and responsive 30-ton carbon inshore rod blanks
- UFRII: Ultimate Flex Reinforced rod tip technology
- Tapered cork fore and rear grip with rubber cork inlay
- Rear split grip configuration helps reduce weight
- Fuji DPS reel seat for maximum reliability
- SeaGuide deep press 316-grade stainless steel frames
- SeaGuide Zirconium guide inserts for maximum performance
- SeaGuide Stainless steel, double legged Trapezoid hook keeper
- SRT Inshore Premier rods are backed by a 1-year limited warranty



A Cork split rear grip with Fuji DPS reel seat

### **SRT INSHORE ELITE RODS**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Spinning Rods										*MSRP in 20	021 catalog r	may be subj	ject to change.
NEW	SRTE-S-701M-FG	М	MF	7' 0"	UFR-II	8 - 17 lbs	3/8 - 1 oz	1-pcs	2-1/2"	8"	8 + Tip	Α	5.2	\$129.99
NEW	SRTE-S-701MH-FG	МН	MF	7' 0"	UFR-II	10 - 20 lbs	1/2 - 1-1/2 oz	1-pcs	2-1/2"	9"	8 + Tip	Α	5.4	\$129.99
NEW	SRTE-S-701H-FG	Н	MF	7' 0"	UFR-II	15 - 30 lbs	1/2 - 2 oz	1-pcs	3"	10"	8 + Tip	Α	5.8	\$129.99
NEW	SRTE-S-761ML-FG	ML	MF	7' 6"	UFR-II	6 - 17 lbs	1/4 - 1/2 oz	1-pcs	2-3/4"	8"	9 + Tip	Α	5.0	\$139.99
NEW	SRTE-S-761M-FG	М	MF	7' 6"	UFR-II	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	2-3/4"	10"	9 + Tip	Α	5.4	\$139.99
NEW	SRTE-S-761MH-FG	МН	MF	7' 6"	UFR-II	10 - 20 lbs	1/2 - 1-1/2 oz	1-pcs	2-3/4"	10"	9 + Tip	Α	5.6	\$139.99
NEW	SRTE-S-761H-FG	Н	MF	7' 6"	UFR-II	15 - 30 lbs	1/2 - 2-1/2 oz	1-pcs	3"	10"	9 + Tip	Α	6.0	\$139.99

### **SRT INSHORE PREMIER RODS**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Spinning Rods										*MSRP in 20	021 catalog i	may be subj	ect to change.
NEW	SRTP-S-701M	М	MF	7' 0"	UFR-II	8 - 17 lbs	3/8 - 1 oz	1-pcs	2-1/2"	8"	8 + Tip	Α	5.0	\$99.99
NEW	SRTP-S-701MH	МН	MF	7' 0"	UFR-II	10 - 20 lbs	1/2 - 1-1/2 oz	1-pcs	2-1/2"	9"	8 + Tip	Α	5.2	\$99.99
NEW	SRTP-S-701H	Н	MF	7' 0"	UFR-II	15 - 30 lbs	1/2 - 2 oz	1-pcs	3"	10"	8 + Tip	Α	5.6	\$99.99
NEW	SRTP-S-761ML	ML	MF	7' 6"	UFR-II	6 - 17 lbs	1/4 - 1/2 oz	1-pcs	2-3/4"	8"	9 + Tip	Α	5.0	\$109.99
NEW	SRTP-S-761M	М	MF	7' 6"	UFR-II	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	2-3/4"	10"	9 + Tip	Α	5.2	\$109.99
NEW	SRTP-S-761MH	МН	MF	7' 6"	UFR-II	10 - 20 lbs	1/2 - 1-1/2 oz	1-pcs	2-3/4"	10"	9 + Tip	Α	5.4	\$109.99
NEW	SRTP-S-761H	Н	MF	7' 6"	UFR-II	15 - 30 lbs	1/2 - 2-1/2 oz	1-pcs	3"	10"	9 + Tip	Α	5.8	\$109.99

### RTF INSHORE


#### RTF INSHORE RODS FEATURE:

- Technique specific blanks built specifically for Texas inshore fishing
- Light and responsive 24/30-ton, low resin carbon rod blanks
- UFRII: Ultimate Flex Reinforced rod tip on Croaker models
- SeaGuide XO and XQ series angled 316 stainless steel guide frames
- Zirconium inserts offer compatibility for both braid and mono
- Customized Sea Guide skeleton reel seat with woven carbon
- Tapered cork full or split grip configuration depending on model
- All models feature a precision placed stainless steel hook keeper
- RTF Inshore rods are backed by a 1-year limited warranty
- CR = Croaker Models



#### RTF INSHORE RODS

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Casting Rods										*MSRP in 20	21 catalog m	nay be subje	ect to change.
NEW	RTF-C-691ML	ML	MF	6' 9"	N/A	6 - 12 lbs	1/8 - 1/2 oz	1-pcs	3/4"	8"	8 + Tip	Α	N/A	\$119.99
NEW	RTF-C-691M	М	MF/F	6' 9"	N/A	6 - 12 lbs	1/4 - 3/4 oz	1-pcs	3/4"	8"	8 + Tip	Α	N/A	\$119.99
NEW	RTF-C-701ML-MF	ML	MF	7' 0"	N/A	6 - 12 lbs	1/8 - 1/2 oz	1-pcs	3/4"	9"	9 + Tip	Α	N/A	\$119.99
NEW	RTF-C-701M	М	MF	7' 0"	N/A	6 - 12 lbs	1/4 - 3/4 oz	1-pcs	3/4"	9"	8 + Tip	Α	N/A	\$119.99
NEW	RTF-C-701MH	МН	MF	7' 0"	N/A	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	3/4"	9"	8 + Tip	Α	N/A	\$119.99
NEW	RTF-C-761MH	МН	MF	7' 0"	N/A	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	1"	9"	9 + Tip	Α	N/A	\$119.99
NEW	RTF-C-701M-CR	М	MF	7' 0"	UFR-II	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	2"	9-1/2"	9 + Tip	В	N/A	\$119.99
	Spinning Rods													
NEW	RTF-S-761M-CR	М	MF	7' 6"	UFR-II	8 - 17 lbs	1/4 - 3/4 oz	1-pcs	2"	10-1/2"	8 + Tip	С	N/A	\$119.99




### SHADOW STALKER® GULF COAST SERIES

### **SHADOW STALKER RODS FEATURE:**

- Lightweight, sensitive graphite rod blanks
- ALPS Stainless steel double footed guide frames
- ALPS Zirconium oxide inserts for braided line
- EVA fore grip for reduced weight and feel
- EVA rear split grip reduces weight and improves balance
- Fuji reel seat with rubberized carbon finish
- All Shadow Stalker inshore rods are 1-pcs blank construction
- Stainless steel hook keepers on all models
- Shadow Stalker rods are backed by a limited lifetime warranty







**B** Spit EVA grips with C-40x skeleton trigger reel seat



Full EVA grips with C-40X skeleton spinning reel seat



 $\ensuremath{\ensuremath{\textbf{D}}}$  Full EVA grips with Fuji pipe reel seat



Full EVA grips with Fuji trigger reel seat

### SHADOW STALKER RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Inshore Spinning Ro	ods								*MSRF	o in 2021 cata	alog may be subj	ect to change.
SSG-S-701M	М	MF	7' 0"	8-17 lbs	3/8-1 oz	1-рс	2-3/8"	10"	8+Tip	Α	4.6	\$95.99
SSG-S-701MH	МН	MF/F	7' 0"	10-20 lbs	1/2-1-1/2	1-pc	2-1/2"	11"	8+Tip	Α	5.2	\$95.99
SSG-S-751M	М	MF	7' 5"	8-17 lbs	3/8-1 oz	1-pc	2-1/2"	10-5/8"	8+Tip	Α	4.9	\$95.99
SSG-S-751MH	МН	MF	7' 5"	10-20 lbs	1/2 - 1-1/2 oz	1-pc	3"	11-1/2"	8+Tip	Α	5.6	\$106.99
Inshore Spinning Ro	ods with Fu	II Grip										
SSG-S-701MH-FG	МН	MF/F	7' 0"	10-20 lbs	1/2-1-1/2 oz	1-pc	2-1/2"	11-1/4"	8+Tip	С	5.9	\$106.99
SSG-S-701H-FG	Н	MF	7' 0"	15-30 lbs	1/2-2 oz	1-pc	3"	9-5/8"	8+Tip	D	6.7	\$118.99
SSG-S-801H-FG	Н	MF	8' 0"	15 - 30 lbs	1/2 ~ 2	1-pc	5"	13-1/2"	8 + Tip	D	9.3	\$138.99
SSG-S-801XH-FG	XH	MF	8' 0"	15 - 40 lbs	3/4 ~ 3	1-pc	5"	13-1/2"	8 + Tip	D	10.3	\$138.99
Inshore Casting Ro	ds											
SSG-C-701MH	МН	MF	7' 0"	10-20 lbs	1/2-1-1/2 oz	1-рс	1-3/8"	9"	9+Tip	В	4.3	\$106.99
SSG-C-701XH-FG	XH	MF	7' 0"	15 - 40 lbs	3/4 ~ 3	1-рс	5-1/2"	12-3/4"	9 + Tip	Е	8.0	\$106.99



### EPIXOR

### **EPIXOR ROD FEATURES:**

- Lightweight and responsive 24-ton carbon rod blanks
- SeaGuide deep press stainless steel frames with Titanium oxide inserts
- Premium Fuji DPS reel seat for maximum reel support
- Durable and comfortable cork fore and rear grips on all models
- Features a stainless-steel hook keeper on all rod models
- EPIXOR rods are backed by a 1-year limited warranty



A Full cork fore and rear grips with Fuji pipe reel seat



**B** Full cork fore and rear grips with Fuji trigger reel seat

### **EPIXOR RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP	in 2021 cata	alog may be subje	ect to change.
EPi-C-661M	М	MF	6' 6"	8-12 lbs	1/2 - 1 oz	1-pcs	2-1/4"	9"	9 + Tip	В	4.6	\$74.99
EPi-C-661MH	МН	MF	6' 6"	12-20 lbs	1/2 - 1-1/2 oz	1-pcs	2-1/4"	9"	9 + Tip	В	4.7	\$74.99
EPi-C-701MH	МН	MF	7' 0"	12-20 lbs	1/2 - 1-1/2 oz	1-pcs	3"	9-1/2"	9 + Tip	В	5.4	\$74.99
EPi-C-701H	Н	MF	7' 0"	15-30 lbs	3/4 - 3 oz	1-pcs	3-1/4"	10"	9 + Tip	В	5.5	\$79.99
Spinning Rods												
EPi-S-701H	Н	MF	7' 0"	15-30 lbs	1/2 - 2 oz	1-pcs	3"	10"	7 + Tip	Α	5.5	\$74.99
EPi-S-701ML	ML	MF	7' 0"	6-10 lbs	1/4 - 1/2 oz	1-pcs	2-1/4"	9"	7 + Tip	Α	4.2	\$74.99
EPi-S-701M	М	MF	7' 0"	8-12 lbs	3/8 - 3/4 oz	1-pcs	2-1/4"	9"	7 + Tip	Α	4.6	\$74.99
EPi-S-701MH	МН	MF	7' 0"	12-15 lbs	3/8-1 oz	1-pcs	2-1/4"	9"	7 + Tip	Α	4.8	\$79.99
EPi-S-761ML	ML	MF	7' 6"	6-10 lbs	1/4 - 1/2 oz	1-pcs	2-1/4"	9-3/4"	7 + Tip	Α	4.3	\$74.99
EPi-S-761M	М	MF	7' 6"	8-12 lbs	3/8 -3/4 oz	1-pcs	2-1/4"	9-3/4"	7 + Tip	Α	4.9	\$74.99
EPi-S-761MH	МН	MF	7' 6"	12-15 lbs	3/8 - 1 oz	1-pcs	2-1/4"	9-3/4"	7 + Tip	Α	5.1	\$79.99
EPi-S-761H	Н	MF	7' 6"	15-30 lbs	1/2 - 2-1/2 oz	1-pcs	3"	10-1/2"	8 + Tip	Α	5.8	\$79.99



### Ceymar INSHORE

### **CEYMAR INSHORE ROD FEATURES:**


- Lightweight and responsive 24-ton carbon rod blanks
- UFR: Ultimate Flex Reinforced rod tip technology
- Stainless steel guides with titanium oxide inserts
- Neo cork full rear grip and fore grip design
- Stainless steel hook keeper om all models
- Ceymar Inshore rods are backed by a 1-year limited warranty



**B** Full Neo cork fore and rear grips with pipe reel seat

### **CEYMAR INSHORE RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 cata	alog may be subj	ect to change.
CMR-S-701ML	ML	MF	7' 0"	6 12 lbs	1/4 - 1/2 oz	1-pcs	2-1/2"	9"	7 + Tip	В	4.6	\$52.99
CMR-S-701M	М	MF	7' 0"	8 - 12 lbs	3/8 - 3/4 oz	1-pcs	2-1/2"	9"	7 + Tip	В	5.0	\$52.99
CMR-S-701MH	МН	MF	7' 0"	12 -15 lbs	3/8 - 1 oz	1-pcs	2-1/2"	9"	7 + Tip	В	5.1	\$52.99
Casting Rods												
CMR-C-661M	М	MF	6' 6"	8-12 lbs	3/8 - 3/4 oz	1-pcs	2-1/4"	9"	9 + Tip	Α	4.7	\$58.99
CMR-C-701MH	МН	MF	7' 0"	12-15 lbs	3/8 - 1 oz	1-pcs	3-1/2"	10"	9 + Tip	Α	5.3	\$58.99



### AXEON PRO **AXEON PRO RODS FEATURE:** - All models feature UFR tip technology - Boat rods feature durable E-glass rod blanks - Swimbait and Inshore feature composite rod blanks - EVA foam fore and rear grips on all models - Boat rods feature stainless steel welded guides - Swimbait and Inshore rods feature titanium oxide guide inserts - Axeon Pro rods are backed by a limited 1-year warranty A EVA fore and rear grips **B** EVA fore and rear grip with trigger reel seat

### **AXEON PRO RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 cata	log may be subje	ct to chang
AXP-S-701M	М	MF	7' 0"	15 ~ 30 lbs	N/A	1-pcs	9-1/2"	13-1/2"	7 + Tip	Α	7.6	\$84.99
AXP-S-701MH	МН	MF	7' 0"	20 ~ 40 lbs	N/A	1-pcs	9-1/2"	13-1/2"	7 + Tip	Α	8.0	\$84.99
Casting Rods												
AXP-C-701M	М	MF	7' 0"	15 ~ 30 lbs	N/A	1-pcs	9-1/2"	13-1/2"	8 + Tip	Α	7.0	\$84.99
AXP-C-701MH	МН	MF	7' 0"	20 ~ 40 lbs	N/A	1-pcs	9-1/2"	13-1/2"	8 + Tip	Α	7.3	\$84.99
AXP-C-701H	Н	MF	7' 0"	30 ~ 50 lbs	N/A	1-pcs	9-1/2"	13-1/2"	8 + Tip	Α	8.0	\$84.99
AXP-C-701XH	XH	MF	7' 0"	40 ~ 60 lbs	N/A	1-pcs	9-1/2"	13-1/2"	8 + Tip	Α	8.0	\$84.99
AXPi-C-801XH	XH	MF/F	8' 0"	20 ~ 40 lbs	1-1/2 ~ 4-1/2	1-pcs	90	365	10 + Tip	В	8.0	\$84.99
AXPSB-C-7111XH	XH	F	7' 11"	15 ~ 40 lbs	2~10	1-pcs	90	365	10 + Tip	В	8.0	\$84.99

### CORTEZ

#### **CORTEZ SABIKI RODS FEATURE:**


- 24-ton carbon blank construction
- Specially designed bait rods for use with Sabiki's rigs
- Internal blank design allows hooks to travel in the blank
- Design allows anglers to re-use Sabiki bait catching rigs
- Custom rounded tip prevents hooks from catching
- Durable, non-slip rubber shrink tube grips
- Non-skid, rubber gimbals on all models
- Cushioned stainless steel hooded reel seat
- 2-pcs blank design butted in handle for transportation
- CORTEZ rods backed by a 1-year limited warranty

• Detachable butt section with shrink tube fore and rear grips

### **CORTEZ SABIKI RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP i	n 2021 catal	log may be subje	ct to change.
CZ-C-732SBK	М	М	7' 3"	15 - 30 lbs	N/A	2-pcs	4-3/4"	11"	1 + Tip	С	N/A	\$69.99
Spinning Rods												
CZ-S-732SBK	М	М	7' 3"	15 - 30 lbs	N/A	2-pcs	4-3/4"	11"	1 + Tip	С	N/A	\$69.99

RECORD CHA



### Cork bull with EVA loregi

BATTLE CA	AT ROD	S										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRF	o in 2021 cata	alog may be subj	ect to change.
BC-C-762H	Н	MF	7' 6"	15-60lbs	1-8oz	2-pcs	6"	13"	9 + Tip	Α	17.0	\$129.99
BC-C-802H	Н	MF	8' 0"	15-60lbs	1-8oz	2-pcs	6"	13"	9 + Tip	Α	17.4	\$129.99
Spinning Rods												
BC-S-762H	Н	MF	7' 6"	15-60lbs	1-8oz	2-pcs	6"	13"	7 + Tip	Α	16.8	\$129.99
BC-S-802H	Н	MF	8' 0"	15-60lbs	1-8oz	2-pcs	6"	13"	8 + Tip	Α	16.8	\$129.99
BC-S-1002H	Н	MF	10' 0"	15-60lbs	1-8oz	2-pcs	8-5/8"	16"	9 + Tip	Α	19.7	\$154.99

### **RECORD CHASER**

### **RECORD CHASER ROD FEATURES:**

- Rod tapers specifically developed for trophy Catfish and Gar fishing
- Signature series rods developed with world record holder Kirk Kirkland
- 24-Ton carbon blanks for responsiveness, power and durability
- UFR: Ultimate Flex reinforcement rod tip technology
- Full camo tapered EVA foam grips for durability and comfort
- Stainless steel welded tip guide to avoid popping inserts
- Stainless steel deep press guide frames with titanium oxide inserts
- 2-pcs rod blanks with tip over butt construction for improved strength
- Record Chaser rods are backed by a 1-year limited warranty

The Record Chaser rod series was developed and tested in conjunction with Okuma product tester Kirk Kirkland. Kirk has made a name for himself targeting big fish and is one of the top IGFA record holders in the world. The techniques and various stresses placed on a fishing rod when targeting large Catfish, Alligator Gar, Paddlefish and ever Sturgeon are all very similar. When we set out to build the perfect rod for targeting these species, we wanted to consult with the best, which is why we went directly to Okuma staffer Kirk Kirkland. Not only does Kirk target giant Gar, more importantly he guides for a living and the tackle he uses must hold up to the demanding pressures, because it helps support his livelihood.





### **RECORD CHASER "CATFISH / ALLIGATOR GAR"**


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	o in 2021 cat	alog may be subj	ect to change.
RC-S-762MH	МН	MF	7' 6"	12 - 30 lbs	1 - 4 oz	2-pcs	6"	13-3/4"	7 + Tip	Α	12.4	\$85.99
RC-S-802MH	МН	MF	8' 0"	12 - 30 lbs	1 - 4 oz	2-pcs	6"	13-3/4"	7 + Tip	Α	13.0	\$89.99
RC-S-902MH	МН	MF	9' 0"	12 - 30 lbs	1 - 5 oz	2-pcs	6"	13-3/4"	8 + Tip	Α	13.5	\$94.99
RC-S-1002H	Н	MF	10' 0"	20 - 40 lbs	2 - 6 oz	2-pcs	8"	16"	9 + Tip	Α	15.6	\$101.99

136 Okuma Catalog 2021 137



### **HAWAIIAN CUSTOM ROD FEATURES:**

- Split butt design to reduce weight and improve balance
- Features ALPS-316 grade stainless steel guide frames
- Zirconium guide inserts for braided or monofilament lines
- Specialized TPE foam material on fore and rear grip for durability
- All rods feature a 3K metal woven material for custom look
- 1-year warranty on all Hawaiian Custom rods



### **HAWAIIAN CUSTOM RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Whipping Rods												
HWA-S-862MHa	МН	M/MF	8' 6"	10-20 lbs	3/8-1-1/2 oz	2-pcs	3"	12"	8 + Tip	А	6.5	\$117.99
HWA-S-902Ma	М	M/MF	9' 0"	8-17 lbs	3/8-1 oz	2-pcs	3"	13"	9 + Tip	А	6.7	\$127.99
HWA-S-902MHa	МН	M/MF	9' 0"	10-20 lbs	3/8-1-1/2 oz	2-pcs	3"	13"	9 + Tip	А	6.9	\$127.99
HWA-S-1402MHa	МН	M/MF	14' 0"	12-25 lbs	1/2-1-3/4 oz	2-pcs	5"	21-1/2"	13 + Tip	А	16.0	\$159.99
Special Edition Whipping	g Rods											
HWA-S-902Ma-LE	М	M/MF	9' 0"	8-17 lbs	3/8-1 oz	2-pcs	3"	13"	9 + Tip	А	6.5	\$127.99
HWA-S-902MHa-LE	МН	M/MF	9' 0"	10-20 lbs	3/8-1-1/2 oz	2-pcs	3"	13"	9 + Tip	А	6.7	\$127.99
Menpachi Rods												
HWM-S-1072-MHa	МН	M/MF	10' 7"	8-20 lbs	1/2-2 oz	2-pcs	4"	16"	10 + Tip	А	9.6	\$127.99
HWM-S-1202MHa	МН	M/MF	12' 0"	8-20 lbs	1/2-2oz	2-pcs	4"	18-1/2"	11 + Tip	А	11.8	\$138.99
HWM-S-1302MHa	МН	M/MF	13' 0"	8-20lbs	1/2-2 oz	2-pcs	4"	18-1/2"	12 + Tip	А	11.6	\$149.99
Shoreline Plugger Rods												
HSP-S-962Ma	М	MF	9' 6"	30-65 lbs	30-160 gr	2-pcs	5-1/2"	20"	8 + Tip	С	11.3	\$149.99
Ulua Rods												
HWU-C-1302MHa	МН	MF	13' 0"	50-60 lbs	7-10 oz	2-pcs	6-3/4"	36-1/2"	7 + Tip	В	29.9	\$199.99
HWU-C-1302Ha	Н	MF	13' 0"	50-60 lbs	9-12 oz	2-pcs	6-3/4"	36-1/2"	7 + Tip	В	36.1	\$199.99
HWU-C-1302MHb	МН	MF	13' 0"	50 - 60 lbs	7 - 10 oz	2-pcs	6-3/4"	36-1/2"	7 + Tip	D	29.7	\$212.99
HWU-C-1302Hb	Н	MF	13' 0"	50 - 80 lbs	9 - 12 oz	2-pcs	6-3/4"	36-1/2"	7 + Tip	D	37.6	\$212.99

\*MSRP in 2021 catalog may be subject to change.



#### **HAWAIIAN CUSTOM POPPING RODS FEATURES:**

- Light and responsive 24/30-Ton, low resin carbon rod blanks
- 70/30 rod blank design, 2-pcs construction butted in foregrip
- Premium Fuji reel seat for maximum reliability
- Fuji K-concept double foot guide frames, help reduce tangles
- Fuji Alconite guide inserts for abrasion resistance
- Oversized guide sizing allows for improved knot clearance while casting
- 2-pcs blank aides in transportation, but offers max power, based on ferrule location
- Tapered TPE foregrip with TPE rear split grips for reduced weight and balance
- Hawaiian Custom Jigging rods are backed by a 1-year limited warranty

### **HAWAIIAN CUSTOM JIGGING RODS FEATURES:**

- Light and responsive 24-Ton, low resin rod blanks
- Fuji K-concept guide frames, help reduce tangles
- Fuji Alconite guide inserts for abrasion resistance
- Fuji screw down reel seat with no exposed threads
- Custom designed hard EVA floating foregrip
- Tapered TPE rear split grip for reduced weight and balance
- Hawaiian Custom Jigging rods are backed by a 1-year limited warranty



A TPE/Compressed cork rear spllit grip with Fuji pipe reel seat



B TPE split rear grip with TPE screwdown foregrip and Fuji trigger reel seat






### HAWAIIAN CUSTOM POPPING/JIGGING RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Hawaiian Custom	Popping Rods											
HWP-S-832MHa	MH	M/MF	8' 3"	30-65 lbs	30-160 gr	2-pcs	6-1/2"	18"	6 + Tip	Α	13.5	\$266.99
HWP-S-832Ha	Н	M/MF	8' 3"	50-100 lbs	90-200 gr	2-pcs	5-1/2"	18"	6 + Tip	Α	14.4	\$266.99
Hawaiian Custom	Slow Jigging Ro	ods										
HCSJ-C-631M	М	М	6' 3"	PE: 3-4	60 - 120 gr	1-pcs	4"	16-1/4"	8 + Tip	В	6.0	\$212.99
HCSJ-C-631MH	MH	М	6' 3"	PE: 4-5	100-160 gr	1-pcs	4"	16-1/4"	8 + Tip	В	6.8	\$212.99
HCSJ-C-631H	Н	М	6' 3"	PE: 4-5	120-250 gr	1-pcs	4"	16-1/4"	8 + Tip	В	7.4	\$212.99
HCSJ-S-631M	М	М	6' 3"	PE: 3-4	60 - 120 gr	1-pcs	4-1/4"	16-1/4"	6 + Tip	С	6.0	\$212.99
HCSJ-S-631MH	MH	М	6' 3"	PE: 4-5	100-160 gr	1-pcs	4-1/4"	16-1/4"	6 + Tip	С	6.8	\$212.99
HCSJ-S-631H	Н	М	6' 3"	PE: 4-5	120-250 gr	1-pcs	4-1/4"	16-1/4"	6 + Tip	С	7.8	\$212.99
Hawaii Custom Tu	na Trolling Rod	ls										
HCS-TRB-581-50	N/A	MF/F	5' 8"	50-lbs	N/A	2-pcs	10"	21.5"	3 rollers + Swivel Tip	D	40.6	\$469.99
HCS-TRB-591-80	N/A	MF/F	5' 9"	80-lbs	N/A	2-pcs	10"	21.5"	3 rollers + Swivel Tip	D	48.0	\$499.99

\*MSRP in 2021 catalog may be subject to change.



**HCS CUSTOM SURF RODS** 

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Spinning Rods									*MSRP	in 2021 cat	alog may be subj	ect to change.
NEW	HCS-S-1333XH	XH	MF	13' 3"	20 - 50 lbs	120 - 250 gr	3-pcs	5-1/2"	26-1/2"	5 + Tip	Α	18.8	\$299.99
NEW	HCS-S-1423XH	XH	MF	14' 2"	20 - 50 lbs	120 - 250 gr	3-pcs	5-1/2"	26-1/2"	6 + Tip	Α	20.6	\$319.99



- Tip over butt ferrule connection for maximum strength and durability
- Machined tapered hood transitions above and below reel seat
- Low profile butt cap design for unobstructed fishing
- All Cedros Surf rods are 2-pcs blank construction
- Cedros Surf CSX rods are backed by a limited lifetime warranty

 ${\bf A}$  Rubber shrink tube handle with carbon fiber pipe  $\,$  reel seat

### **CEDROS SURF CSX RODS**

Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
nning Rods *MSRP in 2021 catalog may be subject to chang											ject to change.
MH	MF	9' 0"	20~50 lbs	2~4	2-pcs	7-1/4"	19"	6 + Tip	А	10.2	\$159.99
М	MF	10' 0"	14~40 lbs	1-1/2~3	2-pcs	7-1/4"	19"	7 + Tip	А	10.9	\$169.99
МН	MF	10' 0"	20~50 lbs	2~5	2-pcs	7-1/4"	19"	7 + Tip	А	11.1	\$169.99
Н	MF	10' 0"	30~65 lbs	3~8	2-pcs	7-1/4"	19"	7 + Tip	А	11.7	\$169.99
М	MF	10' 6"	20~50 lbs	2~4	2-pcs	8"	19-3/4"	7 + Tip	А	11.8	\$179.99
МН	MF	11' 0"	30~50 lbs	2~5	2-pcs	8-1/2"	23-3/4"	7 + Tip	Α	12.7	\$179.99
	MH M MH H	MH MF M MF MH MF M MF MH MF M MF M MF	MH MF 9' 0"  M MF 10' 0"  MH MF 10' 0"  H MF 10' 0"  H MF 10' 6"	MH MF 9' 0" 20~50 lbs  M MF 10' 0" 14~40 lbs  MH MF 10' 0" 20~50 lbs  M MF 10' 0" 20~50 lbs  M MF 10' 0" 20~50 lbs  M MF 10' 0" 30~65 lbs  M MF 10' 6" 20~50 lbs	MH         MF         9' 0"         20~50 lbs         2~4           M         MF         10' 0"         14~40 lbs         1-1/2~3           MH         MF         10' 0"         20~50 lbs         2~5           H         MF         10' 0"         30~65 lbs         3~8           M         MF         10' 6"         20~50 lbs         2~4	MH         MF         9' 0"         20~50 lbs         2~4         2-pcs           M         MF         10' 0"         14~40 lbs         1-1/2~3         2-pcs           MH         MF         10' 0"         20~50 lbs         2~5         2-pcs           H         MF         10' 0"         30~65 lbs         3~8         2-pcs           M         MF         10' 6"         20~50 lbs         2~4         2-pcs	MH         MF         9' 0"         20~50 lbs         2-4         2-pcs         7-1/4"           M         MF         10' 0"         14~40 lbs         1-1/2~3         2-pcs         7-1/4"           MH         MF         10' 0"         20~50 lbs         2-5         2-pcs         7-1/4"           H         MF         10' 0"         30~65 lbs         3~8         2-pcs         7-1/4"           M         MF         10' 6"         20~50 lbs         2-4         2-pcs         8"	MH         MF         9' 0"         20~50 lbs         2~4         2-pcs         7-1/4"         19"           M         MF         10' 0"         14~40 lbs         1-1/2~3         2-pcs         7-1/4"         19"           MH         MF         10' 0"         20~50 lbs         2~5         2-pcs         7-1/4"         19"           MH         MF         10' 0"         20~50 lbs         2~5         2-pcs         7-1/4"         19"           H         MF         10' 0"         30~65 lbs         3~8         2-pcs         7-1/4"         19"           M         MF         10' 6"         20~50 lbs         2~4         2-pcs         8"         19-3/4"	MH         MF         9' 0"         20~50 lbs         2~4         2-pcs         7-1/4"         19"         6 + Tip           MH         MF         10' 0"         14~40 lbs         1-1/2~3         2-pcs         7-1/4"         19"         7 + Tip           MH         MF         10' 0"         20~50 lbs         2~5         2-pcs         7-1/4"         19"         7 + Tip           H         MF         10' 0"         30~65 lbs         3~8         2-pcs         7-1/4"         19"         7 + Tip           M         MF         10' 6"         20~50 lbs         2~4         2-pcs         8"         19-3/4"         7 + Tip	Rod Power         Taper         Length         Weight         Weight         Sections         length         length         Guides         Style           *MSRP in 2021 catalogo         *	MH         MF         10'0"         20~50 lbs         2~4         2-pcs         7-1/4"         19"         6 + Tip         A         10.2           MH         MF         10'0"         14~40 lbs         1-1/2~3         2-pcs         7-1/4"         19"         7 + Tip         A         10.9           MH         MF         10'0"         20~50 lbs         2~5         2-pcs         7-1/4"         19"         7 + Tip         A         11.1           H         MF         10'0"         30~65 lbs         3~8         2-pcs         7-1/4"         19"         7 + Tip         A         11.7           M         MF         10'6"         20~50 lbs         2~4         2-pcs         8"         19-3/4"         7 + Tip         A         11.8



## ROCKAWAY **SURF HD RODS**

#### **ROCKAWAY SURF HD RODS FEATURE:**

- Light and responsive 24/30-ton, low resin carbon rod blanks
- UFRII: Ultimate Flex Reinforced rod tip technology
- Tip over butt ferrule connection for improved balance and feel
- 70/30 blank configuration allows improved loading for casting
- SeaGuide XQH series angled 316 stainless steel guide frames
- Zirconium inserts offer compatibility for both braid and mono
- Okuma double locking reel seat with stainless steel hoods
- Minimal grip design with textured shrink tube fore and rear grip
- Rockaway HD Surf rods are backed by a 1-year limited warranty



A Non slip X-pattern shrink tube grips with double locking reel seat

#### **ROCKAWAY SURF HD**

	Model	Rod Power	Rod Taper	Rod Length	UFR / UMR Tip	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Spinning Rods										*MSRP in 20	021 catalog i	may be subj	ject to change.
NEW	RHD-S-902M	М	MF/F	9' 0"	UFR-II	10 - 20 lbs	1 - 4 oz	2-pcs	5-1/4"	18-3/4"	6 + Tip	Α	9.0	\$119.99
NEW	RHD-S-962MH	МН	MF/F	9' 6"	UFR-II	12 - 25 lbs	2 - 6 oz	2-pcs	5-1/4"	18-3/4"	6 + Tip	Α	10.4	\$119.99
NEW	RHD-S-1062M	М	MF/F	10' 6"	UFR-II	10 - 20 lbs	1 - 4 oz	2-pcs	5-1/4"	18-3/4"	7 + Tip	Α	11.0	\$129.99
NEW	RHD-S-1062MH	МН	MF/F	10' 6"	UFR-II	12 - 25 lbs	2 - 6 lbs	2-pcs	5-1/4"	18-3/4"	7 + Tip	Α	11.6	\$129.99
NEW	RHD-S-1102MH	МН	MF/F	11' 0"	UFR-II	15 - 40 lbs	3 - 8 oz	2-pcs	5-1/4"	18-3/4"	7 + Tip	Α	12.6	\$139.99
NEW	RHD-S-1202H	Н	MF/F	12' 0"	UFR-II	20 - 60 lbs	6 - 16 oz	2-pcs	5-1/4"	18-3/4"	7 + Tip	Α	15.2	\$139.99

ROCKAWAY

#### **ROCKAWAY SURF RODS FEATURE:**

- Extremely lightweight and responsive 24-ton carbon rod blanks
- UFR-II: Ultimate Flex Reinforcement rod tip technology
- Tip over butt ferrule connection for improved balance
- XQ series angled Sea Guide 316-Stainless steel frames
- Zirconium inserts offer compatibility for both braid and mono
- Tapered shrink tube grips for non-slip surface and durability
- Rounded EVA butt cap for improved leverage while casting
- Rockaway surf rods are backed by a 1-year limited warranty

A Shrink and EVA fore and rear grips with pipe reel seat

#### **ROCKAWAY SURF RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 cata	log may be subje	ect to change.
RA-S-802M	М	MF	8' 0"	10-17 lbs	1/2 - 1-1/2 oz	2-pcs	5-1/2"	19"	5 + Tip	Α	7.5	\$106.99
RA-S-802MH	МН	MF	8' 0"	12-20 lbs	3/4 - 2 oz	2-pcs	5-1/2"	19"	5 + Tip	Α	7.4	\$106.99
RA-S-902M	М	MF	9' 0"	10-17 lbs	1/2 - 1-1/2 oz	2-pcs	5-1/2"	19"	5 + Tip	Α	8.1	\$106.99
RA-S-902MH	МН	MF	9' 0"	12-20 lbs	3/4 - 2 oz	2-pcs	5-1/2"	19"	5 + Tip	Α	8.2	\$106.99
RA-S-1002ML	ML	MF	10' 0"	8-17 lbs	1/2-2 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	8.9	\$106.99
RA-S-1002M	М	MF	10' 0"	10-20 lbs	3/4-3 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	9.1	\$106.99
RA-S-1002MH	МН	М	10' 0"	12-25 lbs	1-4 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	9.2	\$112.99
RA-S-1102ML	ML	MF	11' 0"	8-17 lbs	1/2-2 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	9.8	\$116.99
RA-S-1102M	М	MF	11' 0"	10-20 lbs	3/4-3 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	10.6	\$116.99
RA-S-1202M	М	MF	12' 0"	10-20 lbs	3/4-3 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	11.0	\$122.99
RA-S-1202MH	МН	М	12' 0"	12-25 lbs	1-4 oz	2-pcs	5-1/2"	21"	6 + Tip	Α	11.6	\$122.99



A Minimal grip design with EVA rear grip and spinning reel seat

#### **ROCKAWAY SURF SD**

	Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	Spinning Rods									*MSRP in 20	21 catalog n	nay be subje	ct to change.
NEW	RSP-S-862ML	ML	MF	8' 6"	6 - 12 lbs	3/16 - 1/2 oz	2-pcs	0"	12-1/2"	7 + Tip	Α	4.0	\$99.99
NEW	RSP-S-862M	М	MF	8' 6"	8 - 17 lbs	1/4 - 5/8 oz	2-pcs	0"	12-1/2"	7 + Tip	Α	4.4	\$99.99



#### **SOLARIS SURF RODS FEATURE:**

- 24-ton carbon rod blanks for responsiveness, power and durability
- SeaGuide deep press stainless steel frames with aluminum oxide inserts
- Fuji DPS pipe reel seat with stainless steel cushioned hoods
- Non slip designed cork tape wrapped fore and rear grips
- Soft-touch EVA cushions above and below the reel seat
- 2-pcs rod blank construction on all models for easy transportation
- Solaris Surf rods are backed by a 1-year limited warranty



A Cork tape with Fuji reel seat

#### **SOLARIS SURF RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP	in 2021 catalo	g may be sub	ject to change.
SS-C-1002H-1	Н	F	10' 0"	20~40 lbs	3~8	2-pcs	7-1/2"	22-7/8"	6 + Tip	А	21.2	\$106.99
SS-C-1102H-1	Н	F	11' 0"	20~40 lbs	3~8	2-pcs	7-1/4"	25-1/4"	7 + Tip	Α	25.8	\$106.99
Spinning Rods												
SS-S-902M-1	М	F	9' 0"	15~30 lbs	2~6	2-pcs	7"	20"	6 + Tip	А	12.9	\$95.99
SS-S-1002MH-1	МН	F	10' 0"	20~40 lbs	3~8	2-pcs	7"	22"	5 + Tip	А	22.0	\$116.99
SS-S-1202MH-1	MH	MF/F	12' 0"	20~40 lbs	3~8	2-pcs	9-1/2"	26"	6 + Tip	Α	21.4	\$139.99



A Split EVA rear and foregrip with pipe reel seat

#### **NESIKA SURF RODS**

IAFDIIVY 20		כטי										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 catal	og may be sub	ject to change.
NSK-S-902M	М	MF	9' 0"	10-17 lbs	1/2-1-1/2 oz	2-pcs	5-/2"	19"	5 + Tip	Α	7.0	\$79.99
NSK-S-902MH	МН	MF	9' 0"	12-20 lbs	3/4-2 oz	2-pcs	5-/2"	19"	5 + Tip	А	7.4	\$79.99
NSK-S-1002M	М	MF	10' 0"	10-20 lbs	3/4-3 oz	2-pcs	5-/2"	21"	6 + Tip	Α	8.3	\$79.99
NSK-S-1002MH	МН	MF	10' 0"	12-25 lbs	1-4 oz	2-pcs	5-/2"	21"	6 + Tip	Α	8.4	\$79.99
NSK-S-1202M	М	MF	12' 0"	10-20 lbs	3/4-3 oz	2-pcs	5-/2"	21"	6 + Tip	Α	10.5	\$89.99
NSK-S-1202MH	МН	MF	12' 0"	12-25 lbs	1-4 oz	2-pcs	5-/2"	21"	6 + Tip	Α	11.2	\$89.99

## **LONGITUDE**

#### **LONGITUDE SURF RODS FEATURE:**

- Sensitive graphite composite blank
- Aluminum oxide guide inserts
- Double footed stainless steel guide frames
- Stainless steel hooded reel seats
- Cork wrapped non slip fore and rear grips
- Soft-touch EVA cushions above and below reel seat
- Pac Bay rubber butt cap
- Longitude Surf rods are backed by a limited 1-year warranty





#### LONGITUDE SURF RODS

	00100											
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods									*MSRP	in 2021 catalo	og may be sub	ject to change.
LC-C-902H-1	Н	MF/F	9' 0"	15~40 lbs	1~4	2-pcs	7"	19-1/4"	6 + Tip	Α	14.8	\$64.99
LC-C-1202H-1	Н	F	12' 0"	20~40 lbs	3~8	2-pcs	9-1/2"	25-1/2"	6 + Tip	Α	28.8	\$89.99
Spinning Rods												
LC-S-802M-1	М	MF	8' 0"	15~30 lbs	1/2~3	2-pcs	5-1/8"	17-1/4"	5 + Tip	Α	10.8	\$52.99
LC-S-902H-1	Н	MF/F	9' 0"	15~40 lbs	3~6	2-pcs	7"	19-1/4"	6 + Tip	Α	18.0	\$64.99
LC-S-1002H-1	Н	F	10' 0"	20~40 lbs	3~8	2-pcs	7-1/8"	22-1/8"	6 + Tip	Α	21.6	\$74.99
LC-S-1102H-1	Н	F	11' 0"	20~40 lbs	3~8	2-pcs	7-1/2"	25"	6 + Tip	Α	26.8	\$79.99
LC-S-1202H-1	Н	F	12' 0"	20~40 lbs	3~8	2-pcs	9-1/2"	25-1/2"	6 + Tip	Α	30.6	\$89.99

- 3 pcs blank construction on 13-and 15-fit. models
- Reinforced double footed guide on all models
- 13- and 15-ft. rods feature a fold down stripper guide
- Comfortable EVA foam fore and rear grips
- 13- and 15-ft. rods feature a spilt butt grip configuration
- Durable rubber butt cap
- Tundra rods are backed by a 1-year limited warranty

#### **TUNDRA RODS**


Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP		
Spinning	pinning Rods *MSRP in 2021 catalog may be subject to change													
TU-70	М	M/MF	7' 0"	3 - 7 lbs	1/4 ~ 3/4	2-pcs	3-3/4"	11-3/4"	4 + Tip	Α	9.5	\$22.49		
TU-80	М	M/MF	8' 0"	5 - 9 lbs	1/2 ~ 1-1/2	2-pcs	4"	14-3/4"	5 + Tip	Α	10.8	\$24.49		
TU-100	МН	M/MF	10' 0"	5 - 11.5 lbs	3/4 ~ 2-1/2	2-pcs	4"	16-1/2"	5 + Tip	Α	20.8	\$31.99		
TU-120	МН	M/MF	12' 0"	5 - 14 lbs	1 ~ 5	2-pcs	4"	16-1/2"	6 + Tip	Α	27.1	\$36.49		
TU-130	МН	M/MF	13' 0"	5 - 14 lbs	2~6	3-pcs	4-1/4"	21-3/4"	4 + Tip	Α	31.8	\$41.59		
TU-150	МН	M/MF	15' 0"	5- 14 lbs	2~8	3-pcs	4-1/2"	22-1/4"	5 + Tip	Α	41.5	\$44.99		

## TUNDRA PRO

#### **TUNDRA PRO RODS FEATURE:**

- Durable and sensitive graphite composite rod blank
- UFR: Ultimate Flex Reinforcement rod tip technology
- Comfortable EVA fore and rear grip configuration
- 15'0" features a split EVA rear grip configuration
- All Tundra pro guides feature double foot construction
- Tip over butt ferrule connection on 12'0" and below
- Tundra Pro rods are backed by a 1-year limited warranty





#### **TUNDRA PRO RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Spinning Rods									*MSRP	in 2021 catal	og may be sub	ject to change.
TXP-S-702M	М	MF	7' 0"	10 - 20 lbs	1/2 ~ 2	2-pcs	3-3/4"	11-3/4"	4 + Tip	Α	7.7	\$42.59
TXP-S-802M	М	MF	8' 0"	10 - 25 lbs	3/4 ~ 2-1/2	2-pcs	4"	14-3/4"	5 + Tip	А	8.6	\$42.59
TXP-S-902MH	МН	MF	9' 0"	15 - 30 lbs	1 ~ 4	2-pcs	4"	15-3/4"	5 + Tip	А	11.9	\$47.99
TXP-S-1002MH	МН	MF	10' 0"	20 - 40 lbs	2~6	2-pcs	4"	16-1/2"	5 + Tip	А	16.7	\$47.99
TXP-S-1202MH	МН	MF	12' 0"	20 - 40 lbs	2~6	2-pcs	6-3/4"	16-1/2"	6 + Tip	Α	22.4	\$53.49
TXP-S-1503MH	МН	MF	15' 0"	20 - 40 lbs	2~8	3-pcs	4-1/4"	21-3/4"	6 + Tip	А	N/A	\$66.99



#### **COLD WATER ICE COMBOS**

- 1-pcs 24-ton carbon rod blank construction
- Split grip with cork and EVA design
- Custom reel seat allows improved sensitivity
- FG = non reel seat for customizing reel placement
- Stainless steel guide frames and inserts
- Clear tube for tackle shop display, no bag
- Backed by a limited 1-year warranty

#### **COLDWATER ICE COMBOS**

	Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
NEW	CWI-S-271MLa-C10	ML	27"	1-pcs	C-10	6BB+1RB	Spinning	210/2 (0.15), 110/4 (0.21), 70/6 (0.24)	No	\$114.99
NEW	CWI-S-301Ma-C10	М	30"	1-pcs	C-10	6BB+1RB	Spinning	210/2 (0.15), 110/4 (0.21), 70/6 (0.24)	No	\$114.99
NEW	CWI-S-321Ma-C10	М	32"	1-pcs	C-10	6BB+1RB	Spinning	210/2 (0.15), 110/4 (0.21), 70/6 (0.24)	No	\$114.99

\*MSRP in 2021 catalog may be subject to change.

# **Cold Water**Deadstick Combo

#### **COLDWATER DEADSTICK ICE COMBOS**

- 1-pcs 24-ton carbon rod blank construction
- Ceymar micro baitfeeder series spinning reel
- 7BB + 1RB bearing system for smoothness
- Multi-disc, oiled felt drag system
- 2-toned, machined aluminum spool
- FG = non reel seat for customizing reel placement
- Stainless steel guide frames and inserts
- Backed by a limited 1-year warranty

#### **COLDWATER DEADSTICK ICE COMBOS**

	Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
NEW	CDS-S-301MLFG-CBF1000	ML	7' 0"	1-pcs	CBF-1000	7BB+1RB	Spinning	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	No	\$134.99
NEW	CDS-S-301MFG-CBF1000	М	8' 0"	1-pcs	CBF-1000	7BB+1RB	Spinning	280/2 (0.15), 140/4 (0.21), 100/6 (0.24)	No	\$134.99

\*MSRP in 2021 catalog may be subject to change.





- Flat tip blanks allow for maximum sensitivity
- Premium cork and carbon grip configuration
- Colored rod tips to improve bite visibility
- Stainless steel guide fames and inserts
- PVC travel bag holds all 3 rods and handle
- Backed by a limited 1-year warranty





A Cork and carbon rear grip with cork/EVA foregrip



#### TRIO PRO ICE KIT

Model	Rod Power	Rod Taper	Rod Length	Sections			Number of Guides			MSRP
TRP-S-ICE-1	UL, L, ML	MF	24", 26", 28"	2-pcs	3/4"	1-1/2"	5 + Tip	Α	1.8/1.8/1.8	\$106.99

\*MSRP in 2021 catalog may be subject to change.

#### TRIO ICE FEATURE:

- 2-pcs blank design for transportation
- 3-different tip power sections with one grip
- Tubular glass rod blank for maximum durability
- Premium cork fore and rear grip configuration
- Colored rod tips to improve bite visibility
- Stainless steel guide fames and inserts
- Backed by a limited 1-year warranty



#### TRIO ICE KIT

Model	Rod Power	Rod Taper	Rod Length	Sections			Number of Guides			MSRP
TR-S-ICE-1	L/ML/M	MF	24", 26", 28"	2-pcs	3/4"	1-1/2"	5 + Tip	Α	1.6/1.8/1.8	\$63.99

\*MSRP in 2021 catalog may be subject to change.

# IZX - 1-pcs 24-ton carbon rod blank construction - Custom 3K woven carbon fiber grip design - FG = non reel seat for customizing reel placement - Orange colored rod tip for improved bite visibility - Fuji FazLite: Rugged inserts with smooth as silk performance - Fuji K-concept frame design improves performance

A Full carbon fiber grip, no reel seat

#### **ICX ICE RODS**

**ICX ICE RODS FEATURE:** 

- Backed by a limited 1-year warranty

	Model	Rod Power	Rod Taper	Rod Length	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
NEW	ICx-S-301ML-FG	ML	F	30"	1-pcs	0"	6-1/2"	5 + Tip	Α	1.8	\$84.99
NEW	ICx-S-321M-FG	М	F	32"	1-pcs	0"	6-1/2"	5 + Tip	Α	1.9	\$84.99
NEW	ICx-S-361MH-FG	MH	F	36"	1-pcs	0"	7-3/4"	5 + Tip	Α	2.2	\$84.99
NEW	ICx-S-401MH-FG	MH	F	40"	1-pcs	0"	7-3/4"	5 + Tip	Α	2.4	\$84.99

\*MSRP in 2021 catalog may be subject to change.

#### **COLD WATER ICE FEATURE:** - 1-pcs 24-ton carbon rod blank construction

Cold Water Ice

- Split grip with cork and EVA design
- Custom reel seat allows improved sensitivity
- FG = non reel seat for customizing reel placement
- Stainless steel guide frames and inserts
- Backed by a limited 1-year warranty



A Cork and EVA split grip with custom exposed blank reel seat



**B** Full cork grip with carbon insert, no reel seat

#### **COLDWATER ICE**

	Model	Rod Power	Rod Taper	Rod Length	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
	CWI-S-241UL	UL	F	24"	1-pcs	1"	4-1/4"	3 + Tip	Α	1.4	\$63.99
	CWI-S-251L	L	F	25"	1-pcs	1"	4-1/4"	3 + Tip	Α	1.4	\$63.99
NEW	CWI-S-271La	L	F	27"	1-pcs	1"	4-1/4"	3 + Tip	Α	1.5	\$63.99
	CWI-S-271ML	ML	F	27"	1-pcs	1"	4-1/4"	3 + Tip	Α	1.4	\$63.99
NEW	CWI-S-271MLa	ML	F	27"	1-pcs	1"	4-1/4"	3 + Tip	Α	1.6	\$63.99
	CWI-S-301M	M	F	30"	1-pcs	1"	4-1/4"	4 + Tip	Α	1.6	\$63.99
NEW	CWI-S-301MLa	ML	F	30"	1-pcs	1"	5-1/2"	3 + Tip	Α	1.6	\$63.99
NEW	CWI-S-301Ma	М	F	30"	1-pcs	1"	5-1/2"	3 + Tip	Α	1.6	\$63.99
	CWI-S-321MH	MH	F	32"	1-pcs	1"	4-1/4"	4 + Tip	Α	1.6	\$63.99
NEW	CWI-S-321Ma	М	F	32"	1-pcs	1"	5-1/2"	4 + Tip	Α	1.5	\$63.99
NEW	CWI-S-321M-FG	М	F	32"	1-pcs	0"	7-3/4"	4 + Tip	В	1.5	\$63.99
NEW	CWI-S-361MH-FG	MH	F	36"	1-pcs	0"	7-3/4"	4 + Tip	В	1.8	\$63.99
NEW	CWI-S-401MH-FG	MH	F	40"	1-pcs	0"	7-3/4"	4 + Tip	В	1.9	\$63.99

\*MSRP in 2021 catalog may be subject to change.



#### **COLDWATER DEADSTICK ICE RODS**

	Model	Rod Power	Rod Taper	Rod Length	Sections	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
NEW	CDS-S-301ML-FG	ML	F	30"	1-pcs	0"	7-3/4"	4 + Tip	Α	1.6	\$59.99
NEW	CDS-S-301M-FG	М	F	30"	1-pcs	0"	7-3/4"	4 + Tip	Α	1.7	\$59.99

\*MSRP in 2021 catalog may be subject to change.

#### **INSPIRA ICE**

Model	Rod Power	Rod Taper	Rod Length	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
ISXI-S-241UL	UL	MF	24"	1-pcs	3/4"	1-1/2"	5 + Tip	Α	1.8	\$63.99
ISXI-S-261L	L	MF	26"	1-pcs	3/4"	1-1/2"	5 + Tip	Α	1.8	\$63.99
ISXI-S-281ML	ML	MF	28"	1-pcs	3/4"	1-1/2"	5 + Tip	Α	1.8	\$63.99

\*MSRP in 2021 catalog may be subject to change.





**TRAVEL** 

Nothing inspires the senses like getting out and traveling to a new destination and fishing new waters. The thrill of discovery fills us all. Whether you are hiking to a high mountain lake to chase beautiful golden trout, tying on a big swimbait to try to catch a giant striped bass, or dropping back a live sardine in hopes of breaking the triple digit mark on a yellowfin tuna, Okuma has your travel gear needs covered. Our travel gear is designed to not only help you get to your hidden destination, but to land that fish of a lifetime.

156 Okuma Catalog 2021 Cokuma Catalog 2021 Cok

# NOMAD Travel Rods

#### **NOMAD TRAVEL RODS FEATURE:**

- Durable graphite rod blank with carbon outer wrap
- 3-section rod blank for easy break down while traveling
- 2-tip actions included per rod. (Example L/ML or M/MH)
- European spigot ferrule connection: Offers feel of a 1-pcs rod
- Protective travel bag with shoulder strap
- Zirconium guide inserts reduce friction from braided lines
- ALPS high-rise 316 stainless steel guide frames
- High-rise frames keep the line off the blank and fore grip
- ALPS pyramid shaped 2-tone anodized aluminum reel seat
- Pyramid reel seat is more ergonomic and offers more control
- Non slip grip above each ferrule connection for easy assembly
- Comfortable EVA foam fore and rear grips
- Machined aluminum, blue anodized gimbal
- Nomad Travel rods are backed by a limited lifetime warranty



#### NOMAD TRAVEL RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods								*MSRP	in 2021 catal	og may be sul	bject to change.
NT-C-663M-MH	M/MH	М	6' 6"	15~30 / 20~60	3+1 pcs	10-1/2"	12-1/2"	6 + Tip	А	17.4	\$212.99
NT-C-703L-ML	L/ML	М	7' 0"	10~20 / 12~30	3+1 pcs	12-3/4"	12-1/2"	6 + Tip	А	17.0	\$212.99
NT-C-703M-MH	M/MH	М	7' 0"	15~30 / 20~60	3+1 pcs	12-3/4"	12-1/2"	6 + Tip	А	18.8	\$212.99
Spinning Rods											
NT-S-703L-ML	L/ML	М	7' 0"	10~20 / 12~30	3+1 pcs	12-3/4"	12-1/2"	5 + Tip	Α	16.8	\$224.99
NT-S-703M-MH	M/MH	М	7' 0"	15~30 / 20~60	3+1 pcs	12-3/4"	12-1/2"	5 + Tip	Α	19.1	\$224.99

# NOMAD Inshore Travel Rods

#### NOMAD INSHORE TRAVEL RODS FEATURE:

- OC9 Technology: Durable graphite rod blank with carbon outer wrap
- 3-section rod blank for easy break down while traveling
- All models are 7'0" with inshore actions
- 2-tip actions included per rod. (Example ML/M or M/MH)
- European spigot ferrule connection: Offers feel of a 1-pcs rod
- Protective travel bag with shoulder strap
- Split-butt rear grip design
- ALPS stainless steel guides with Zirconium inserts
- ALPS 2-tone anodized aluminum reel seat
- ALPS machined aluminum trigger real seat on casting models
- Non slip grip above each ferrule connection for easy assembly
- Durable cork fore and rear grips
- Nomad Inshore Travel rods are backed by a limited lifetime warranty







(B) Cork split butt design with ALPS silver and blue trigger reel seat

#### NOMAD INSHORE TRAVEL RODS

	J •										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Rods								*MSRP in	2021 catalog	g may be sub	ject to change
NTi-C-703M-MH	M/MH	М	7' 0"	10~17 / 12~20	3+1 pcs	2"	10-1/2"	9 + Tip	В	6.9	\$179.99
Spinning Rods											
NTi-S-703ML-M	ML/M	М	7' 0"	6~15 / 10~17	3+1 pcs	2"	10-1/2"	6 + Tip	Α	7.0	\$179.99
NTi-S-703M-MH	M/MH	М	7' 0"	8~17 / 12~20	3+1 pcs	2"	10-1/2"	6 + Tip	Α	7.2	\$179.99




# TRAV

# NOMAD®XPRESS

#### **NOMAD XPRESS RODS FEATURE:**

- Durable graphite rod blank construction
- 3-section rod blank for easy break down while traveling
- European spigot ferrule connection: Offers feel of a 1-pcs rod
- Protective travel bag with shoulder strap
- Aluminum Oxide guide inserts
- Comfortable EVA foam fore and rear grips on boat rod models
- Cork rear split grip and cork fore grip on inshore models
- Non slip rubber gimbal on all boat models.
- Nomad xpress rods are backed by a 1-year limited warranty



#### **NOMAD XPRESS TRAVEL RODS**

**E** Split rear grip with pipe reel seat

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Casting Boat Rods								*MSRP in 2	2021 catalog	may be subj	ect to change.
NTx-C-703M	М	М	7' 0"	20 - 40 lbs	3-pcs	12-1/2"	12-1/2"	6 + Tip	Α	14.6	\$106.99
NTx-C-703MH	МН	М	7' 0"	30 - 60 lbs	3-pcs	12-1/2"	12-1/2"	6 + Tip	Α	14.8	\$106.99
NTxs-C-7114H	Н	MF	7' 11"	12-25 lbs	4-pcs	1-1/2"	14-1/2"	11 + Tip	D	9.1	\$127.99
NTxs-C-7114XH	XH	F	7' 11"	15-30 lbs	4-pcs	1-1/2"	14-1/2"	11 + Tip	D	9	\$127.99
Spinning Boat Rods											
NTx-S-703M	М	М	7' 0"	20 - 40 lbs	3-pcs	12-1/2"	12-1/2"	5 + Tip	Α	14.7	\$106.99
NTx-S-703MH	МН	М	7' 0"	30 - 60 lbs	3-pcs	12-1/2"	12-1/2"	5 + Tip	Α	14.9	\$106.99
Swimbait Rod											
NTX-S-7114H	Н	MF	7' 11"	12-25 lbs	4-pcs	3"	13-3/4"	7 + Tip	Е	10.5	\$119.99
NTX-S-7114XH	XH	F	7' 11"	15-30 lbs	4-pcs	3"	13-3/4"	7 + Tip	Е	10.8	\$119.99
Casting Inshore Rods											
NTxi-C-703MH	МН	М	7' 0"	10 - 20 lbs	3-pcs	2"	10-1/4"	6 + Tip	В	14.8	\$99.99
Spinning Inshore Rods	S										
NTxi-S-703ML	ML	М	7' 0"	8 -17 lbs	3-pcs	2"	10-1/4"	5 + Tip	С	14.7	\$106.99
NTxi-S-703MH	МН	М	7' 0"	10 - 20 lbs	3-pcs	2"	10-1/4"	5 + Tip	С	14.9	\$106.99



# NOMAD Surf

#### NOMAD SURF RODS FEATURE:

- OC-9 Technology: Durable graphite rod blank with carbon outer wrap
- Fuji K-concept guide frames for reduced wind knots with braided line
- Fuji Alconite guide inserts. Compatible for braided line
- Shrink tube foregrip and rear grips for maximum durability
- All Nomad Surf rods are 4-pcs construction for easy transportation
- Fuji DPS reel seat on all surf models for reduced weight
- European spigot ferrule connection: Offers feel of a 1-pcs rod
- Protective hard PVC tube for maximum protection on Surf rods
- Nomad Surf rods are backed by a 1-year limited warranty



#### NOMAD SURF TRAVEL RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Surf Rods									*MSRP	in 2021 cata	alog may be subj	ect to change.
NTS-S-904M	М	MF	9' 0"	10-25(M) / 20-40(B)	3/4 ~ 2	4-pcs	7-1/4"	19"	6 + Tip	Α	10.8	\$212.99
NTS-S-1004MH	МН	MF	10' 0"	15-30(M) / 30-50(B)	1 ~ 4	4-pcs	7-1/4"	19"	7 + Tip	Α	12.1	\$212.99
NTS-S-1004H	Н	MF	10'0"	17-40(M) / 30-65(B)	2~6	4-pcs	7-1/4"	19"	7 + Tip	Α	13.8	\$212.99

Okuma Catalog 2021 161

# SST TRAVEL

#### **SST TRAVEL RODS FEATURE:**

- Technique and species specific rod actions
- Sensitive IM-8 graphite rod blank construction
- Durable stainless steel guide frames
- Zirconium guide inserts reduce friction from braided lines
- Pipe reel seat with IM-6 graphite insert
- Premium fore and rear grips on all models
- Integrated compressed cork butt cap, non skid surface
- Stainless steel hook keeper
- All SST rods are backed by a 1-year limited warranty



#### **SST TRAVEL RODS**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Cork Gripped Trave	el Rods								*MSRP	in 2021 catal	og may be sub	ject to change.
SST-S-663L	L	M/MF	6' 6"	2~8 lbs	1/8-3/8"	3-pcs	2"	8"	6 + Tip	А	4.0	\$69.99
SST-S-763MH	МН	MF	7' 6"	10~20 lbs	3/8~1-1/2	3-pcs	2-3/8"	11"	7 + Tip	Α	5.7	\$99.99
SST-S-863MH	МН	MF	8' 6"	10~25 lbs	3/8~1-1/2	3-pcs	2-3/8"	11"	8 + Tip	Α	6.4	\$99.99
SST-S-1064M	М	MF	10' 6"	8~17 lbs	3/8~3/4	4-pcs	2-3/8"	11"	11 + Tip	Α	7.7	\$99.99
Carbon Gripped Tra	avel Rods											
SST-S-704ML-CG	ML	MF	7' 0"	6-12 lbs	1/8 - 3/8	4-pcs	2"	8-3/4"	7 + Tip	В	6.2	\$74.99
SST-S-704M-CG	М	MF	7' 0"	8-17 lbs	1/4 - 5/8	4-pcs	2"	8-3/4"	7 + Tip	В	6.6	\$74.99
SST Float Rods												
SST-S-1343FF	FR	М	13' 4"	6~12lbs	N/A	3-pcs	7-1/2"	9"	9 + Tip	С	N/A	\$119.99
SST-S-1343FR	FR	М	13' 4"	6~12lbs	N/A	3-pcs	N/A	20"	9 + Tip	D	N/A	\$119.99



- Pac Bay MINIMA reel seat for reduced weight
- Custom anodized aluminum reel seat threads for strength and balance
- Stainless steel hook keeper
- Citrix rods are backed by a limited lifetime warranty





Pac Bay MINIMA trigger reel seat

CITICIA IIV	AAFF I	CDJ										
Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Travel Casting Rod	S								*MSR	P in 2021 catal	og may be sub	ject to change
CIT-C-724M	М	F	7' 2"	8~17 lbs	1/4~5/8	4-pcs	N/A	10-1/2"	9 + Tip	В	4.4	\$126.99
Travel Spinning Ro	ds											
CIT-S-664ML	ML	F	6' 6"	6~12 lbs	1/8~3/8	4-pcs	N/A	8-3/4"	6 + Tip	А	4.0	\$126.99
CIT-S-724ML	ML	F	7' 2"	6~12 lbs	1/8~3/8	4-pcs	N/A	8-3/4"	7 + Tip	А	4.3	\$126.99
CIT-S-724M	М	F	7' 2"	8~17 lbs	1/4~5/8	4-pcs	N/A	8-3/4"	7 + Tip	Α	4.5	\$126.99

CITRIX TRAVEL RODS

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Travel Casting Ro	ds								*MSRI	P in 2021 catal	og may be sub	ject to change.
CIT-C-724M	М	F	7' 2"	8~17 lbs	1/4~5/8	4-pcs	N/A	10-1/2"	9 + Tip	В	4.4	\$126.99
Travel Spinning R	ods											
CIT-S-664ML	ML	F	6' 6"	6~12 lbs	1/8~3/8	4-pcs	N/A	8-3/4"	6 + Tip	Α	4.0	\$126.99
CIT-S-724ML	ML	F	7' 2"	6~12 lbs	1/8~3/8	4-pcs	N/A	8-3/4"	7 + Tip	А	4.3	\$126.99
CIT-S-724M	М	F	7' 2"	8~17 lbs	1/4~5/8	4-pcs	N/A	8-3/4"	7 + Tip	Α	4.5	\$126.99



# NOMMER

#### **VOYAGER SPINNING TRAVEL KIT FEATURES:**

- Convenient nylon travel bag
- Shock-resistant foam insert
- Adjustable shoulder strap
- 6'0" travel rod in ML action
- Travel rod breaks down into 5-pcs
- Spinning reel features 1BB
- Spinning reel capacity: 170/4, 110/6, 80/8
- Stainless steel hooded reel seat
- Machined aluminum, anodized spinning spool

Voyager: Travel pack for the discriminating angler.

# VOYAGER COMBOS

Model	Action	Length	Sections	Bearings	Reel Model	Guide Type	Line Capacity	MSRP
Spinning Co	mbos						*MSRP in 2021 catalog may be s	ubject to change.
VS-605-20	ML	6' 0"	5-pcs	1 BB	VS-20FT	Aluminum Oxide	170/4 (0.17), 100/6 (0.22), 80/8 (0.25)	\$49.99

## **NOMIGER EXPRESS**

#### **VOYAGER EXPRESS TRAVEL KIT COMBO FEATURES:**

- Composite rod blanks for durability
- 5-pcs breakdown for easy transportation
- "T" models represent full telescopic version
- Black and white camo EVA foam grips
- 1BB ball bearing drive for smoothness and durability
- CFR: Cyclonic Flow Rotor technology
- Multi-disc oil felt drag washers for ultimate smoothness
- Compact carry bag for hiking and storage
- Voyager Express combos are backed by a 1-year limited warranty



#### **VOYAGER EXPRESS KIT**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	MSRP
Spinning Combos								*MSRP in 2021 c	atalog may be s	ubject to change.
VSE-605ML-20	ML	MF	6' 0"	4 - 10 lbs	3/16-1/2 oz	5-pcs	1-3/4"	7-3/4"	4 + Tip	\$49.99
VSE-665M-30	М	MF	6' 6"	6 - 12 lbs	1/4-3/4 oz	5-pcs	1-3/4"	7-3/4"	4 + Tip	\$49.99
VSE-601ML-20-T	ML	MF	6' 0"	4 - 10 lbs	3/16-1/2 oz	1-Tele	1-3/4"	7-3/4"	4 + Tip	\$49.99



- CFR: Cyclonic Flow Rotor technology
- Multi-disc oil felt drag washers for ultimate smoothness
- Compact carry bag for hiking and storage
- Voyager Select combos are backed by a 1-year limited warranty

#### **VOYAGER SELECT KIT**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	MSRP
Voyager Select Kit							*N	ISRP in 2021 cat	alog may be sub	oject to change.
VSX-605L-20	L	MF/F	6' 0"	2 - 6 lbs	1/32-3/8 oz	5-pcs	1-3/4"	7-3/4"	5 + Tip	\$89.99
VSX-605M-20	М	MF/F	6' 0"	6 - 10 lbs	1/4-3/4 oz	5-pcs	1-3/4"	7-3/4"	5 + Tip	\$89.99
VSX-665MH-20	МН	MF/F	6' 6"	8 - 17 lbs	1/4-1 oz	5-pcs	1-3/4"	7-3/4"	5 + Tip	\$89.99
VSX-601ML-20-T	ML	MF/F	6' 0"	4 - 10 lbs	1/16-1/2 oz	1-Tele	1-3/4"	7-3/4"	5 + Tip	\$89.99

- Premium custom cork grip configuration
- Voyager Select Rods are backed by a 1-year limited warranty

#### **VOYAGER SELECT ROD**

Model	Rod Power	Rod Taper	Rod Length	Line Weight	Lure Weight	Sections	Foregrip Length	Reargrip Length	Number of Guides	MSRP
Voyager Select Rod								*MSRP in 2021 ca	atalog may be su	bject to change.
VSX-S-601ML-T	ML	MF/F	6' 0"	4 - 10 lbs	1/16-1/2 oz	1-Tele	1-3/4"	7-3/4"	5 + Tip	\$59.99





ROD AND REEL COMBOS

A key component of our mission at Okuma Fishing Tackle is to maintain fishing as accessible to all interested people. Part of that effort includes our involvement in numerous conservation and fishing organizations. On the product side, it's our rod and reel combos that receive the focus. Our selection is backed by our commitment to make that first step into fishing an incredibly positive experience. We fill these products with color and excitement in addition to value and performance, because catching the eye is the first step in creating an angler.



#### **AVENGER SPINNING COMBOS**


	Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
	Avenger Baitfeeder Con	nbos								
NEW	AV-BF-701M-4000	М	7' 0"	1-pcs	ABF-4000	6BB + 1RB	Spinning	285/8 (0.26), 230/10 (0.29), 190/12 (0.31)	No	\$104.99
NEW	AV-BF-701MH-6000	МН	7' 0"	1-pcs	ABF-6000	6BB + 1RB	Spinning	325/12 (0.31), 220/16 (0.37), 180/20 (0.42)	No	\$109.99
NEW	AV-BF-701H-8000	Н	7' 0"	1-pcs	ABF-8000	6BB + 1RB	Spinning	440/12, (0.31) 300/16, (0.37) 245/20 (0.42)	No	\$114.99
	Avenger Freshwater Spi	nning Comb	os							
NEW	AV-S-662ML-3000	ML	6' 6"	2-pcs	AV-3000	6BB + 1RB	Spinning	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	No	\$79.99
NEW	AV-S-702M-3000	М	7' 0"	2-pcs	AV-3000	6BB + 1RB	Spinning	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	No	\$84.99
	Avenger Inshore/Freshv	vater Spinni	ng Combo	S						
NEW	AV-S-701ML-3000	ML	7' 0"	1-pcs	AV-3000	6BB + 1RB	Spinning	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	No	\$89.99
NEW	AV-S-701M-3000	М	7' 0"	1-pcs	AV-3000	6BB + 1RB	Spinning	240/6 (0.24), 200/8 (0.26), 165/10 (0.29)	No	\$89.99
NEW	AV-S-701MH-4000	МН	7' 0"	1-pcs	AV-4000	6BB + 1RB	Spinning	285/8 (0.26), 230/10 (0.29), 190/12 (0.31)	No	\$94.99

\*MSRP in 2021 catalog may be subject to change.

# DEAD EYE Classic

#### **DEAD EYE CLASSIC COMBOS FEATURE:**

- Designed specifically for Walleye trolling
- Specially designed E-glass rod blank tapers for trolling
- Telescopic blank design for easier transportation
- Shrink tube foregrip designed for ultimate durability
- Magda Pro line counter reel, measures in feet
- 2 stainless steel ball bearings for max performance
- Dead Eye Classic combos are backed by a 1-year limited warranty





Full shrink tube rear grip, EVA foregrip with pipe reel seat

#### **DEAD EYE CLASSIC COMBO**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	Handle Style	With Line	MSRP
DEC-7101MT-20DXT	М	7' 10"	1-pcs/Tel	MA-20DXT	2BB	Trolling	290/14 (0.35), 230/18(0.40),210/20 (0.42)	С	No	\$117.99
DEC-861MT-20DXT	М	8' 6"	1-pcs/Tel	MA-20DXT	2BB	Trolling	290/14 (0.35), 230/18(0.40),210/20 (0.42)	С	No	\$122.99

\*MSRP in 2021 catalog may be subject to change.

170 Okuma Catalog 2021 171

# CONVECTOR

#### **Combos**

#### **CONVECTOR COMBOS FEATURE:**

- Developed for Kokanee and Walleye trolling
- Feature Convector 163 or 354 line counter reels
- 2HPB + 1RB stainless steel bearing drive
- Kokanee: Full cork rear/foregrip configuration
- Walleye: Shrink tube rear grip with EVA foregrip
- Kokanee: 2-pcs rod blank construction
- Walleye: 1-pcs telescopic rod blank
- Convector combos backed by a 1-year limited warranty



#### **CONVECTOR COMBOS**


	Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
	Kokanee Trolling Combos									
NEW	CV-C-762L-163D	L	7' 6"	2-pcs	CV-163D	2HPB + 1RB	Trolling	260/8 (0.26), 180/12 (0.31), 115/16 (0.37)	No	\$135.99
	Walleye Trolling Combos									
NEW	CV-C-7101MT-354D	М	7' 10"	1-pcs/Tele	CV-354D	2HPB + 1RB	Trolling	250/12 (0.33), 230/14 (0.37), 150/20 (0.41)	No	\$149.99
NEW	CV-C-861MT-354D	М	8' 6"	1-pcs/Tele	CV-354D	2HPB + 1RB	Trolling	250/12 (0.33), 230/14 (0.37), 150/20 (0.41)	No	\$149.99

\*MSRP in 2021 catalog may be subject to change.

# Celilo Kokanee Combo

#### **CELILO KOKANEE COMBOS FEATURE:**

- Specifically designed for Kokanee trolling
- Sensitive and light graphite composite blanks
- Durable aluminum oxide guide inserts
- Tapered core fore and rear grip configuration
- Magda Pro line counter reel, measures in feet
- 2 stainless steel ball bearings for max performance
- Celilo Kokanee combos are backed by a 1-year limited warranty



#### **CELILO KOKANEE COMBO**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	Handle Style	With Line	MSRP
CE-762L-15DXT	L	7' 6"	2-pcs	MA-15DXT	2BB	Trolling	310/10 (0.30), 290/12 (0.32), 240/14 (0.35)	В	No	\$117.99
CE-802L-15DXT	L	8' 0"	2-pcs	MA-15DXT	2BB	Trolling	310/10 (0.30), 290/12 (0.32), 240/14 (0.35)	В	No	\$117.99

\*MSRP in 2021 catalog may be subject to change.

#### **Great Lakes Trolling Combos**

#### **GREAT LAKES COMBOS FEATURE:**

- Specific Great Lakes Trolling rod actions
- Durable E-glass blank construction
- Double footed aluminum oxide guides
- Stainless steel hooded reel seats
- Comfortable EVA foam grips.
- Machine cut brass gearing
- Corrosion resistant graphite spools
- Power handles standard on all models
- Limited 1-year rod warranty

#### **GREAT LAKES TROLLING COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
Trolling Combos									
CPDR-862M-300La	М	8' 6"	2-pcs	CLX-300L	Bushing	Downrigger	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	No	\$79.99
Linecounter Trolling Comb	00S								
CP-PB-7101MT-20DXT	М	7'10"	1-pcs/Tele	MA-20DX	2BB	Planer Board	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	No	\$94.99
CP-LT-762M-20DXT	М	7' 6	2-pcs	MA-20DX	2BB	Lake Troll	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	No	\$89.99
CP-DR-762ML-20DXT	ML	7' 6	2-pcs	MA-20DX	2BB	Downrigger	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	No	\$89.99
CPDR-862M-30DXT	М	8' 6"	2-pcs	MA-30DX	2BB	Downrigger	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	No	\$89.99
CPCL-862M-45DXT	М	8' 6"	2-pcs	MA-45DX	2BB	Copper/Leadcore	580/20 (0.42), 430/25 (0.48), 330/30 (0.55)	No	\$99.99
CPC-902MH-30DXT	MH	9' 0"	2-pcs	MA-30DX	2BB	Salmon	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	No	\$94.99
CP-DD-1002-30DXT	MH	10' 0"	2-pcs	MA-30DX	2BB	Dipsy Diver	510/15 (0.37), 420/20 (0.42), 310/25 (0.48)	No	\$99.99

\*MSRP in 2021 catalog may be subject to change.

# Ceymar

#### **CEYMAR COMBOS FEATURE:**

- UFR: Ultimate Flex Reinforcement technology increases rod's lifting power and maximum strength
- Multi-disc, oiled felt drag system
- 7 BB + 1RB for ultimate smoothness
- 6 BB + 1RB on 10-size reel only
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion-resistant graphite body

- Rigid, forged aluminum, black anodized handle design
- Lightweight, EVA handle knobs for comfort
- Precision Elliptical Gearing system

Heavy duty, solid aluminum bail wire

- Machined aluminum, 2-tone anodized spool
- RESII: Computer balanced Rotor Equalizing System
- Narrow Blade Body Design for reduced fatigue
- Ceymar spinning reels are backed by a 1-year warranty

#### **CEYMAR COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	Handle Style	With Line	MSRP
Spinning Combos										
C-662M-30	М	6'6"	2-pcs	C-30	7BB+1RB	Spinning	200/6(0.22), 160/8(0.25), 110/10(0.30)	Α	No	\$76.99
C-702M-30	М	7'0"	2-pcs	C-30	7BB+1RB	Spinning	200/6(0.22), 160/8(0.25), 110/10(0.30)	А	No	\$78.99
Trout Spinning Combos										
C-602UL-10	UL	6'0"	2-pcs	C-10	6BB+1RB	Spinning	210/2(0.12). 110/4(0.17). 70/6(0.22)	Α	No	\$94.99

\*MSRP in 2021 catalog may be subject to change.

172 Okuma Catalog 2021 173

# **ALARIS**

- 3BB + 1RB bearing drive for durability
- QuickSet anti-reverse roller bearing for hook sets
- Multi-disc oil felt drag washers for ultimate smoothness
- CFR: Cyclonic Flow Rotor technology
- Durable Dura-flow stainless steel guides
- Sensitive graphite composite rod blank construction
- Rear cork split grip with EVA foam foregrip
- Machined aluminum, two-tone anodized spool
- Rigid metal handle design for added strength
- Alaris combos are backed by a 1-year limited warranty





#### **ALARIS COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
ALS-S-562L-20	L	5' 6"	2-pcs	ALS-20	3BB+1RB	Spinning	280/2 (0.15), 140/4(0.21), 110/6(0.24)	No	\$47.99
ALS-S-602ML-20	ML	6' 0"	2-pcs	ALS-20	3BB+1RB	Spinning	280/2 (0.15), 140/4(0.21), 110/6(0.24)	No	\$47.99
ALS-S-662M-30	М	6' 6"	2-pcs	ALS-30	3BB+1RB	Spinning	240/6 (0.24), 200/8(0.26),160/10 (0.29)	No	\$53.49
ALS-S-702M-30	М	7' 0"	2-pcs	ALS-30	3BB+1RB	Spinning	240/6 (0.24), 200/8(0.26),160/10 (0.29)	No	\$53.49

\*MSRP in 2021 catalog may be subject to change.



#### **AVEON COMBOS FEATURE:**

- Durable and sensitive graphite composite rod blank
- Traditional cork foregrips with full cork butt section
- Multi-disc oil felt drag washers
- Quick-Set ant-reverse bearing
- Machined aluminum, 2-tone anodized spool
- Rigid aluminum handle for improved strength
- Tip over butt ferrule connection for improved feel
- All Aveon rods feature 2-pcs blanks for transportation
- Aveon combos are backed by a 1-year limited warranty



#### **AVEON COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
Trout Spinning Combos									
AE-S-602UL-10	UL	6' 0"	2-pcs	AE-10	1BB + 1RB	Spinning	160/4, 120/6	No	\$53.49
AE-S-662UL-10	UL	6' 6"	2-pcs	AE-10	1BB + 1RB	Spinning	160/4, 120/6	No	\$53.49
AE-S-702L-10	L	7' 0"	2-pcs	AE-10	1BB + 1RB	Spinning	160/4, 120/6	No	\$58.99
Steelhead Spinning Comb	os								
AE-S-902ML-40	ML	9' 0"	2-pcs	AE-40	3BB + 1RB	Spinning	420/6, 320/8, 260/10	No	\$74.99
AE-S-962ML-40	ML	9' 6"	2-pcs	AE-40	3BB + 1RB	Spinning	420/6, 320/8, 260/10	No	\$79.99
Kokanee Trolling Combo									
AE-C-762L-15D	L	7' 6"	2-pcs	AE-15D	1BB	Casting	330/10 (0.30), 290/12 (0.32), 240/14 (0.35)	No	\$106.99

\*MSRP in 2021 catalog may be subject to change.



#### **ROX COMBOS**

- Limited 1-year warranty

**ROX COMBOS FEATURE:** 

- Multi-disc oil felt drag washers

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
Spinning Combos									
ROX-702UL-20	UL	7' 0"	2-pcs	ROX-20	2BB	Spinning	150/4 (0.17), 120/6 (0.22)	Yes	\$32.99
ROX-602ML-20	ML	6' 0"	2-pcs	ROX-20	2BB	Spinning	150/4 (0.17), 120/6 (0.22)	Yes	\$32.99
ROX-662M-30	М	6' 6"	2-pcs	ROX-30	2BB	Spinning	270/6 (0.22), 185/10 (0.30)	Yes	\$32.99
ROX-702M-30	М	7' 0"	2-pcs	ROX-30	2BB	Spinning	270/6 (0.22), 185/10 (0.30)	Yes	\$32.99
ROX-802M-40	М	8' 0"	2-pcs	ROX-40	2BB	Spinning	215/10 (0.30), 160/12 (0.32)	Yes	\$49.99
ROX-862ML-40	ML	8' 6"	2-pcs	ROX-40	2BB	Spinning	215/10 (0.30), 160/12 (0.32)	Yes	\$49.99
ROX-902MH-50	МН	9' 0"	2-pcs	ROX-45	2BB	Spinning	215/10 (0.30), 160/12 (0.32), 15/120	Yes	\$59.99
Linecounter Combo									
ROX-C-902MH-20DX	МН	9' 0"	2-pcs	ROX-20DX	2BB	Trolling	290/14 (0.35), 230/18 (0.40), 210/20 (0.42)	No	\$89.99

\*MSRP in 2021 catalog may be subject to change.

# **Safina Pro Spinning**

Safina Pro spa-802-25

#### **SAFINA PRO SPINNING COMBOS FEATURE:**

- 3BB + 1RB bearing drive for smoothness
- Quick Set anti-reverse roller bearing
- Multi-disc oil felt drag washers
- Durable Dura-flow stainless steel guides
- Sensitive graphite composite rod blank construction
- Stainless steel hooded reel seats
- Comfortable EVA foam fore and rear grips
- Machined aluminum, anodized spools
- All Safina Pro combos are backed by a 1-year limited warranty





#### **SAFINA PRO SPINNING COMBOS**


Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
SPa-662-35	М	6' 6"	2-pcs	SPa-35	3BB + 1RB	Spinning	325/6 (0.22), 260/8 (0.25), 180/10 (0.30)	No	\$49.99
SPa-702-35	М	7' 0"	2-pcs	SPa-35	3BB + 1RB	Spinning	325/6 (0.22), 260/8 (0.25), 180/10 (0.30)	No	\$49.99

\*MSRP in 2021 catalog may be subject to change.

#### FIN CHASER "X" SERIES COMBOS FEATURE:

- Durable glass fiber rod blank construction
- All models feature a comfortable EVA fore grip
- Rear grip on 6'-7' combos feature split cork
- Rear grips on 8' and larger combos is full EVA

- All models feature a 1 ball bearing drive system
- Machined aluminum, anodized spool
- Fin Chaser 8' and larger feature double foot guide construction
- All Fin Chaser rods feature 2-pcs blanks for transportation
- Fin Chaser combos are backed by a 1-year limited warranty



#### **FIN CHASER "X" SERIES COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Color	Line Capacity	With Line	MSRP
FNX-602-30PK	ML	6' 0"	2-pcs	FNX-30	1BB	Spinning	Pink	310/3, 250/4, 165/6	Yes	\$29.99
FNX-662-30BL	М	6' 6"	2-pcs	FNX-30	1BB	Spinning	Blue	310/3, 250/4, 165/6	Yes	\$29.99
FNX-662-30YL	М	6' 6"	2-pcs	FNX-30	1BB	Spinning	Yellow	310/3, 250/4, 165/6	Yes	\$29.99
FNX-662-30PK	М	6' 6"	2-pcs	FNX-30	1BB	Spinning	Pink	310/3, 250/4, 165/6	Yes	\$29.99
FNX-70-40PK	МН	7' 0"	2-pcs	FNX-40	1BB	Spinning	Pink	190/10, 140/12, 110/15	Yes	\$32.99
FNX-70-40BL	MH	7' 0"	2-pcs	FNX-40	1BB	Spinning	Blue	190/10, 140/12, 110/15	Yes	\$32.99
FNX-70-40YL	MH	7' 0"	2-pcs	FNX-40	1BB	Spinning	Yellow	190/10, 140/12, 110/15	Yes	\$32.99
FNX-80-40BL	MH	8' 0"	2-pcs	FNX-40	1BB	Spinning	Blue	190/10, 140/12, 110/15	Yes	\$34.99
FNX-80-40YL	MH	8' 0"	2-pcs	FNX-40	1BB	Spinning	Yellow	190/10, 140/12, 110/15	Yes	\$34.99
FNX-90-60BL	MH	9' 0"	2-pcs	FNX-60	1BB	Spinning	Blue	155/18, 125/20, 90/30	Yes	\$39.99
FNX-90-60YL	MH	9' 0"	2-pcs	FNX-60	1BB	Spinning	Yellow	155/18, 125/20, 90/30	Yes	\$39.99
FNX-100-65BL	МН	10' 0"	2-pcs	FNX-65	1BB	Spinning	Blue	300/15, 190/20, 130/35	Yes	\$45.99
FNX-100-65YL	МН	10' 0"	2-pcs	FNX-65	1BB	Spinning	Yellow	300/15, 190/20, 130/35	Yes	\$45.99

\*MSRP in 2021 catalog may be subject to change.

#### **XPRESSIONS COMBOS FEATURE:**

**X**pressions

- Graphite composite blank construction
- 1BB+1RB bearing drive for smoothness
- Quick-set anti-reverse bearing
- Multi disc oil felt drag washers
- Durable aluminum oxide guide inserts
- Comfortable cork fore and rear grips
- Machined aluminum anodized spools
- Xpressions combos are pre-spooled with line
- Limited 1-year warranty

#### **XPRESSIONS COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
XPS-862M-40Sa	М	8' 6"	2-pcs	XPS-40	1BB + 1RB	Spinning	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	Yes	\$64.99
XPS-902ML-40Sa	ML	9' 0"	2-pcs	XPS-40	2BB	Spinning	270/8 (0.25), 190/10 (0.30), 170/12 (0.32)	Yes	\$64.99

\*MSRP in 2021 catalog may be subject to change.

# Safina

#### **SAFINA SPINNING COMBOS FEATURE:**

- Glass fiber rod blank construction
- 1BB bearing drive for smoothness
- Multi-disc oil felt drag washers
- Durable Dura-flow stainless steel guides
- Comfortable neo-cork fore and rear grips
- Machined aluminum 2-toned anodized spool
- Limited 1-year warranty

#### **SAFINA SPINNING COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
SNa-602UL-25	UL	6' 0"	2-pcs	SNa-25	1BB	Spinning	310/4 (0.17), 200/6 (0.22), 150/8 (0.25)	No	\$34.99
SNa-602M-25	М	6' 0"	2-pcs	SNa-25	1BB	Spinning	310/4 (0.17), 200/6 (0.22), 150/8 (0.25)	No	\$34.99
SNa-662M-35	М	6' 6"	2-pcs	SNa-35	1BB	Spinning	325/6 (0.22), 260/8 (0.25), 180/10 (0.30)	No	\$34.99

\*MSRP in 2021 catalog may be subject to change.

# **TUNDRA COMBOS FEATURE:**

- 1BB ball bearing drive for smoothness
- Corrosion resistant graphite spool
- Multi-disc oiled felt drag system
- Durable glass fiber rod blank construction
- Reinforced double footed guides on all models
- Long lasting ceramic guide inserts
- Stainless steel hooded reel seats
- Comfortable EVA foam fore and rear grips
- Durable rubber butt cap
- Tundra combos are pre-spooled with line
- Limited 1-year warranty





#### **TUNDRA COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
Spinning Combos									
TU-702-50	М	7' 0"	2-pcs	TU-50	1BB	Spinning	440/10(0.30), 390/12(0.32), 280/15(0.37)	No	\$40.99
TU-802-60	М	8' 0"	2-pcs	TU-60	1BB	Spinning	360/12(0.32), 250/15(0.37), 210/20(0.42)	No	\$41.99
TU-902-65	МН	9' 0"	2-pcs	TU-65	1BB	Spinning	440/12(0.32), 310/15(0.37), 260/20(0.42)	No	\$46.99
TU-1002-80	МН	10' 0"	2-pcs	TU-80	1BB	Spinning	430/15(0.37), 360/20(0.42), 260/25(0.48)	No	\$50.99
TU-1202-80	MH	12' 0"	2-pcs	TU-80	1BB	Spinning	430/15(0.37), 360/20(0.42), 260/25(0.48)	No	\$56.99
Baitfeeder Combo									
TBF-702-50	М	7' 0"	2-pcs	TU-50	1BB	Spinning	440/10(0.30), 390/12(0.32), 280/15(0.37)	No	\$49.99
TBF-802-65	М	8' 0"	2-pcs	TU-65	1BB	Spinning	540/12(0.32), 390/15(0.37), 320/20(0.42)	No	\$59.99
TBF-1002-65	МН	10' 0"	2-pcs	TU-65	1BB	Spinning	540/12(0.32), 390/15(0.37), 320/20(0.42)	No	\$69.99

\*MSRP in 2021 catalog may be subject to change.

# TUNDRA PRO

#### **TUNDRA PRO COMBOS FEATURE:**

- Durable and sensitive graphite composite rod blank
- UFR: Ultimate Flex Reinforcement rod tip technology
- Comfortable EVA fore and rear grip configuration
- Multi-disc oil felt drag washers
- Features a 3 ball bearing drive system
- Machined aluminum, 2-tone anodized spool
- All Tundra pro guides feature double foot construction
- Tip over butt ferrule connection for improved feel
- All Tundra Pro rods feature 2-pcs blanks for transportation
- Tundra Pro combos are backed by a 1-year limited warranty



#### **TUNDRA PRO COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
TXP-702-50	М	7' 0"	2-pcs	TXP-50	3BB	Spinning	215/12,165/15, 105/20	No	\$59.99
TXP-802-60	М	8' 0"	2-pcs	TXP-60	3BB	Spinning	155/18, 125/20, 90/30	No	\$59.99
TXP-902-65	МН	9' 0"	2-pcs	TXP-65	3BB	Spinning	300/15, 190/20, 130/35	No	\$69.99
TXP-1002-80	МН	10' 0"	2-pcs	TXP-80	3BB	Spinning	530/15, 340/20, 210/35	No	\$75.99
TXP-1202-80	МН	12' 0"	2-pcs	TXP-80	3BB	Spinning	530/15, 340/20, 210/35	No	\$84.99

\*MSRP in 2021 catalog may be subject to change.

# Steelez

#### **STEELER XP COMBOS FEATURE:**

- Durable glass fiber rod blank construction
- Feature comfortable EVA fore and rear split grip
- Multi-disc front drag washer system
- All models feature a 1 ball bearing drive system
- Reels are pre-spooled with monofilament line
- All Steeler rods are 2-pcs for easy transportation
- Steeler XT combos are backed by a 1-year limited warranty



#### **STEELER XP COMBOS**


Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Color	Line Capacity	With Line	MSRP
SLXP-562-20BO	М	5' 6"	2-pcs	SLXP-20	1BB	Spinning	Orange	265/3, 220/4, 180/6	Yes	\$19.99
SLXP-562-20GR	М	5' 6"	2-pcs	SLXP-20	1BB	Spinning	Green	265/3, 220/4, 180/6	Yes	\$19.99
SLXP-562-20PK	М	5' 6"	2-pcs	SLXP-20	1BB	Spinning	Pink	265/3, 220/4, 180/6	Yes	\$19.99
SLXP-602-20BO	М	6' 0"	2-pcs	SLXP-20	1BB	Spinning	Orange	265/3, 220/4, 180/6	Yes	\$20.99
SLXP-602-20GR	М	6' 0"	2-pcs	SLXP-20	1BB	Spinning	Green	265/3, 220/4, 180/6	Yes	\$20.99
SLXP-602-20PK	М	6' 0"	2-pcs	SLXP-20	1BB	Spinning	Pink	265/3, 220/4, 180/6	Yes	\$20.99
SLXP-662-20BO	М	6' 6"	2-pcs	SLXP-20	1BB	Spinning	Orange	265/3, 220/4, 180/6	Yes	\$21.99
SLXP-662-20GR	М	6' 6"	2-pcs	SLXP-20	1BB	Spinning	Green	265/3, 220/4, 180/6	Yes	\$21.99
SLXP-662-20PK	М	6' 6"	2-pcs	SLXP-20	1BB	Spinning	Pink	265/3, 220/4, 180/6	Yes	\$21.99

\*MSRP in 2021 catalog may be subject to change.

## BOUNDARY

#### **BOUNDARY COMBOS FEATURE:**

- Narrow modern reel body design
- Graphite body and rotor on reel
- Electroplated graphite spool design
- Glass fiber rod blank for maximum durability
- 1 Ball Bearing Drive System for smoothness
- Comfortable EVA fore and rear grips on rod
- Rods are all 2-pcs construction for easy transportation





Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
B-S-602-20	М	6' 0"	2-pcs	B-20	1BB	Ceramic	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)	Yes	\$27.99
B-S-662-30	М	6' 6"	2-pcs	B-30	1BB	Ceramic	330/6 (0.22), 260/8 (0.25), 180/10 (0.30)	Yes	\$27.99
B-S-702-40	М	7' 0"	2-pcs	B-40	1BB	Ceramic	410/8 (0.25), 290/10 (0.30), 260/12 (0.32)	Yes	\$31.99
B-S-802-40	MH	8' 0"	2-pcs	B-40	1BB	Ceramic	410/8 (0.25), 290/10 (0.30), 260/12 (0.32)	Yes	\$32.99
B-S-902-65	МН	9' 0"	2-pcs	B-65	1BB	Ceramic	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	Yes	\$41.99
B-S-1002-65	МН	10' 0"	2-pcs	B-65	1BB	Ceramic	440/12 (0.32), 310/15 (0.37), 260/20 (0.42)	Yes	\$44.99

\*MSRP in 2021 catalog may be subject to change.

# **CASCADEII**

#### **CASCADE II COMBOS FEATURE:**

- Durable glass fiber rod blank construction
- Features comfortable EVA fore grips
- Rear grip is split configuration EVA and cork
- Multi-disc front drag washer system
- All models feature a 1 ball bearing drive system
- Reels are pre-spooled with monofilament line
- All Cascade rods are 2-pcs for easy transportation
- Cascade II combos are backed by a 1-year limited warranty

#### **BOUNDARY COMBOS**

Model	Rod Power	Length	Sections	Reel Model	Bearings	Rod/Reel Style	Line Capacity	With Line	MSRP
CSII-502L-20	L	5' 0"	2-pcs	CSII-20	1BB	Spinning	265/3, 220/4, 180/6	Yes	\$18.99
CSII-562ML-20	ML	5' 6"	2-pcs	CSII-20	1BB	Spinning	265/3, 220/4, 180/6	Yes	\$18.99
CSII-602ML-20	ML	6' 0"	2-pcs	CSII-20	1BB	Spinning	265/3, 220/4, 180/6	Yes	\$19.99
CSII-662ML-20	ML	6' 6"	2-pcs	CSII-20	1BB	Spinning	265/3, 220/4, 180/6	Yes	\$19.99

\*MSRP in 2021 catalog may be subject to change.





**FLY & FLOAT** 

United by single action, 1:1 retrieve ratios, Fly and Float products highlight two very distinct strengths of Okuma Fishing Tackle. The first is the ability of our advanced CNC machining facility in Taiwan. From the same precision factory that makes Makaira offshore reels, comes our machined fly and float reels. The second is our commitment to value in our die-cast aluminum product lines. The Sierra fly reel changed the industry that used words like "traditional" to sell consumers grossly overpriced reels. Sierra redefined value in the fly fishing market, and SLV "b" products build upon that foundation. In both areas of strength, you can find bigger names, but not better product.

# 1002

#### **RAWII-1002 FLOAT REELS FEATURE:**

- Precision 6061-T6 machined aluminum frame and spool
- Durable Type-II, two-tone anodized frame and spool
- 2 premium stainless steel Japanese ball bearings
- Machine cut stainless steel spool shaft
- 1-pcs Machined Rigid Frame construction
- On/Off click ratchet for added spool tension
- Ported spool with exposed rim for easy spool control
- Includes Okuma's protective neoprene reel shield
- RAWII is backed by a one year limited warranty



#### **RAW II**

Centerpin Float Reel RAWII-1002	2 BB	8.23	13"	275 yds / 8 lbs	AL	AL	*MSRP in 2021	catalog may be 114mm	subject to change \$209.99
Model	Bearings	Weight (oz.)	Line Retrieve	Line capacity (yds/lbs)	Frame	Spool	Spool Width	Spool Diam.	MSRP

# **AVENTA**

#### **AVENTA FLOAT REELS FEATURE:**

- Precision machined stainless steel spool shafts
- 1-piece Machined Rigid Frame construction
- Machined aluminum anodized spools
- On/Off click ratchet for added spool tension
- Ported spool with exposed rim for easy control
- 2 stainless steel Japanese ball bearings
- AVENTA is backed by a one year limited warranty



Float fishing is a unique and specific technique. The center-pin crowd is dedicated, knowledgeable and passionate about their sport. They are also extremely discerning about their tackle. The introduction of the Aventa center-pin sets a new standard for what can be expected in a fully-machined float reel.

The Aventa series is made from solid aluminum bar stock, for precision spool alignment and maximum freespool. The VT-1002, with two stainless steel ball bearings, is excellent for casting directly from the reel or for drag-free drifts.

#### **AVENTA**

Model	Bearings	Weight (oz.)	Line Retrieve	Line capacity (yds/lbs)	Frame	Spool	Spool Width	Spool Diam.	MSRP
Centerpin Float Reel							*MSRP in 20	)21 catalog may be	subject to change.
VT-1002	2 BB	8.23	13"	275 yds / 8 lbs	AL	AL	18.5mm	114mm	\$189.99

## AVENTA Float Rods

#### **AVENTA FLOAT RODS FEATURE:**

- Balanced rod actions for the Aventa reels
- Sensitive graphite blank construction
- Tall frame guides for line control
- Aluminum Oxide guide inserts
- Reel seat or slip ring models
- High quality cork grips



B Cork handle with cherry wood insert on reel seat

#### **AVENTA FLOAT RODS**

Model	Reel Seat	Rod Taper	Length	Line Weight	Lure Weight	Sections	Foregrip length	Reargrip length	Number of Guides	Handle Style	Weight (oz.)	MSRP
Float Rod With Slip	Rings				TIE.		-	MEATS.	*MSRP in 2	021 catalog	may be subj	ect to change.
VT-S-1363FR-2	Slip Rings	М	13' 6"	4~8 lbs	1/8~3/8	3-pcs	19-1/4" t	otal length	13 + Tip	Α	6.4	\$99.99
Float Rod With Fixe	ed Reel Seat		256		- 35 (0)							
VT-S-1363FR	Fuji	М	13' 6"	4~8 lbs	1/8~3/8	3-pcs	5-9/10"	8-1/5"	13 + Tip	В	6.6	\$99.99



#### **HELIOS SX FLY REELS FEATURE:**

- Machined aluminum and anodized frame and spool design
- Multi-disk Japanese felt drag washers provide incredible smoothness
- Hydro Block watertight drag seal protects the drag system
- 2BB + 1RB stainless steel bearing drive system
- Easy-to-change left to right hand retrieval conversion
- Helios SX fly reels are backed by a limited lifetime warranty

HSX-10/11

#### **HELIOS SX FLY REELS**

	Model	Drag Washer	Bearings	Weight (oz.)	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
NEW	HSX-4/5	Felt	2BB + 1RB	5.4	9.6"	WF4F + 110-yds/ 20-lbs	AL	AL	20 mm	85 mm	\$104.99
NEW	HSX-5/6	Felt	2BB + 1RB	6.1	11.7"	WF5F + 150-yds/ 20-lbs	AL	AL	20 mm	102 mm	\$104.99
NEW	HSX-7/8	Felt	2BB + 1RB	6.3	12.1"	WF7F + 200-yds/ 20-lbs	AL	AL	25 mm	105 mm	\$114.99
NEW	HSX-8/9	Felt	2BB + 1RB	7.0	13.4"	WF8F + 200-yds / 20-lbs	AL	AL	25 mm	115 mm	\$124.99
NEW	HSX-10/11	Felt	2BB + 1RB	7.7	15.3"	WF10F + 200-yds / 30-lbs	AL	AL	25 mm	131 mm	\$134.99

\*MSRP in 2021 catalog may be subject to change.

06 Okuma Catalog 2021



- Rigid Diecast aluminum, super large arbor spool design
- Precision machine, brass bushing drive
- Easy-to-change left to right hand retrieval conversion

#### SLV "b"

Model	Line Weight	Bearings	Weight (oz.)	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
SLV 23b	2,3 wt.	1RB	4.5	8"	WF-2, 50yds/12lbs	AL	AL	22mm	66mm	\$64.99
SLV 45b	4,5 wt.	1RB	4.8	9"	WF-4, 95yds/12lbs	AL	AL	24mm	75mm	\$64.99
SLV 56b	5,6 wt.	1RB	5.3	10"	WF-5, 140yds/20lbs	AL	AL	28mm	82mm	\$64.99
SLV 78b	7,8 wt.	1RB	5.5	11"	WF-7, 145yds/20lbs	AL	AL	31mm	88mm	\$64.99
SLV 89b	8,9 wt.	1RB	6.1	12"	WF-8, 150yds/30lbs	AL	AL	34mm	95mm	\$64.99
SLV-1011b	10,11 wt.	1RB	9.7	13"	WF-10, 520yds/30lbs	AL	AL	40mm	114mm	\$64.99
Spare Spools										
SLV 23b Spool	2,3 wt.	1RB	2.0	8"	WF-2, 50yds/12lbs	N/A	AL	22mm	66mm	\$39.99
SLV 45b Spool	4,5 wt.	1RB	2.1	9"	WF-4, 95yds/12lbs	N/A	AL	24mm	75mm	\$39.99
SLV 56b Spool	5,6 wt.	1RB	2.3	10"	WF-5, 140yds/20lbs	N/A	AL	28mm	82mm	\$39.99
SLV 78b Spool	7,8 wt.	1RB	2.5	11"	WF-7, 145yds/20lbs	N/A	AL	31mm	88mm	\$39.99
SLV 89b Spool	8,9 wt.	1RB	2.9	12"	WF-8, 150yds/30lbs	N/A	AL	34mm	95mm	\$39.99
SLV-1011b Spool	10,11 wt.	1RB	4.9	13"	WF-10, 520yds/30lbs	N/A	AL	40mm	114mm	\$39.99

\*MSRP in 2021 catalog may be subject to change.

SLV-56b

#### SIERRA

#### **SIERRA FLY REELS FEATURE:**

- Full adjistable Teflon and stainless steel drag system
- Roller bearing engages drag system in one direction
- Precision machined stainless steel spool shaft
- ALC: Alumilite diecast aluminum frame design
- Rigid diecast aluminum, large arbor spool design
- Precision machined, brass bushing drive
- Easy-to-change left to right hand retrieval conversion

#### **SIERRA**



Model	Line Weight	Bearings	Weight (oz.)	Line Retrieve	Fly line capacity	Frame	Spool	Spool Width	Spool Diam.	MSRP
S-4/5	4,5 wt.	1RB	5.3	8"	WF-4, 105yds/12Lbs	AL	AL	17mm	67mm	\$46.99
S-5/6	5,6 wt.	1RB	5.3	9"	WF-5, 160yds/20Lbs	AL	AL	20mm	73mm	\$46.99
S-7/8	7,8 wt.	1RB	5.3	8"	WF-7, 75yds/20Lbs	AL	AL	24mm	67mm	\$49.99
S-8/9	8,9 wt.	1RB	5.7	9"	WF-8, 150yds/20Lbs	AL	AL	24mm	73mm	\$49.99
S-10/11	10,11 wt.	1RB	6.0	11"	WF-10, 285yds/30Lbs	AL	AL	30mm	89mm	\$64.99
Spare Spools										
S-4/5 Spool	4,5 wt.	1RB	2.3	8"	WF-4, 105yds/12Lbs	N/A	AL	17mm	67mm	\$24.99
S-5/6 Spool	5,6 wt.	1RB	2.5	9"	WF-5, 160yds/20Lbs	N/A	AL	20mm	73mm	\$24.99
S-7/8 Spool	7,8 wt.	1RB	2.2	8"	WF-7, 75yds/20Lbs	N/A	AL	24mm	67mm	\$24.99
S-8/9 Spool	8,9 wt.	1RB	2.8	9"	WF-8, 150yds/20Lbs	N/A	AL	24mm	73mm	\$24.99
S-10/11 Spool	10,11 wt.	1RB	4.7	11"	WF-10, 285yds/30Lbs	N/A	AL	30mm	89mm	\$24.99

\*MSRP in 2021 catalog may be subject to change.

# SIERRX

#### **SIERRA X FLY REELS FEATURE:**

- Multi-disc, composite drag system
- Roller bearing engages drag in one direction
- ALC: Alumilite diecast aluminum frame design
- Rigid diecast aluminum, large arbor spool design - Easy-to-change left to right hand retrieval conversion
- Sierra-X fly reels are backed by a 1-year limited warranty



SX-5/6

#### **SIERRA X FLY REELS**

Model	Line Weight	Bearings	Weight (oz.)	Line Retrieve	Fly Line Capacity	Frame	Spool	Spool Width	Spool Diameter	MSRP
SX-3/4	3, 4 wt.	2BB + 1RB	5.0	TBD	WF-4, 60 yds / 20 lbs	AL	AL	17mm	70mm	\$54.99
SX-4/5	4, 5 wt.	2BB + 1RB	5.2	6.3"	WF-4, 70 yds / 20 lbs	AL	AL	28mm	75mm	\$54.99
SX-5/6	5, 6 wt.	2BB + 1RB	5.7	7.5"	WF-5, 100 yds / 20 lbs	AL	AL	27.5mm	85mm	\$54.99
SX-7/8	7, 8 wt.	2BB + 1RB	6.5	9.1"	WF-8, 100 yds / 20 lbs	AL	AL	27.5mm	95mm	\$54.99

\*MSRP in 2021 catalog may be subject to change.



# NOMAD Fly

#### **NOMAD FLY ROD FEATURES:**

- 30-Ton carbon, ultra-sensitive and responsive blank construction
- 4-pcs rod blank construction for easy transportation
- Premium Winn foregrip material for custom look and feel
- Custom Nomad soft sided storage bag for easy transportation
- Nomad Fly rods are backed by a limited lifetime warranty





A Winn material and compressed cork foregrip



**B** Winn material and compressed cork foregrip with fighting butt

#### **NOMAD FLY RODS**

Model	Rod Length	Rod Taper	Line Weight	Sections	Reel Seat Description	Foregrip Length	Reargrip Length	Number of Guides	Handle Style	Weight (oz.)	MSRP
NTF-5-90-4	9' 0"	MF	5-wt	4-pcs	Machined aluminum	7"	N/A	9 + Tip	Α	3.7	\$199.99
NTF-6-90-4	9' 0"	MF	6-wt	4-pcs	Machined aluminum	7"	N/A	9 + Tip	Α	3.8	\$199.99
NTF-7-90-4	9' 0"	MF	7-wt	4-pcs	Machined aluminum	7-1/2"	1-1/2"	9 + Tip	В	5.4	\$199.99
NTF-8-90-4	9' 0"	MF	8-wt	4-pcs	Machined aluminum	7-1/2"	1-1/2"	9 + Tip	В	4.6	\$219.99
NTF-10-904	9' 0"	MF	10-wt	4-pcs	Machined aluminum	7-1/2"	1-1/2"	9 + Tip	В	4.9	\$219.99

\*MSRP in 2021 catalog may be subject to change.



#### SLV FLY RODS FEATURE:

- Lightweight graphite construction
- 4-piece rod design
- Titanium Oxide stripper guide
- Stainless steel snake guides
- Aluminum pipe reel seat with aluminum hoods
- Through-blank carbon fiber construction
- Okuma rod bag
- Okuma 1-year limited warranty



A Cork foregrip, Aluminum pipe reel seat with aluminum hoods



Cork foregrip, Aluminum pipe reel seat with aluminum hoods with fighting butt

#### **SLV FLY RODS**

Model	Length	Rod Taper	Line Weight	Sections	Reel Seat Description	Rod Blank	Number of Guides	Handle Style	Weight (oz.)	MSRP
SLV-3-80-4	8' 0"	MF	3 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	8 + Tip	Α	3.8	\$79.99
SLV-4-86-4	8' 6"	MF	4 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	А	4.2	\$79.99
SLV-5-90-4	9' 0"	MF	5 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	Α	4.8	\$79.99
SLV-6-90-4	9' 0"	MF	6 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	А	4.9	\$79.99
SLV-7-90-4	9' 0"	MF	7 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	В	5.0	\$89.99
SLV-8-90-4	9' 0"	MF	8 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	В	4.7	\$89.99
SLV-8-96-4	9' 6"	MF	8 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	10 + Tip	В	5.2	\$89.99
SLV-10-90-4	9' 0"	MF	10 wt.	4-pcs	AL hoods with carbon fiber pipe	Graphite	9 + Tip	В	5.4	\$89.99

\*MSRP in 2021 catalog may be subject to change.

# CRISIUM

### Fly Rods

#### **CRISIUM FLY RODS FEATURE:**

A Cork foregrip and Rosewood reel seat with aluminum hoods

- Lightweight graphite construction
- Rosewood reel seat
- 2-piece rod design
- Okuma rod bag
- Titanium Oxide stripper guide
- Okuma 1-year limited warranty

#### - Stainless steel snake guides


#### **CRISIUM FLY RODS**

Model	Length	Rod Taper	Line Weight	Sections	Reel Seat Description	Rod Blank	Number of Guides	Handle Style	Weight (oz.)	MSRP
CRF-34-70-2	7' 0"	MF	3/4 wt.	2-pcs	Rosewood reel seat with stainless hoods	Graphite	6 + Tip	Α	2.8	\$59.99
CRF-45-86-2	8' 6"	MF	4/5 wt.	2-pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Α	3.6	\$59.99
CRF-67-86-2	8' 6"	MF	6/7 wt.	2-pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Α	4.0	\$59.99
CRF-56-90-2	9' 0"	M/MF	5/6 wt.	2-pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Α	4.2	\$59.99
CRF-78-90-2	9' 0"	M/MF	7/8 wt.	2-pcs	Rosewood reel seat with stainless hoods	Graphite	9 + Tip	Α	4.4	\$64.99

\*MSRP in 2021 catalog may be subject to change.

Okuma Catalog 2021 191

Okuma Catalog 2021



accessories add quality to the details of the experience. Universally, our fabrics and construction elements are top-of-the-line. The specific features are the culmination of experience and the understanding that you cannot catch fish if your gear is not in the water. Organization and accessibility are paramount. All of our accessories are built to fish hard, offering the most hard-core enthusiast a product delivers extensive pride of ownership and long-lasting durability.

192 Okuma Catalog 2021 193



#### **OKUMA BAG FEATURES:**

- - Okuma Soft Sided Tackle Bag
- - 600D polyester with PU coating, included 3 plastic boxes
- - High-quality molded composite zippers which are extremely strong and corrosion resistant
- - Comfortable, adjustable carrying strap with easy-to-use oversize buckles
- - Tackle bag features two side pockets for additional storage.

Model	Wrap Dimensions	MSRP
AOT-TBS	14"L x 8"H x 6.25"W	\$44.99
AOT-TBM	16"L x 10.25"H x 8.2"W	\$59.99
	*MSRP in 2020 catalog may be s	ubject to change.



#### CG-30G

#### UNIVERSAL REEL GREASE

- Maximum corrosion protection
- Fortified with teflon and polymers
- Little or no drag acceleration
- Exceptionally smooth drag performance
- Superior heat and wear resistance
- Safe on all metals and common plastics
- Reduces gear train friction for easier cranking

#### **ACCESSORIES**

Model	Description	MSRP
CG-30G	Cal's universal drag and gear grease 30grams	\$7.99
CG-100G	Cal's universal drag and gear grease 100grams	\$16.99
RMK-3010	Cal's universal grease 30grams with 10ML of Fishing Reel oil	\$15.99

\*MSRP in 2021 catalog may be subject to change.



#### **ACCESSORIES**

Model	Clear Pockets	Wrap Dimensions	MSRP
Reel covers			
ARS-BC	Reel Shield-Neoprene reel cover	All 200-size low profile baitcast reels	\$4.99
ARS-1	Reel Shield-Neoprene reel cover	150/250/400 round baitcasting & 15/20/200 star drag reels	\$4.99
ARS-2	Reel Shield-Neoprene reel cover	10/15 lever drags & 30/40/300/450 star drag reels	\$4.99
ARS-3	Reel Shield-Neoprene reel cover	20/30 sized lever drag reels & 55/55W star drag reels	\$5.99
ARS-4	Reel Shield-Neoprene reel cover	50/50W sized lever drag reels	\$7.99
ARS-10	Fly Reel Covers-Neoprene	All Okuma fly reels	\$7.99
ARS-15	Fly and Float Reel Cover	8-11 wt. fly reels and Okuma float reels	\$7.99
Rod Straps			
AS-RW	Okuma Rod Wraps-Durable Velcro style rod strap with logo	All Rods	\$4.99
Okeechobee hand	dle		
AROPH-1	Okeechobee Baitcast Power Handle	200/350-size Low Profile reels	\$24.99
ARCWTH	350-size paddle handle	350-size Low profile reels	\$24.99

\*MSRP in 2021 catalog may be subject to change.





# **OKUMA WARRANTY**

We at Okuma take great pride in the workmanship and quality of our products. We also take great pride in taking care of our customers. Should you require service for your Okuma rod or reel, we have a nationwide network of Authorized Repair Centers, or our full service warranty at Okuma, to help take care of you. You may also visit our Web site at www.okumafishing.com for more information and to register your products.

#### **OKUMA WARRANTY REPAIR**

NAME	PHONE	ADDRESS	CITY	STATE	POSTAL CODE
4 Reel Services Inc.	561-509-9055	410 N Dixie Hwy	Lantana	FL	33462
Dave's Parts & Service	727-942-8944	1500 U.s. Hwy 19	Holiday	FL	34691
Roy's Bait & Tackle Outfitters	361 992-2960	7613 South Padre Island Dr.	Corpus Christi	TX	78412
The Reel Seat	732-223-5353	707 Union Ave.	Brielle	NJ	08730
Tuna's Reel Troubles	231-907-0052	78 North Nelson Road	Ludington	MI	49431

#### **CANADIAN WARRANTY CENTERS**

NAME	PHONE	ADDRESS	CITY	STATE	POSTAL CODE
Country Rod Crafting	250-468-5708	3709 Remora Place	Nanoose Bay	ВС	V9P9H1
MG Reel Solution	450-436-0395	304 Lancelot	St-Colomban	QB	JOR1K0
Mike's Reel Repair	888-404-1119	#108-31060 Peardonville Rd.	Abbotsford	ВС	V2T 6K5
Rockey's Tackle Service	705-325-3526	3 Royce Ave Unit 1 & 2	Orillia	ON	L3V 5H3

#### **AUTHORIZED REPAIR CENTERS**

NAME	PHONE	ADDRESS	CITY	STATE	POSTAL CODE
367 Bait and Tackle	314-653-1377	11841 Benham Rd.	St. Louis	МО	63138
ADCO Reel Repair	409-625-4409	Rt1 Box 1740 Hwy 21	East Hemphill	TX	75948
B&F Rod and Reel	909-988-9229	1028 W. 4th St.	Ontario	CA	91762
Betty & Nick's Bait & Tackle	732-793-2708	807 S.W. Central Avenue	Seaside Park	NJ	08752
Bill's Hooks	716-366-0268	5139 W. Lake Road	Dunkirk	NY	14048
Billy's Rod and Reel Repair	850-382-3047	4887 W Spencer Field Rd.	Pace	FL	32571
Blue Fin's bait and tackle	410-477-9244	701 Wise ave.	Baltimore	MD	21222
Bob's Reel Service	319-362-7692	3945 Rollingwood Drive NW	Cedar Rapids	IA	52405
Broadway Tackle	706-738-8848	1730 Broad Street	Augusta	GA	30904
Bryant's Osage Outdoors	573-374-2278	716 N. Main St.	Laurie	МО	65037
Bucko's Parts & Tackle	508-674-7900	191 Stafford Road	Fall River	MA	02721
Capt'n Hippo Bait & Tackle	735-505-3500	334 Atlantic City Blvd	South Toms River	NJ	08757

198 Okuma Catalog 2021 199

NAME	PHONE	ADDRESS	CITY	STATE	POSTAL CODE
Carolina Reels	864-231-5914	1017 Bern Circle	Anderson	SC	29626
Dad's Ol Tackle	936-264-4167	16245 Fm 1484 Rd	Conroe	TX	77303
Dana Landing Sportsfishing	619-226-2929	2580 Ingraham St.	San Diego	CA	92109
Dave's Parts & Service	727-942-8944	1500 U.s. Hwy 19	Holiday	FL	34691
David's Tackle Box	281-342-9669	3500 Avenue I	Rosenberg	TX	77471
Fat Boys Bait & Tackle	262-536-4374	228 North Franklin St	Port Washington	OR	53074
Fish Usa	412-384-4500	6960 West Ridge Rd	Fairview	PA	16415
Fisherman's Warehouse	916-362-1200	9035 Folsom Blvd	Sacramento	Ca	95826
Fisherman's World	203-866-1075	2 Fort Point St.	Norwalk	Ct	06855
Fishing Factory	860-621-8145	1426 Meriden-Waterbury Road	Milldale	СТ	06467
Glenn's Reel & Rod Repair	515-262-2990	2210 E 9th Street	Des Moines	IA	50316
Glenn's Rod And Reel Llc	985-223-2188	2755 Coteau Rd.	Houma	La	70364
Howie's Tackle	920-746-9916	1309 Green Bay Rd.	Sturgeon Bay	WI	54235
Jim Pringles Reel Repair	541-535-3509	4329 Wildwood Drive	Medford	OR	97501
Kay's Rod & Reel Repair	563-535-7108	1511 Scenic Valley Road	Waukon	IA	52172
Lost Key Tackle Llc	850-361-1145	12890 Gulf Beach Hwy	Pensacola	FL	32507
MARK'S OUTDOOR SPORTS	205 822-2010	1400-B Montgomery Highway	Birmingham	AL	35216
Mat's Reel Repair	715-571-7544	1930 Pinewood Dr.	Eagle River	WI	54521
New Maui Fishing Supply	808-244-3449	1823 Wells Street Suite 4	Wailuku	НІ	96793
Nutter Rod & Reel	770-386-3978	3383 Highway 411 Ne	White	GA	30184
Old Inlet Bait & Tackle	302-227-7974	Highway 1, Box 129	Rehoboth Beach	DE	19971
Ollie Damon's	503-232-3193	236 Se Grand Ave	Portland	OR	97214
Olsen's Pro Am	817-625-0831	3020 Roberts Cut Off Rd.	Ft. Worth	TX	76114
Pacific Extreme Sports	916-646-3474	4701 24th St. Suite D	Sacramento	CA	95822

NAME	PHONE	ADDRESS	CITY	STATE	POSTAL CODE
Paul's Bait & Tackle	314-773-6221	4421 Chippewa	St. Louis	МО	63116
Professional Sports Shop	504-522-3771	920 Julia St.	New Orleans	LA	70113
Reel Easy Custom Rods	978-476-7187	68 Curzon Mill Rd.	Newburyport	MA	01950
Reel Perfection	410-676-0027	324 Flying Point Road	Edgewood	MD	21040
Rick's Bait & Tackle	302-945-9245	26019 Julias Lane	Millsboro	DE	19966
Riverside Fly & Tackle	604-944-2479	2847 Shaughnessy St.	Port Coquitlam	ВС	V3C3H1
Road Runner Reel Repair	405-201-7801	212 North Rush St.	Rush Springs	ОК	73082
Rock Springs Tackle	870-741-7375	1902 Rock Springs Road	Harrison	AR	92601
Roy's Bait & Tackle Outfitters	361-992-2960	7613 South Padre Island Dr.	Corpus Christi	TX	78412
Roy's Fishing Supply	808-487-7690	98-025 Hekaha Street	Aiea	HI	96701
S. Tokunaga Store	808-935-6965	26 Hoku Street	Hilo	HI	96720
Seahawk Sports Center	410-957-0198	643 Ocean Highway	Pocomoke	MD	21851
Serious Tackle Equities L.l.c.	409-935-1126	14065 Delaney Road	Lamarque	TX	77568
Superior Bait & Tackle	225-293-3474	5760 Siegen Lane Suite D	Baton Rouge	LA	70809
Tackle Right	903-850-8292	8251 W . Fm 515	Yantis	TX	75497
The Bait Box	262-284-9355	3781 County Road Kw	Eagle River	WI	54521
The Fisherman's Place	361-687-6754	3911 Ayers	Corpus Christi	Tx	78415
The Reel Seat	732-223-5353	707 Union Ave.	Brielle	NJ	08730
Tuna's Reel Troubles	231-907-0052	78 North Nelson Road	Ludington	MI	49431

200 Okuma Catalog 2021 201

# INSPIRED FISHING



## **Okuma Sales Representatives**

Please feel free to contact your local sales representative for more information on Okuma and our products, or visit our website at www.okumafishingusa.com.

#### 1. Active Outdoors

1800 Blankenship RD STE 200 West Linn, OR 97068 Tel: (503) 968-2828 Fax: (503) 662-7670

#### 2. Frontier Sales & Marketing Group LLC

LLC P.O Box 5408 Katy, Texas 77491 Tel: (888) 977-3764 Fax: (888) 973-3764

#### 3. Thomas F. Gowen & Sons

1040 Old Sproul Rd. Springfield, PA 19064 Tel: (610) 544-3700 Fax: (610) 328-6820

#### 4. Schueler, LaFond & Associates

334 East Colfax-Suite A-1 Palatine, IL 60067 Tel: (847) 991-6119 Fax: (847) 991-6207

#### 5. Canada Pro Angling & Outdoors

2869 Bloor St W. Suite 1440 Toronto, ON M8X 1B3 Tel: (416) 253-1405 Fax: (416) 253-0504

#### 6. Jeff Robles & Associates

10604 Trademark Pkwy #307 Rancho Cucamonga, CA 91730 Tel: (909) 484-5678 Fax: (909) 484-8326

#### 7. Pro Line Sports Ltd

31707 Israel ave Mission, BC V4S 1E4 Tel: (604) 814-2161

#### Outdoor Marketing Group, Inc.

157 Harvest Lane, PO Box 781 Denton, NC 27239 Tel: (336) 859-2297

#### Zale Outdoors

52 Chemin du Fort Saint-Hippolyte, QC J8A 0G8 Tel: (450) 675-3305



www.okumafishingusa.com

OKUMA FISHING TACKLE Tel: (800)GO-OKUMA 2310 E. Locust Ct. Ontario, CA 91761





